



BR 40/10C

With the BR 40/10 we present the successor of the BR 400, the most economic machine in its class. This compact and powerful machine has a working width of 400 mm and a tank volume of 10 l. The Advance version is equipped with additional transport wheels and a brush contact pressure adjustment.

1 Powerful and fast

- Two high-speed rotating roller brushes with high contact pressure.
- Two suction lip strips soak up the water - either forwards or backwards.

2 Low clearance height

- Reaches under furniture effortlessly.
- The push handle can be folded down in both directions.

3 Ease of servicing

- The suction lips and brushes are easy to replace without tools.
- Water distribution bar can simply be removed and cleaned as necessary.

4 Ergonomic handle

- For better operating comfort.
- With integrated control of water inflow and brush.



BR 40/10C

- High scrubbing performance
- With adjustable contact pressure
- Includes roller brushes

Technical data

Order no.	1.783-311.0	
EAN code	4039784541498	
Brush working width	mm	400
Working width, vacuuming	mm	400
Rated input power / Amps	W	2300
Fresh/dirty water tank	l	10 / 10
Brush contact pressure	g/cm ² / kg	100-200 / 20-30
Brush speed	rpm	1100
Max. area performance	m ² /h	400
Current type	V / Hz	220-240 / 50
Weight (with accessories)	kg	30
Dimensions (L × W × H)	mm	520 × 470 × 380

Equipment

Roller brush	■
2-tank system	■
Mains operation	■
Variable contact pressure	■
Transport wheels	■
Two squeegees, straight	■
■ Included in the scope of supply.	


BR 40/10C 1.783-311.0



		Order no.	Length	Colour	Quantity	Price	Description	
Squeegee, complete								
Squeegee, straight	1	4.777-097.0	435 mm	blue	1 piece(s)		Straight, standard.	<input checked="" type="checkbox"/>
	2	4.777-098.0	435 mm	grey	1 piece(s)		Straight, oil-resistant.	<input type="checkbox"/>
Squeegees for suction bars								
Suction lip set, oil-resistant, 10x BR 40/10	3	4.035-288.0	435 mm	grey	10 piece(s)		Set, consisting of 10 oil-resistant suction lips, to be used with our BR 40/10 scrubber drier.	<input type="checkbox"/>
Suction lip set 10x BR 40/10	4	4.035-253.0	435 mm	blue	10 piece(s)		Rubber lip for squeegees 4.777-097.0.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.


BR 40/10C 1.783-311.0



		Order no.	Hardness / Brush type	Length	Colour	Quantity	Price	Description	
Roller brushes									
Roller brush	1	4.762-003.0	medium	400 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 400 mm. For all common cleaning tasks. Also suitable for sensitive floors. Bristles made from polypropylene; 0.4 mm thick, 20 mm long.	■
	2	4.762-250.0	very soft	400 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 400 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	□
	3	4.762-274.0	soft	400 mm	natural	1 piece(s)		Very soft, made of horsehair, perfect for spray cleaning and for polishing.	□
	4	4.762-251.0	high / low	400 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 400 mm. With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	□
	5	4.762-252.0	hard	400 mm	green	1 piece(s)		Roller brush, hard, green. Length: 400 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	□
	6	4.762-481.0	very hard	400 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only.	□
	7	4.762-254.0	soft	400 mm	blue	1 piece(s)		Carpet brush, soft, blue. Length: 400 mm. With wear-resistant star-wheel mechanism. For cleaning textiles. Bristles: Polypropylene, 0.25 mm thick, 20 mm long.	□
	8	4.762-000.0	medium-hard	400 mm	green	1 piece(s)		light green, for velour (up to 3 mm pile height)	□

■ Included in the scope of supply. □ Available accessories.

BR 40/10C 1.783-311.0



		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	
Pad roller shaft									
Pad roller shaft	1	4.762-228.0		400 mm				Pad roller shaft suitable for holding roller pads or microfibre rollers.	<input type="checkbox"/>
Roller pads									
Stripping roller	2	8.635-691.0		400 mm		brown		Compatible with BRS 40/1000 C; BR 40/10 C; BR 40/25 C.	<input type="checkbox"/>
Roller pad on sleeve	3	6.369-724.0	soft	400 mm	96 mm	yellow		Roller pads pre-assembled on sleeves, for polishing and cleaning non-textured floors. In conjunction with pad roller shaft 4.762-228.0.	<input type="checkbox"/>
	4	6.369-726.0	medium	400 mm	96 mm	red		For cleaning non-textured floors. In conjunction with pad roller shaft 4.762-228.0.	<input type="checkbox"/>
	5	6.369-725.0	hard	400 mm	96 mm	green		For removing stubborn dirt and deep cleaning of non-textured floors. In conjunction with pad roller shaft 4.762-228.0.	<input type="checkbox"/>
Microfibre shaft									
Microfibre roller	6	4.114-004.0	microfibre	400 mm	96 mm	light green		Micro fibre roller, length 400 mm. Combines the excellent cleaning power of microfibres with the advantages of roller technology. Ideal for cleaning fine stoneware tiles.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

BR 40/10C 1.783-311.0



		Order no.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Filling hose	1	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	<input type="checkbox"/>
Extension cable	2	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>
Carpet kit								
Carpet cleaning attachment kit	3	2.783-014.0			1 piece(s)		For intensive carpet cleaning. 2 suction lips for carpets + 2 blue roller brushes + 1 l RM 764 + 0.5 l RM 769.	<input type="checkbox"/>
Dosing aids								
DS 3 Cleaning Agent Dosing Station	4	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717).	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.