

Powerful and large capacity dust extractor for hazardous dust

The ATTIX 44 2M comes with more suction power, sealed dust system, semi automatic filter cleaning and several other user benefits - designed to meet the tough requirements in building & constructions and other industries when picking up hazardous M class dusts. This range represents a superior solution for professional customers looking for a reliable machine to protect workers health and safety.

The ATTIX 44 2M offers remarkable productivity thanks to the automatic filter cleaning system InfiniClean™. The InfiniClean™ system ensures continuously cleaning of the filter during operation using a reversed air-flow pulse, keeping suction performance on a high level. Downtime is reduced significantly, as the container can be filled up without filter maintenance. To minimise dust exposure during disposal several dust bag options are available to match the specific need in the hazardous dust application. Also the washable PTFE long-life filter and the dual HEPA filter option minimises maintenance and reduces the overall service cost. A flow sensor with combined acoustic and LED warning monitors the filter and air flow to secure performance and filtration on the highest and most safe level.

Easy handling and user-friendliness - also when it comes to transportation from one working site to another - are other valuable features for the




ATTIX 44 M dust extractor. All models offer flexible storage solutions for tools and accessories, so everything you need is at hand.



Picture shown may not represent model quoted








- InfiniClean™ - Automatic filter cleaning system with minimized performance loss
- PTFE long-life filter with non-stick membrane and minimum 99.9% filtration efficiency
- Dust class M certification
- Flow sensor with combined acoustic and LED warning
- 42 litre container with steel castors and robust bumper.
- MultiFit accessory system for the ultimate in task flexibility
- Rubber straps, tool box storage and optional trolley handle for convenient storage and transport
- Optional motor cooling filter, exhaust air collector and Long-Life filter bag

• Standard equipment

Included accessories		Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
Filter				
	FILTER ELEMENT Ø140X75 H-CLASS/HEPA	107413555	0	
	FLAT FILTER PTFE M-CLASS 1 PCS	107413540	0	•
System 32 Hose Vacuum Cleaner				
	HOSE Ø32X4000MM AS RED	107413543	0	•
System 36 Hose Vacuum Cleaner				
	HOSE Ø36X4000 MM AS RED	107413544	0	



Powerful and large capacity dust extractor for hazardous dust

Included accessories		Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
System 36 Tube				
	CURVED HAND TUBE Ø36MM SS	46691	0	•
	EXTENSION TUBE Ø36 2X505MM SS	107408074	0	•
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	•
System 36 Vac Floor Nozzle				
	FLOOR NOZZLE D36X400MM W/D	302003666	0	•
System 36 Crevice/Cone Nozzle				
	CREVICE NOZZLE D36X200	29541	0	•
Disposal Bag				
	DISPOSAL BAG ATTIX 33/44 5 PCS	107417821	0	
Safety Filter Bag				
	SAFETY FILTER BAG H ATTIX 33/44. 5 PCS	107413549	0	
Other				
	FLEXIBLE STRAP SET 2 PCS	107413553	0	•

Model	ATTIX 44-2M IC 110-120V 50/60HZ GB
Ref. no.	107412194

PRODUCT FEATURES

Softstart	•
Dual filter system	
Anti-static system	•



Powerful and large capacity dust extractor for hazardous dust

Model	ATTIX 44-2M IC 110-120V 50/60HZ GB
Ref. no.	107412194


PRODUCT FEATURES

Motor speed control	•
Automatic on/off - electric tools	•
M-class hazardous dust approval	•
H-class hazardous dust approval	
Storage of accessories	•
Extra socket for tool	•
Hose and cable holder	•
Disposal bag 1 pcs	•
Fleece filter bag 1 pcs.	•
Safety filter bag 1 pcs	

Technical specifications	ATTIX 44-2M IC 110-120V 50/60HZ GB
--------------------------	--











Power Pmax (W)	1200
Power Piec (W)	1000
Mains connection (V/~ /Hz/A)	110/1/50-60/25
Airflow rate (l/min.)	4200
Vacuum (mbar/kPa)	230/23
Working sound level (dB(A))	60
El cable (m)	7.5
Container volume (l-max)	42
Filter cleaning system	InfiniClean
Main filter type	PTFE M-class
Length x width x height (mm)	565x385x605
Weight (kg)	16

• Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
System 36 Crevice/Cone Nozzle				
	CREVICE NOZZLE D36X200	29541	0	•














Powerful and large capacity dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
	CREVICE NOZZLE Ø36X300 PP	6084	0	○
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	0	○
	DIA. TUBE NOZZLE Ø36X190 MM GREY RUBBER	5067	0	○
	FLAT NOZZLE Ø36MM RUBBER	40456	0	○
System 50 Tube				
	ADAPTER Ø50-36MMX125	40452	0	○
	ELBOW 90 Ø 50MM	5089	0	○
System 36 Brush/Universal Nozzle				
	BRUSH NOZZLE Ø36X70	5146	0	○
	BRUSH NOZZLE Ø36X230 PP/PA	6086	0	○
	OVAL BRUSH NOZZLE Ø36MM	40455	0	○
	RADIATOR BRUSH NOZZLE Ø36X420	5144	0	○
	SUCTION BRUSH D36 BLACK	302002509	0	○
	UNIV NOZZLE Ø36X150 ALU	5145	0	○
	UNIVERSAL NOZZLE D36X115	14295	0	○
System 36 Vac Floor Nozzle				














Powerful and large capacity dust extractor for hazardous dust

	Accessories	Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
	COMBI NOZZLE Ø36X260MM	302002365	0	○
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	○
	FLOOR NOZZLE D36X300MM W/D KIT	107402706	0	○
	FLOOR NOZZLE D36X400MM W/D	302003666	0	●
	FLOOR NOZZLE Ø36X300MM	302002331	0	○
	FLOOR NOZZLE Ø36X330 ALU	5147	0	○
	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	0	○
	NOZZLE ALU. 450XØ36MM DRY	15348	0	○
	NOZZLE ALU. 450XØ36MM WET	15349	0	○
	WATER SUCTION NOZZLE Ø36X300	7270	0	○
System 38 Hose Vacuum Cleaner				
	HOSE D38X5000 AS	107401368	0	○
	HOSE HEAT RES. 36X4000 FOR	6070	0	○
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	0	○














Powerful and large capacity dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
	UNIV HOSE Ø36-38X4000MM EVA	15365	0	○
System 27 Brush/Universal Nozzle				
	BRUSH CURRY COMB Ø 27MM	6093	0	○
	CURRY COMB Ø27MM	6092	0	○
	SPIKED CURRY COMB Ø 27MM	6094	0	○
Vacuum Accessory Set				
	ANIMAL CARE SET Ø27MM 4-PCS	6095	0	○
	BOILER SET Ø 36MM 4-PCS	60430	0	○
	CAR SET Ø36MM 3 PCS	63211	0	○
	HOME & OFFICE SET Ø36MM 5-PCS	63212	0	○
	HOSE SET Ø36MM 3 PCS	63210	0	○
	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	0	○
	INDUSTRIAL SET 38	302002881	0	○











Powerful and large capacity dust extractor for hazardous dust











Accessories		Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
	OVEN CLEANING SET 3 PCS	14341	0	○
	PIPE CLEANING SET Ø 38MM 4-PCS	63215	0	○
	TRADE AND IND. SET Ø36MM 5-PCS	63213	0	○
	WATER VACUUM SET Ø36MM 3- PCS	7727	0	○
	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	○
	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	○
	WORKSHOP KIT BASIC D36MM 4PCS	107401367	0	○
	WORKSHOP SET Ø36MM 6-PCS	302000927	0	○
System 38 Crevice/Cone Nozzle				
	CREVICE FLAT NOZZLE Ø38X240X65 MM	43535	0	○
	CREVICE NOZZLE Ø38X300 MM PP	302002890	0	○
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	0	○
	TOOL ADAPTER 38/50 MM	302002884	0	○
System 27 Hose Vacuum Cleaner				













Powerful and large capacity dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	0	○
	TOOL ADAPTER D27/36-24 AS	107404520	0	○
	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	0	○
System 32 Hose Vacuum Cleaner				
	AS HOSED32X5000MM WITH TOOL	30657	0	○
	COAXIAL SUCTION HOSE Ø32 SET	107400841	0	○
	HOSE Ø32X4000MM AS RED	107413543	0	●
	HOSE SLEEVE Ø32 PVC	14682	0	○
System 36 Hose Vacuum Cleaner				
	HOSE AS D36X4000MM	15311	0	○
	HOSE Ø36X4000 AS EVA	63209	0	○
	HOSE Ø36X4000 MM AS RED	107413544	0	○
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	0	○
	UNI. HOSE Ø36X3000MM EVA	15805	0	○
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	0	○
	UNI. HOSE Ø36X4000MM EVA	25537	0	○
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	0	○
System 38 Tube				
	CURVED HAND TUBE D38 MM SS	302002889	0	○








Powerful and large capacity dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	0	○
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	0	○
	EXTENSION TUBES R38 2X500 KIT	107402474	0	○
System 36 Tube				
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	0	○
	CURVED HAND TUBE D36MM ST/CR	302000528	0	○
	CURVED HAND TUBE Ø36MM SS	46691	0	●
	EXTENSION TUBE D36 2X500MM ALU	107400032	0	○
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	0	○
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	0	○
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	○
	EXTENSION TUBE Ø36 2X505MM SS	107408074	0	●
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	0	○
	TELESCOPIC TUBE Ø36X550-970 SS	47109	0	○

Powerful and large capacity dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	0	•
	TOOL ADAPTER D27/35/38	60916	0	○
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	0	○
Disposal Bag				
	DISPOSAL BAG ATTIX 33/44 5 PCS	107417821	0	○
	DISPOSAL BAG FOR FILTER ELEMENT	30082	0	○
Other				
	ADAPTER PLATE KIT	107413551	0	○
	FLEXIBLE STRAP SET 2 PCS	107413553	0	•
	SPARK EXTINGUISHER Ø50	34591	0	○
	STORAGE L-BOXX KIT W. DUSTBAGS	107413554	0	○
	TROLLEY HANDLE KIT	107413552	0	○
System 38 Vac Floor Nozzle				
	FLOOR NOZZLE D38X400 WET AND DRY	302002798	0	○

Powerful and large capacity dust extractor for hazardous dust

Accessories		Ref. no.	Min. required	ATTIX 44-2M IC 110-120V 50/60HZ GB
	FLOOR NOZZLE Ø38X450 WET AND DRY ADJ	302002799	0	○
	OVEN NOZZLE 400X Ø38MM	63380	0	○
Filter				
	FILTER ELEMENT Ø140X75 H-CLASS/HEPA	107413555	0	○
	FLAT FILTER PTFE M-CLASS 1 PCS	107413540	0	●
	HEPA FILTER COVER KIT	107413542	0	○
Special Filter				
	MOTOR COOLING AIR FILTER PET 1 PCS	107413541	0	○
Safety Filter Bag				
	SAFETY FILTER BAG H ATTIX 33/44. 5 PCS	107413549	0	
Filter Bag				
	FLEECE FILTER BAG 5 PCS ATTIX 33/44	107419593	0	○
	LONG LIFE FILTER BAG 1 PCS ATTIX 33/44	107413556	0	○
Exhaust Air Collector				
	EXHAUST AIR ADAPTER KIT	107417865	0	○