




NT 70/2 Tc

Save time and prevent back strain - the tilting chassis in the NT 70 range makes emptying the large containers simpler than ever: activate the emptying point, lift the handle and say good-bye to dirt!



1 Integrated accessory storage

- Large bumper with accessory storage.



2 Ergonomic push handle

- The NT 70 has an ergonomic push handle so that the machine can be pushed along.



3 Tilting chassis

- Quick and easy: the container tilts back for easy emptying.



4 Ergonomic lifting handle

- The ergonomic handle - at the bottom front of the container - makes handling easy.



NT 70/2 Tc

- Tilting chassis and large wheels
- Ergonomic push handle
- Optional wet filter available

Technical data

Order no.	1.667-271.0	
EAN code	4039784725393	
Current type	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	2 x 74
Vacuum	mbar / kPa	254 / 25.4
Container content	l	70
Container material	Plastic	
Rated input power	W	2400
Standard nominal width	DN 40	
Cable length	m	10
Sound pressure level	dB(A)	75
Number of motors	2	
Weight	kg	25.4
Dimensions (L x W x H)	mm	510 x 645 x 990

Equipment

Suction hose	m	4 / with bend	Stop swivel castor	■
Suction tube	piece(s) x m	2 x 0.5 / Metal		
Filter bag	piece(s)	1 / Paper		
Wet/dry floor nozzle	mm	400		
Crevice nozzle		■		
Cartridge filter		■		
Drain hose		■		
Tilting chassis		■		
Cartridge filter		Paper		
Push handle		■		
Protection class		II		

■ Included in the scope of supply.

NT 70/2 TC

1.667-271.0



		Order no.	Anzahl	Dummy	Dummy	Dummy	Price	Description	
Cartridge filter paper									
Cartridge filter, paper	1	6.907-038.0	1 piece(s)					Paper, dust class M tested.	■
Coarse dirt filter for wet vacuuming									
Foam filter	2	2.889-083.0	1 piece(s)					Foam filter for wet vacuuming, alternative to cartridge filter.	□
Wet filter bag									
Wet filter bag	3	6.904-252.0	5 piece(s)					Dust class L, general cleaning, dry and wet, tear-resistant.	□
Paper filter bags									
Paper filter bags	4	6.904-285.0	5 piece(s)					Dust class M, triple-ply, reinforced outer layer, tear-resistant.	□
Plastic sacks for dust-free disposal									
Plastic sack for dust-free disposal	5	6.900-698.0	10 piece(s)					PE plastic sack for dust-free disposal.	□
Fabric filter									
Membrane filter	6	6.904-282.0	1 piece(s)					Polyester needle fleece, dust class M, washable (40 °C). Not suitable for dust class H applications.	□
Fleece filter bags									
Fleece filter bags	7	2.885-753.0	5 piece(s)						□

■ Included in the scope of supply. □ Available accessories.

NT 70/2 TC

1.667-271.0

KÄRCHER



		Order no.	Anzahl	Nennweite	Länge	Breite	Price	Description	
Bend, plastic									
DN 40 bend	1	2.889-171.0	1 piece(s)	40				Bend for the new clip system in nominal size DN 40.	■
Plastic bend	2	5.031-718.0	1 piece(s)	35				Plastic with C 35 clip system.	□
Bend, plastic, electrically conductive	3	5.031-939.0	1 piece(s)	35				Plastic, DN 35 with C 35 clip system, electrically conductive.	□
	4	5.032-427.0	1 piece(s)	40				Plastic, with C 40 clip system, electrically conductive.	□
Floor nozzles									
Wet and dry floor nozzle Adv	5	2.889-153.0	1 piece(s)	40		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	■
Multi-purpose nozzle, wet/dry	6	6.903-018.0	1 piece(s)	40		370 mm		Aluminium with height-adjustable rollers, brush strips (6.903-064.0) and squeegees (6.903-081.0, oil-resistant).	□
	7	6.906-383.0	1 piece(s)	40		450 mm		Aluminium with height-adjustable rollers, brush strips (6.903-065.0) and squeegees (6.906-146.0).	□
	8	6.906-384.0	1 piece(s)	35		370 mm		Aluminium with height-adjustable rollers, brush strips (6.903-064.0) and squeegees (6.903-081.0, oil-resistant).	□
Wet and dry floor nozzle	9	2.889-117.0	1 piece(s)	40		400 mm		The wet and dry floor nozzle (ID 40) permits a quick squeegee/brush change and is suitable for wet vacuum cleaning of large areas.	□
Crevice nozzles									
Crevice nozzle DN 40 300mm 1:50	10	5.130-655.0							■
Crevice nozzle	11	6.900-385.0	1 piece(s)	35	210 mm			Plastic.	□
	12	6.900-922.0	1 piece(s)	35	500 mm			Metal.	□
	13	6.905-817.0	1 piece(s)	40	400 mm				□
Suction tubes, stainless steel									
Set suction tube stainless steel NW40 55	14	2.889-194.0	2 piece(s)	40	550 mm			Stainless steel suction tube set (2 x 0.55 m).	■
Suction tube	15	6.902-081.0	1 piece(s)	40	500 mm			For use in wet or damp environments or for wet vacuuming.	□
	16	6.906-531.0	1 piece(s)	40	1000 mm				□
	17	6.902-154.0	1 piece(s)	35	500 mm			Mainly for wet vacuuming or for vacuuming corrosive media.	□
Bends, stainless steel									
Bend, stainless steel, ID 35	18	6.903-141.0	1 piece(s)	35				Stainless steel.	□
Bend, stainless steel, ID 40	19	6.902-079.0	1 piece(s)	40					□
Bends, metal									
Bend, metal	20	6.900-519.0	1 piece(s)	35				Metal, ID 35.	□
	21	6.900-276.0	1 piece(s)	40				Metal, ID 40.	□
Car cleaning nozzles									
Car nozzle	22	6.900-952.0	1 piece(s)	40		90 mm		Plastic.	□
Wide nozzles									
Wide nozzle	23	4.130-432.0	1 piece(s)	40		644 mm		For vacuuming large areas in combination with NT 70/1, NT 70/2 or NT 70/3.	□
Rubber suction tools, nose 45°									
Rubber suction tool, nose 45°	24	6.902-104.0	1 piece(s)	35	220 mm			For vacuuming machines, oil-resistant.	□
	25	6.902-105.0	1 piece(s)	40	220 mm			For vacuuming machinery, oil-resistant.	□
Pipe dusting nozzles									
Pipe brush 35/100	26	6.903-035.0	1 piece(s)	35				Plastic, tube diameter 100 mm.	□
Pipe brush 35/200	27	6.903-036.0	1 piece(s)	35				Plastic, tube diameter 200 mm.	□
Suction brushes									
Suction brush	28	6.903-887.0	1 piece(s)	32		70 mm		Plastic brush, rotatable.	□

■ Included in the scope of supply. □ Available accessories.

NT 70/2 TC 1.667-271.0



	Order no.	Anzahl	Nennweite	Länge	Breite	Price	Description	
Suction tubes, metal								
Suction tube	29 6.900-514.0	1 piece(s)	35	500 mm			Metal, chromium-plated.	<input type="checkbox"/>

Included in the scope of supply.
 Available accessories.




		Order no.	Anzahl	Nennweite	Länge	Price	Description	
Complete suction hoses (clip system)								
Suction hose DN 40, length 4 m	1	2.889-138.0	1 piece(s)	40	4 m		4 m long suction hose with new bayonet and clip fastener.	■
Suction hose	2	4.440-678.0	1 piece(s)	40	4 m		With bend, C ID 40.	□
Suction hose + ID 40 bushing	3	4.440-784.0	1 piece(s)	40	16 m		C ID 40, 16 m, with bayonet connection and straight sleeve.	□
Electrically conductive suction hose	4	2.889-137.0	1 piece(s)	35	4 m		4 m suction hose with new bayonet and clip fastener. Electrically conductive.	□
Suction hose	5	2.889-139.0	1 piece(s)	40	2.5 m		Suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Suction hose, oil-resistant	6	2.889-140.0	1 piece(s)	40	4 m		Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	□
Electrically conductive suction hose	7	2.889-141.0	1 piece(s)	40	4 m		4 m long, electrically conductive suction hose with new bayonet and clip fastener.	□
	8	2.889-142.0	1 piece(s)	40	2.5 m		Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	□
Repair kits								
Repair kit, C 40	9	2.639-873.0	1 piece(s)	40			Suction hose repair kit (clip system).	□
Repair kit, ID 61	10	2.862-038.0	1 piece(s)	61			Suction hose repair kit.	□
Repair kit ID 40	11	2.889-150.0	1 piece(s)	40			Repair kit ID 40 for the new clip system.	□
Suction hoses (clip system)								
Suction hose	12	6.906-279.0	1 piece(s)	40	10 m		With bayonet and clip connection, C-45.	□
	13	6.906-321.0	1 piece(s)	40	4 m		With bayonet and clip connection, C 40.	□
	14	6.906-546.0	1 piece(s)	40	4 m		With bayonet and clip connection, electrically conductive, C 40.	□
	15	6.906-635.0	1 piece(s)	40	16 m		With bayonet and clip connection, C-40.	□
	16	6.906-877.0	1 piece(s)	40	10 m		With bayonet and clip connection, electrically conductive, C-40.	□
Suction hoses complete								
Suction hose, complete	17	4.440-264.0	1 piece(s)	61	4 m		Plastic.	□
	18	4.440-328.0	1 piece(s)	61	3 m		Industrial hose, PVC / elastomer with steel spiral, smooth inside.	□
	19	4.440-467.0	1 piece(s)	61	10 m		Plastic.	□
Suction hose, complete, oil-resistant	20	4.440-613.0	1 piece(s)	61	4 m		Oil-resistant.	□
Suction hose, complete, electrically conductive	21	4.440-616.0	1 piece(s)	61	4 m		Electrically conductive.	□
Suction hose, complete	22	4.440-263.0	1 piece(s)	40	4 m		Plastic.	□
	23	4.440-303.0	1 piece(s)	40	4 m		Oil-resistant.	□
	24	4.440-463.0	1 piece(s)	40	10 m		Plastic.	□
	25	4.440-466.0	1 piece(s)	40	10 m		Electrically conductive, plastic.	□
Suction hose, complete, oil-resistant	26	4.440-612.0	1 piece(s)	40	10 m		Oil-resistant.	□
Connecting sleeves								
Adapter, ID 32/35, with internal thread	27	6.902-077.0	1 piece(s)	32			For connecting two suction hoses (not ESB 28 and 34).	□
Connecting adapter, ID 40, with internal thread	28	6.900-286.0	1 piece(s)	40			For connecting two suction hoses, threaded at both ends.	□
Connecting sleeve, ID 61, with female thread	29	6.902-078.0	1 piece(s)	61				□
Extension hoses (clip system)								
Extension hose	30	6.906-344.0	1 piece(s)	40	2.5 m		For all C-40 hoses.	□
	31	2.889-146.0	1 piece(s)	40	2.5 m		Extension hose for new clip system ID 40. Length: 2.5 m.	□

■ Included in the scope of supply. □ Available accessories.

NT 70/2 TC

1.667-271.0



		Order no.	Anzahl	Nennweite		Price	Description	
Y-adapter kit								
Y-adapter kit	1	2.637-217.0	1 piece(s)	35			Distributor, plastic.	<input type="checkbox"/>
Connection adapter C ID (clip to cone), electrically conductive								
Connection adapter C DN 35	2	5.407-112.0	1 piece(s)	35			C 35 hose connection for ID 35 accessories, electrically conductive.	<input type="checkbox"/>
Connection adapter C DN 40	3	5.407-109.0	1 piece(s)	C-DN 40			C 40 hose connection for ID 35 accessories, electrically conductive.	<input type="checkbox"/>
	4	5.407-111.0	1 piece(s)	40			C 40 hose connection for ID 40 accessories, electrically conductive.	<input type="checkbox"/>
Adapter clip DN 35 on cone DN 35	5	5.407-005.0						<input type="checkbox"/>
Adapter clip DN 40 on cone DN 35	6	5.407-006.0		DN 40				<input type="checkbox"/>
Expansion pieces (tube -> nozzle)								
Adapter	7	5.453-019.0	1 piece(s)	40			From ID 40 to ID 61, plastic.	<input type="checkbox"/>
Reducing sleeves								
Reducer	8	5.407-108.0	1 piece(s)	40			From C 40 hose with outer thread 35 for connection bushing, screwable, ID 35.	<input type="checkbox"/>
Reduction bushing	9	5.407-113.0	1 piece(s)	40			Reduction bushing from clip C 40 to clip C 35.	<input type="checkbox"/>
Reducers (tube -> nozzle)								
Reducer	10	6.902-017.0	1 piece(s)	40			From ID 40 to ID 35, plastic.	<input type="checkbox"/>
Reducer from ID 35 to ID 32	11	6.902-072.0	1 piece(s)	35			From ID 35 to ID 32, metal.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

NT 70/2 TC 1.667-271.0



1



2

		Order no.	Anzahl	Breite			Price	Description	
Other									
Adapter connection, electroconductive	1	5.031-436.0							<input type="checkbox"/>
CS 40 Me	2	2.863-026.0	1 piece(s)					Cyclone preseparator for use with wet and dry vacuum cleaners for very large quantities of dust.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

NT 70/2 TC 1.667-271.0



1

		Order no.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.