



NT 48/1

Compact 48 litre wet & dry multi-purpose vacuum

1 Container emptying

- Easily accessible drain hose for convenient liquid disposal.

2 Accessory storage

- Accessories can be attached to the container at the rear of the machine.



NT 48/1

- All-purpose brush
- Cartridge filter with larger filter area
- Drain hose

Technical data

Order Number		1.428-622.0
EAN code		4039784724952
Current type	V / Hz	220 - 240 / 50 - 60
Air flow	l/s	67
Vacuum	mbar / kPa	200 / 20
Container capacity	l	48
Container material		Plastic
Motor rating	W	max. 1380
Standard nominal size		ID 35
Cable length	m	7,5
Sound level	dB(A)	72
Quantity of motors		1
Weight	kg	10,5
Dimensions (L x W x H)	mm	490 x 390 x 780

Equipment

Suction hose	m	2,5
Suction Tube	piece(s) / m	2 x 0,5 / Metal
Filter bag		Paper
Wet and dry floor tool	mm	400
Crevice nozzle		■
Cartridge filter		■
Drain hose		■
Bend		■
Safety class		II
Caster with brake		■

■ Included in delivery.

NT 48/1

1.428-622.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Paper filter (2 ply)									
Filter bags 5St. -NT 65/2 ECO	1	6.904-285.0	5 piece(s)					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	■
Cartridge filter paper									
Cartridge filter	2	6.414-789.0	1 piece(s)					Paper cartridge filter with larger filter surface, standard for NT 48/1 and optional for NT 27/1/Me Advanced.	■
Plastic bend									
Plastic bend	3	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
	4	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
Plastic bend, ID 35	5	6.902-009.0	1 piece(s)	ID 35				Plastic, ID 35.	□
All-purpose brushes									
All-purpose brush	6	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	■
All-purpose nozzles (wet/dry)									
Floor tool DN35	7	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	■
Wet and dry floor nozzle	8	2.889-118.0	1 piece(s)	ID 35		400 mm		Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.	■
Floor tool DN40-370	9	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	10	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	11	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
DN 40 wet/dry floor nozzle	12	6.907-408.0	1 piece(s)	ID 40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	□
Crevice nozzles									
Crevice nozzle DN35	13	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
Crevice nozzle	14	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	15	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	□
	16	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Crevice nozzle DN35	17	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□

■ Included in delivery. □ Available accessories.



		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction tubes metal									
Suction tube DN35	18	6.900-514.0	1 piece(s)	ID 35	0,5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■
Suction tube	19	6.900-275.0	1 piece(s)	ID 40	0,55 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	□
Suction hoses complete (Clip-system)									
Suction hose C DN35	20	4.440-626.0	1 piece(s)	ID 35	2,5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	■
Suction hose	21	4.440-653.0	1 piece(s)	ID 35	2,5 m			2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.	□
Suction hose electrically conducting C40	22	6.907-363.0	1 piece(s)	ID 40	4 m			Electroconductive suction hose, NW 35. Length: 4 metres.	□
Nozzle sets									
Nozzles set DN35	23	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	□
Membrane filter / fabric filter									
Membrane/fabric filter	24	6.906-103.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/Professional.	□
Special filter bags, wet filter bags									
Filter bag 5St. Kae.	25	6.904-211.0	5 piece(s)					Tear-resistant special/wet filter bag for dust class L, suitable for dry and wet pick up. Suitable for NT 561, NT 611 and NT 611 K.	□
Bend stainless									
Bend, stainless steel ID 35	26	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	□
Bend metal									
Bend, DN 35, metal	27	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	□
Car cleaning nozzles									
Car nozzle DN35	28	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	29	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
	30	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
Combi-nozzles (dry)									
Combination floor tool (dry)	31	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	□
Pipe dusting nozzles									
BRUSH	32	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	□
	33	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	□

■ Included in delivery. □ Available accessories.

NT 48/1

1.428-622.0

KÄRCHER


		Order Number	Quantity	ID	Length	Width	Price	Description	
Suction brushes									
Suction brush DN35	34	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
Turbo nozzle									
Upholstery nozzle TURBO	35	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Floor tool TURBO DN 35/32	36	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
Suction tubes stainless steel									
Suction tube, ID 40	37	6.902-081.0	1 piece(s)	ID 40	0,5 m			Stainless steel suction tube (DN 40, 0,5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube	38	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1,0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube, DN 35	39	6.902-154.0	1 piece(s)	ID 35	0,5 m			0,5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	<input type="checkbox"/>
Suction tubes plastic									
Suction tube, DN 35	40	6.900-384.0	1 piece(s)	ID 35	0,5 m			Plastic suction tube (DN 35, 1x0,5 m) only suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
Repair kits									
Repair set, C 35	41	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
Suction hoses (Clip-system)									
Suction hose	42	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	43	6.906-275.0	1 piece(s)	35	2,5 m			2,5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
Suction hose (clip system), C 35, el.	44	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
Suction hose	45	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	<input type="checkbox"/>
Suction hoses complete									
Suction hose, complete	46	4.440-287.0	1 piece(s)	ID 35	4 m			Standard, 4.0m, ID 35	<input type="checkbox"/>
	47	4.440-461.0	1 piece(s)	ID 27	7 m			Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	<input type="checkbox"/>
Suction hose complete B1 M L=8m	48	4.440-013.0	1 piece(s)	ID 40	8 m			Eight metres long, electroconductive suction hose, NW 35. Screw connections cannot be confused.	<input type="checkbox"/>
Suction hose, complete	49	4.440-263.0	1 piece(s)	ID 40	4 m			Electrically non-conductive 4.0m standard suction hose with bayonet at vacuum end and DN 40 cone at accessory end.	<input type="checkbox"/>
Suction hose complete, ID 40, 4 m, oil-resistant,	50	4.440-303.0	1 piece(s)	ID 40	4 m			Oil-resistant.	<input type="checkbox"/>
Connecting sleeves									
Adapter, DN 32/35, with internal thread	51	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
Extension hoses (Clip-system)									
Extension hose, C 40	52	6.906-344.0	1 piece(s)	ID 40	2,5 m			2,5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.



		Order Number	Quantity	ID	Length	Width	Price	Description	
Connecting sleeve C-DN (clip on taper), EL (electroconductive)									
C-ID 35 adapter	53	5.407-112.0	1 piece(s)	ID 35				Connects C 35 hose for ID 35, electrically conductive.	<input type="checkbox"/>
Adapter for electric power tools, clip on, el.									
Sleeve for tool C35EL	54	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Adapter for electric power tools, C 35, el.	55	5.453-048.0	1 piece(s)	ID 35				Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Connecting sleeve for electric tool C 35, el.	56	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Adapter for electric power tools, C 35, el.	57	5.453-050.0	1 piece(s)	ID 35				Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Connecting sleeve for electric tool C 35, el.	58	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Connecting sleeve for electric tools C 35, el.	59	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Adapter for electric power tools, screwable									
Power tool adapter, threaded, DN 35	60	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
Adapter for electric power tools, screwable, ID 35	61	5.453-026.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.	<input type="checkbox"/>
Power tool adapter, threaded, DN 35	62	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	<input type="checkbox"/>
	63	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducer (tube -> nozzle)									
Reducer	64	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to 32	65	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Set reducing / extension sleeves									
Set reducing / extension sleeves	66	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>
Other									
Drilling dust tool	67	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
CS 40 Me	68	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.