



B 60 W Bp Dose

Battery-powered walk-behind scrubber dryers in the 60 litre class with traction drive. Ideal for areas between 1000 and 2500 m². With innovative KIK system and roller or disc brush head.



1 Choice of four batteries

- Battery types: maintenance-free 105 Ah (C5), maintenance-free 170 Ah (C5) with fleece technology, maintenance-free 180 Ah (C5) or low-maintenance 180 Ah (C5).
- The built-in charger can be adjusted to the various battery types.

2 EASY Operation switch

- Simple to use.
- The basic functions are controlled with the EASY switch.

3 Energy-saving ecoefficiency mode

- For significantly reduced energy consumption and substantially longer battery runtime.
- The ecoefficiency mode is extra quiet and optimal for noise-sensitive areas (such as hospitals or hotels).

4 Powerful traction drive

- Forward and reverse operation.
- Variable speed.



B 60 W Bp Dose

Technical data

Order no.	2.384-003.0	
EAN code	4039784582514	
Brush working width	mm	550
Working width, vacuuming	mm	850
Fresh/dirty water tank	l	60 / 60
Rated input power / Amps	W	bis zu 2100
Weight (with accessories)	kg	70.9
Dimensions (L × W × H)	mm	1296 × 600 × 1154
Battery voltage	V	24

Equipment

Fact	-
Dose	■
Powerful traction drive	■
Tank-in-tank construction style	■

■ Included in the scope of supply.

B 60 W BP DOSE 2.384-003.0

KÄRCHER



		Order no.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	■
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	■
Filling hose	3	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
KIK key set, yellow	4	4.035-408.0		yellow	5 piece(s)		Key for operators. Cannot be adjusted.	□
Cover without tank flushing system complete	5	4.035-334.0	720 mm		1 piece(s)		Tool-free exchangeable dirty water tank cover for machines in B 40 range without tank cleaning system.	□
Cover for tank flushing system complete	6	4.035-369.0	73 cm		1 piece(s)		For machines in the B 40 range with tank cleaning system: tool-free exchangeable dirty water tank cover with integrated spray nozzles.	□
Cover plate Auto-Fill	7	4.035-370.0	18 cm		1 piece(s)		For machines without Auto Fill function: screw-on cover for the opening of the fresh water tank at rear of machine.	□
Add-on kit ecolzero	8	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	□
Home Base accessories								
Home Base adapter	9	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	□
Home Base mop holder kit	10	4.035-374.0			1 piece(s)		The Homebase Mop kit contains mop clip, mop support and bottle holder - the perfect solution for securely carrying the mop directly on the scrubber drier.	□
Holder handhold grey	11	6.980-078.0			1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Bottle holder	12	6.980-080.0			1 piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	□
Home Base Box Kit	13	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	□
Universal hook kit	14	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□
Wheels/tyres								
Sports hall attachment kit	15	4.744-162.0			1 piece(s)		Reduces floor loading to < 0.5 N/mm ² , in accordance with DIN 18032.	□
Dosing aids								
DS 3 Cleaning Agent Dosing Station	16	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717).	□

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE


2.384-003.0



		Order no.	Hardness / Brush type	Length	Colour	Quantity	Price	Description	
Roller brushes									
Roller brush	1	6.906-981.0	soft	638 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 638 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	<input type="checkbox"/>
	2	4.035-187.0	medium	638 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 638 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	<input type="checkbox"/>
	3	6.906-982.0	high / low	638 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 638 mm. With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	<input type="checkbox"/>
	4	6.906-983.0	hard	638 mm	green	1 piece(s)		Roller brush, hard, green. Length: 638 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	<input type="checkbox"/>
	5	6.906-984.0	very hard	638 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only.	<input type="checkbox"/>
	6	6.906-977.0	soft	532 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 532 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	<input type="checkbox"/>
	7	4.035-193.0	medium	532 mm	red	1 piece(s)		Medium, for all floors. Standard with R 55.	<input type="checkbox"/>
	8	6.906-978.0	high / low	532 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 532 mm. With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	<input type="checkbox"/>
	9	6.906-979.0	hard	532 mm	green	1 piece(s)		Roller brush, hard, green. Length: 532 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	<input type="checkbox"/>
	10	6.906-980.0	very hard	532 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.


B 60 W BP DOSE 2.384-003.0



		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	
Pad roller shaft									
Pad roller shaft	1	4.762-433.0		638 mm				Pad roller shaft suitable for holding roller pads or microfibre rollers.	<input type="checkbox"/>
	2	4.762-432.0		532 mm					<input type="checkbox"/>
Roller pads									
Roller pad	3	6.369-454.0	soft		105 mm	yellow		Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
	4	6.369-456.0	medium		105 mm	red		Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	<input type="checkbox"/>
	5	6.369-455.0	hard		105 mm	green		Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
Microfibre shaft									
Microfibre roller	6	4.114-006.0	microfibre	638 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-433.0.	<input type="checkbox"/>
	7	4.114-005.0	microfibre	532 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-432.0. Fits on R 55.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE 2.384-003.0




		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
Disc brushes									
Disc brush	1	4.905-011.0	very soft	355 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing.	<input type="checkbox"/>
	2	4.905-012.0	soft	355 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.	<input type="checkbox"/>
	3	4.905-010.0	medium	355 mm	red	1 piece(s)		Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.	<input type="checkbox"/>
	4	4.905-013.0	hard	355 mm	black	1 piece(s)		Disc brush, hard, black, 355 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	<input type="checkbox"/>
	5	4.905-015.0	very soft	300 mm	White	1 piece(s)		For cleaning sensitive floors and polishing.	<input type="checkbox"/>
	6	4.905-016.0	soft	300 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 55.	<input type="checkbox"/>
	7	4.905-014.0	medium	300 mm	red	1 piece(s)		Disc brush, medium-hard, red, 300 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.	<input type="checkbox"/>
	8	4.905-017.0	hard	300 mm	black	1 piece(s)		Disc brush, hard, black, 300 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE

2.384-003.0

KÄRCHER



		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
Microfibre pad									
Microfibre pad	1	6.369-959.0	microfibre	356 mm	White	5 piece(s)		5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65.	<input type="checkbox"/>
Pads									
Pad	2	6.369-003.0	medium-soft	356 mm	red	5 piece(s)		5 pads, medium-soft, red, 356 mm diameter. For cleaning all floors.	<input type="checkbox"/>
	3	6.369-002.0	medium-hard	356 mm	green	5 piece(s)		5 pads, medium-hard, green. 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	<input type="checkbox"/>
	4	6.369-001.0	hard	356 mm	black	5 piece(s)		5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	<input type="checkbox"/>
	5	6.371-153.0	medium-soft	280 mm	red	5 piece(s)		5 pads, medium-soft, red, 280 mm diameter. For cleaning all floors. Suitable for, e.g. D 55.	<input type="checkbox"/>
	6	6.371-154.0	medium-hard	280 mm	green	5 piece(s)		5 pads, medium-hard, green. 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	<input type="checkbox"/>
	7	6.371-155.0	hard	280 mm	black	5 piece(s)		5 pads, hard, black, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	<input type="checkbox"/>
Pad drive board									
Pad drive board	8	4.762-446.0		335 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	<input type="checkbox"/>
	9	4.762-445.0		280 mm		1 piece(s)		Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.	<input type="checkbox"/>
Diamond pad									
Diamond pad	10	6.371-250.0	coarse	356 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	11	6.371-251.0	medium	356 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	12	6.371-235.0	fine	356 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	13	6.371-246.0	coarse	280 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	14	6.371-247.0	medium	280 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad.	<input type="checkbox"/>
	15	6.371-233.0	fine	280 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE

2.384-003.0



		Order no.	Length	Colour	Quantity	Price	Description	
Squeegee, complete								
Squeegee, straight	1	4.777-402.0	940 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
	2	4.777-401.0	850 mm	transparent	1 piece(s)			<input type="checkbox"/>
Squeegee, curved	3	4.777-412.0	940 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
	4	4.777-411.0	850 mm	transparent	1 piece(s)			<input type="checkbox"/>
V-squeegee	5	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm-long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	<input type="checkbox"/>
Squeegees for suction bars								
Suction lips	6	6.273-208.0	960 mm	transparent	2 -part		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	7	6.273-205.0	960 mm	transparent	2 -part		Slotted, oil-resistant, for sensitive floors.	<input type="checkbox"/>
	8	6.273-291.0	960 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
	9	6.273-214.0	960 mm	blue	2 -part		Grooved, natural rubber.	<input type="checkbox"/>
	10	6.273-207.0	890 mm	transparent	2 -part		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	11	6.273-229.0	890 mm	transparent	2 -part		Slotted, oil-resistant, polyurethane, for sensitive floors.	<input type="checkbox"/>
	12	6.273-290.0	890 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
Suction lips for V-squeegee	13	6.273-213.0	890 mm	blue	2 -part		Fluted, standard, natural rubber.	<input type="checkbox"/>
	14	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE 2.384-003.0



		Order no.					Price	Description	
Brush heads									
Brush head R 65 S	1	2.763-004.0						Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	<input type="checkbox"/>
Brush head R 55 S	2	2.763-002.0						Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	<input type="checkbox"/>
D 65 S brush head	3	2.763-003.0						Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	<input type="checkbox"/>
D 55 S brush head	4	2.763-001.0						Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee. Packed separately.	<input type="checkbox"/>
Floor head S 65	5	2.763-030.0						Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	<input type="checkbox"/>
Connection kit S 65	6	4.036-063.0						Connection kit for connecting the S 65 floor head to the new generation of B 60 W and B 80 W.	<input type="checkbox"/>
Brush head D 65 R	7	2.763-039.0						Brush head with disc engineering. Ideal for use in supermarkets, for example. Very low deck. Height-adjustable bumper disc. Surrounding splash guard.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE


2.384-003.0



		Order no.	Length	Diameter	Quantity	Price	Description	
Other attachment kits								
Auto-Fill	1	4.035-345.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	<input type="checkbox"/>
Suction hose accessories	2	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Spray extraction mounting kit								
Spray suction attachment kit	3	2.642-833.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE 2.384-003.0



		Order no.	Quantity	Battery voltage	Battery capacity	Battery type	Price	Description	
Batteries									
Battery kit	1	2.815-101.0	4 -part	24 V	180 Ah	Maintenance-free		Battery kit with 24 V voltage and 180 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
	2	2.815-100.0	2 -part	24 V	105 Ah	Maintenance-free		Battery kit with 24 V voltage and 105 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
	3	2.815-092.0	4 -part	24 V	170 Ah	Maintenance-free		Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	<input type="checkbox"/>
	4	2.815-091.0	2 -part	24 V	115 Ah	Maintenance-free		Battery kit with 24 V voltage and 115 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	<input type="checkbox"/>
	5	4.035-373.0		24 V	105 Ah			Maintenance-free battery set consisting of 2x 12-V batteries and connecting cables.	<input type="checkbox"/>
Accessories for batteries									
Battery mounting kit	6	2.638-036.0	2 -part					Installation kit for installing battery kit in a machine. Incl. connection cable and brackets.	<input type="checkbox"/>
	7	2.638-037.0	3 -part					Installation kit for installing battery kit in a machine. Incl. 2 brackets and 1 connection cable.	<input type="checkbox"/>
	8	2.638-064.0	5 -part					Installation kit for installing battery kit in a machine. Incl. 2 brackets and 3 connection cables.	<input type="checkbox"/>
	9	2.638-106.0	3 -part					Installation kit for installing battery kit in a machine. Incl. 3 connection cables.	<input type="checkbox"/>
Spacer	10	4.642-019.0	1 piece(s)					Fits quick charger set 2.642-558.0. Prevents the battery from slipping into the machine.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

B 60 W BP DOSE 2.384-003.0



		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.