

SC100

Master of small space cleaning





Easy to fill the solution tank with water even in a low sink



Low deck profile (25cm) and offset allows cleaning in difficult to reach areas



Apart from getting faster cleaning of hard floors, you will also be able to freshen up smaller carpets, including removal of spots, by adding an optional carpet kit. Brush and squeegees can be removed without any tools making daily maintenance operations easy and fast

Compact upright scrubber dryer for small areas

The Nilfisk SC100 is a small scrubber dryer for cleaning of small areas. Compared to the manual solution of a mop and bucket, this compact upright machine will get the job done much faster offering a superior cleaning performance.

The value-for-money choice for small shops, schools, restaurants, coffee shops, petrol stations / garages, bakeries, fast food chains, hotels, contract cleaners, and also in-home cleaning.

EASY, FAST AND PRODUCTIVE CLEANING

- Scrub and dry in one single pass giving fast access to the cleaned area
- Two solution flow settings for efficient cleaning and red LED light indicator alarms when out of solution
- Ergonomic handle for comfortable one or two handed operation
- Easy to carry and to transport from one place to another – only 12 kg weight

SAFE AND HYGIENIC ENVIRONMENT

- Only clean solution is used to clean the floors, dirt and bacteria are stored in the recovery tank not spread over the floor
- Flat recovery tank design and full access makes it fast and easy to clean 100% of the recovery tank from any dirt
- Can do what others cannot: Low deck profile and offset allow to clean difficult to reach areas for real floor cleaning
- Easy and quick maintenance operations help the operator to always have a clean and functional machine

REDUCED TOTAL COST TO CLEAN

- Flexible cleaning: Eco flow for light cleaning and double flow for spot or hard cleaning
- All machine functions stop in upright position: brush and squeegee are lifted off the floor and solution does not spill when the machine is not in use
- Robust aluminum frame design guarantees high reliability and long life time
- Detergent dosing cap on solution tank to always have the right percentage of detergent



Each tank can be removed quickly and carried in one hand



The optional manual suction hose is ideal for cleaning any unreachable area or spot cleaning



You will remain in full control of the scrubber dryer thanks to the intuitive touch display with two water settings and a solution indicator, alerting you if the tank is empty



Reliability is also our mantra when it comes to service

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: three levels of service reflecting different requirements and an optional supply of a substitute machine in critical situations.

Service Solutions Standard – Professional maintenance

Your contract encompasses two yearly maintenance visits and 48 hours response time. Breakdown visits and spare parts are billed separately.

Service Solutions Plus – Optimised performance

With the Plus solution you have a firm grip on your maintenance and repair costs while knowing that your performance is never compromised, only optimised.

Service Solutions Premium – Maximised uptime

If uptime is your absolute top priority and key concern, Service Solutions Premium is the best choice. A quarterly maintenance visit is included, and there are no sudden financial surprises.

The ergonomic handle can be tilted down for effective cleaning in low positions. The detachable cord is easy stored on the handle hook



Squeegees can be raised for double scrubbing performance to remove any persistent dirt or spots



The detachable tanks are easy to empty/refill in any low sink



Offset brush enables cleaning near walls



Touch display for intuitive control of the machine and low water alert prevents using the machine without solution



Water flow control with two settings securing perfect cleaning results even in filthy areas



When the machine is parked upright all functions will automatically stop and the squeegee and brush will be lifted off the floor



The vacuum motor filter and the solution filter protect sensitive components from failures resulting in a reliable cleaning machine



Technical specifications

Description	Unit	SC100 Full package
Item no.		107408102
Voltage	V	220-240
Rated power	W	800
Sound pressure level	dB(A)	72 ± 2
Productivity rate theoretical/ actual	m ² /h	620/310
Scrubbing width	mm	310
Solution/recovery tank	litre	3/4
Brush speed	rpm	2100
Length x width x height	cm	40x36x115
Weight (machine only)	kg	12
Operating weight	kg	15
FEATURES:		
10m detachable cord		●
Out of solution LED indicator		●
Two solution level		●
Tank in tank solution		●
Two hands working handle		●
Manual suction hose		○
Carpet kit including brush and squeegee		○

● = Standard feature
○ = Optional feature

Nilfisk Ltd.

Nilfisk House · Bowerbank Way · Gilwilly Industrial Estate · Penrith · Cumbria · CA11 9BQ
Tel.: 01768 868995 (UK) · 01 2943838 (IE)
Email: mail.uk@nilfisk.com (UK) · info.ie@nilfisk.com (IE)
www.nilfisk.co.uk · www.nilfisk.ie

