


SC351

# New standard for daily cleaning performance and manoeuvrability

- Next generation in daily small area scrubbing and drying





The unique rotating deck and 27 kg brush pressure enable SC351 to clean and dry both forward and backward reaching even the most inaccessible places



Low sound level allow daytime cleaning in sound sensitive areas



The powerful brush motor is designed for maximum reliability and cleaning performance

# Next generation in daily small area cleaning

## Easy cleaning everywhere

The SC351 is adding next generation performance to a century of Nilfisk traditions for trusted and reliable cleaning equipment.

The Nilfisk SC351 offers both forward and backward scrubbing and drying with an impressive brush pressure of 27 kg. This feature is extremely useful for cleaning in crowded places, between and behind tables, shelves, furniture and in other less accessible areas. Adding to that is an attractive price and unmatched reliability.

Ideally suited for cleaning of hotels, schools, small shops, offices, canteens and coffee shops, the SC351 is offering unique performance in a small and handy machine. Drop the mop, single disc or heavy, expensive machines and achieve remarkable results with the Nilfisk SC351:

- Rotating deck enabling this compact unit to scrub and dry going either forward or backward
- 27 kg of down pressure for outstanding scrubbing effectiveness.
- Powerful brush motor to increase reliability, reduce service costs and giving superior cleaning performance
- A redesigned deck ensures reliability and increased performance with low maintenance costs
- Optima batteries available offering high productivity, constant performance, less weight and more environmental friendly with the use of less lead
- Easy brush adjustment for perfect traction control
- New squeegee system with high suction performance, and patent blade retaining system for easy removal and change of blades
- Fast and simple maintenance: All components are accessible quickly, without the need for tools
- Adjustable water flow with two optional settings.
- Brush deck with large bumper rollers and spring system



Thanks to the compact design and foldable handle, the SC351 is easy to transport and store, even when space is limited



Removable two tank system with transparent plastic lid and rubber protected handles makes them easy to carry



# Reliability is also our mantra when it comes to service

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: three levels of service reflecting different requirements and an optional supply of a substitute machine in critical situations.

## Service Solutions Standard – Professional maintenance

Your contract encompasses two yearly maintenance visits and 48 hours response time. Breakdown visits and spare parts are billed separately.

## Service Solutions Plus – Optimised performance

With the Plus solution you have a firm grip on your maintenance and repair costs while knowing that your performance is never compromised, only optimised.

## Service Solutions Premium – Maximised uptime

If uptime is your absolute top priority and key concern, Service Solutions Premium is the best choice. A quarterly maintenance visit is included, and there are no sudden financial surprises.

Ergonomic adjustable handle that easily can be folded for storage or transportation

On-board battery charger as standard

The brush and squeegee blades can easily be changed. No need for tools

You can quickly change blades without using tools

Two knobs beneath the tanks allow simple adjustment of the deck angle for full traction control



Simple to use control panel with three operating-modes makes it easy to control even for beginners

Removable tanks with transparent lid for easy inspection and for fast refill and cleaning

Patent elastic strap system to easy install and remove squeegee blades without any tools

Rotating deck and integrated squeegee enable both forward and backward cleaning

High performing Polyurethane squeegee blades as standard

Large rollers and spring system for shock absorption improve reliability

## Technical specifications

Description	Unit	SC351
Item no.		41600700
Voltage	V	12
Rated power	W	500
Sound pressure level at 1.5m	dB(A)	64
Productivity rate theoretical/ actual	m <sup>2</sup> /h	1480/890
Scrubbing width	mm	370
Max speed	km/h	4
Solution/recovery tank	litre	11/11
Brush/pad diameter	mm	370
Brush pressure	kg	27
Brush speed	rpm	140
Length x width x height (machine body)	cm	73x43.5x47
Net weight	kg	44
Gross weight	kg	80
Shipping weight	kg	48
Shipping weight (full pkg)	kg	70

Specifications and details are subject to change without prior notice.

### Nilfisk Ltd.

Nilfisk House · Bowerbank Way · Gilwilly Industrial Estate · Penrith · Cumbria · CA11 9BQ  
 Tel.: 01768 868995 (UK) · 01 2943838 (IE)  
 Email: mail.uk@nilfisk.com (UK) · info.ie@nilfisk.com (IE)  
 www.nilfisk.co.uk · www.nilfisk.ie

