



## B 90 R Classic

Compact, high productivity ride-on scrubber dryer with advanced features



### 1 Extremely easy to manoeuvre

- The extra short and sleek design makes this machine extremely agile and easy to manoeuvre – despite the large water capacity.
- 90° steering allows on-the-spot turning.



### 2 Simple operation

- The basic functions are controlled with the EASY switch.
- Operating hours are displayed.



### 3 Long operating time

- Large compartment for large battery capacity. Pack models include maintenance-free gel batteries.
- Two turbine power settings - save energy in the WHISPER setting.



### 4 Quick replacement

- The brush head is easy to replace without tools.
- R-head rollers can be changed in seconds.



## B 90 R Classic

- Very easy to use
- With operating hour counter
- For maintenance cleaning

### Technical data

|                                     |                        |                   |
|-------------------------------------|------------------------|-------------------|
| <b>Order Number</b>                 | 1.161-307.0            |                   |
| <b>EAN code</b>                     | 4039784497856          |                   |
| <b>Working width, brush</b>         | mm                     | 550               |
| <b>Working width, vacuum</b>        | mm                     | 850               |
| <b>Fresh / waste water tank</b>     | l                      | 90 / 90           |
| <b>Theoretical area performance</b> | m <sup>2</sup> /h      | 4500              |
| <b>Brush contact pressure</b>       | g/cm <sup>2</sup> / kg | 20-315 / 28-35    |
| <b>Battery voltage</b>              | V                      | 24                |
| <b>Battery capacity</b>             | Ah                     | 170               |
| <b>Motor rating</b>                 | W                      | 2200              |
| <b>Waste container</b>              | l                      | 5 + 7             |
| <b>Weight (with accessories)</b>    | kg                     | 272               |
| <b>Dimensions (L x W x H)</b>       | mm                     | 1450 × 800 × 1200 |
| <b>Sound level</b>                  | dB(A)                  | 69                |

### Equipment

|                                     |                  |
|-------------------------------------|------------------|
| <b>Traction drive</b>               | ■                |
| <b>Battery and charger included</b> | ■                |
| <b>Automatic water stop</b>         | ■                |
| <b>Battery type</b>                 | maintenance-free |
| <b>DOSE</b>                         | -                |
| <b>2-tank system</b>                | ■                |
| ■ Included in delivery.             |                  |

# B 90 R CLASSIC 1.161-307.0



1



2


|                                          |   | Order Number | Quantity   | Battery voltage | Battery capacity | Battery type              | Price | Description                                                                            |                                     |
|------------------------------------------|---|--------------|------------|-----------------|------------------|---------------------------|-------|----------------------------------------------------------------------------------------|-------------------------------------|
| <b>Batteries</b>                         |   |              |            |                 |                  |                           |       |                                                                                        |                                     |
| Drive battery maintenance free replaceme | 1 | 4.035-181.0  | 1 piece(s) | 6 V             | 170 Ah           | mainten-<br>ance-<br>free |       | Maintenance-free 6v traction battery with fleece-technique. With a capacity of 170 Ah. | <input checked="" type="checkbox"/> |
| Battery kit                              | 2 | 6.654-124.0  | 1 piece(s) | 6 V             | 180 Ah           | mainten-<br>ance-<br>free |       | 6 pcs required                                                                         | <input type="checkbox"/>            |

■ Included in delivery. □ Available accessories.

# B 90 R CLASSIC

## 1.161-307.0

**KÄRCHER**



|                               |    | Order Number | Hardness/<br>Brush type | Diameter | Colour | Quantity   | Price | Description                                                                                                                                                                                      |                          |
|-------------------------------|----|--------------|-------------------------|----------|--------|------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Pad drive board</b>        |    |              |                         |          |        |            |       |                                                                                                                                                                                                  |                          |
| Pad disk complete STRONG BD75 | 1  | 4.762-591.0  |                         | 375 mm   |        | 1 piece(s) |       |                                                                                                                                                                                                  | <input type="checkbox"/> |
| Disk pad BD65                 | 2  | 4.762-590.0  |                         | 335 mm   |        | 1 piece(s) |       |                                                                                                                                                                                                  | <input type="checkbox"/> |
| Pad drive board               | 3  | 4.762-447.0  |                         | 375 mm   |        | 1 piece(s) |       | Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.                                                       | <input type="checkbox"/> |
|                               | 4  | 4.762-446.0  |                         | 335 mm   |        | 1 piece(s) |       | Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.                                                       | <input type="checkbox"/> |
|                               | 5  | 4.762-445.0  |                         | 280 mm   |        | 1 piece(s) |       | Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.                                                       | <input type="checkbox"/> |
| <b>Microfibre pad</b>         |    |              |                         |          |        |            |       |                                                                                                                                                                                                  |                          |
| Microfibre pad                | 6  | 6.371-078.0  | Microfibre              | 381 mm   | white  | 5 piece(s) |       | 5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.         | <input type="checkbox"/> |
|                               | 7  | 6.369-959.0  | Microfibre              | 356 mm   | white  | 5 piece(s) |       | 5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65.                                     | <input type="checkbox"/> |
|                               | 8  | 6.369-120.0  | Microfibre              | 280 mm   | white  | 5 piece(s) |       | Microfibre pad set: Five white microfibre pads of diameter 280 mm with centre hole and outstanding cleaning power. Cleans even fine stone tiles right down to the grain. Suitable for D 55 e.g.. | <input type="checkbox"/> |
| <b>Pads</b>                   |    |              |                         |          |        |            |       |                                                                                                                                                                                                  |                          |
| Pad                           | 9  | 6.371-000.0  | medium-soft             | 650 mm   | red    | 5 piece(s) |       | Medium-hard pad (650 x 300 mm) in red version for cleaning all floors in combination with the S 65 head.                                                                                         | <input type="checkbox"/> |
|                               | 10 | 4.642-025.0  | hard                    | 650 mm   | brown  | 5 piece(s) |       | Tough, brown pad (650 x 300 mm) including Velcro fastener. For restoring shine in combination with the S 65 head. Only for insensitive surfaces.                                                 | <input type="checkbox"/> |
|                               | 11 | 6.369-791.0  | medium-soft             | 381 mm   | red    | 5 piece(s) |       | 5 pads, medium-soft, red, 381 mm diameter. For cleaning all floors. Suitable for, e.g. D 75.                                                                                                     | <input type="checkbox"/> |
|                               | 12 | 6.369-790.0  | medium-hard             | 381 mm   | green  | 5 piece(s) |       | 5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.                                                                             | <input type="checkbox"/> |
|                               | 13 | 6.369-789.0  | hard                    | 381 mm   | black  | 5 piece(s) |       | 5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.                                                                                    | <input type="checkbox"/> |
|                               | 14 | 6.369-003.0  | medium-soft             | 356 mm   | red    | 5 piece(s) |       | 5 pads, medium-soft, red, 356 mm diameter. For cleaning all floors. Suitable for, e.g. D 65.                                                                                                     | <input type="checkbox"/> |
|                               | 15 | 6.369-002.0  | medium-hard             | 356 mm   | green  | 5 piece(s) |       | 5 pads, medium-hard, green. 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.                                                                             | <input type="checkbox"/> |
|                               | 16 | 6.369-001.0  | hard                    | 356 mm   | black  | 5 piece(s) |       | 5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.                                                                                    | <input type="checkbox"/> |
|                               | 17 | 6.371-153.0  | medium-soft             | 280 mm   | red    | 5 piece(s) |       | 5 pads, medium-soft, red, 280 mm diameter. For cleaning all floors. Suitable for, e.g. D 55.                                                                                                     | <input type="checkbox"/> |
|                               | 18 | 6.371-154.0  | medium-hard             | 280 mm   | green  | 5 piece(s) |       | 5 pads, medium-hard, green. 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.                                                                             | <input type="checkbox"/> |
|                               | 19 | 6.371-155.0  | hard                    | 280 mm   | black  | 5 piece(s) |       | 5 pads, hard, black, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.                                                                                    | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

# B 90 R CLASSIC

## 1.161-307.0

**KÄRCHER**



|                          |    | Order Number | Hardness/<br>Brush type | Diameter | Colour | Quantity   | Price | Description                                                                                                                                                                                                                            |                          |
|--------------------------|----|--------------|-------------------------|----------|--------|------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Diamond pads</b>      |    |              |                         |          |        |            |       |                                                                                                                                                                                                                                        |                          |
| Diamond pad              | 20 | 6.371-252.0  | coarse                  | 385 mm   | white  | 5 piece(s) |       | For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.                      | <input type="checkbox"/> |
|                          | 21 | 6.371-253.0  | medium                  | 385 mm   | yellow | 5 piece(s) |       | For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation. | <input type="checkbox"/> |
|                          | 22 | 6.371-236.0  | fine                    | 385 mm   | green  | 5 piece(s) |       | For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.                                | <input type="checkbox"/> |
|                          | 23 | 6.371-250.0  | coarse                  | 356 mm   | white  | 5 piece(s) |       | For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.                      | <input type="checkbox"/> |
|                          | 24 | 6.371-251.0  | medium                  | 356 mm   | yellow | 5 piece(s) |       | For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation. | <input type="checkbox"/> |
|                          | 25 | 6.371-235.0  | fine                    | 356 mm   | green  | 5 piece(s) |       | For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.                                | <input type="checkbox"/> |
|                          | 26 | 6.371-246.0  | coarse                  | 280 mm   | white  | 5 piece(s) |       | For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.                      | <input type="checkbox"/> |
|                          | 27 | 6.371-247.0  | medium                  | 280 mm   | yellow | 5 piece(s) |       | For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad.                                                                        | <input type="checkbox"/> |
|                          | 28 | 6.371-233.0  | fine                    | 280 mm   | green  | 5 piece(s) |       | For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.                                | <input type="checkbox"/> |
| <b>Melamine pads</b>     |    |              |                         |          |        |            |       |                                                                                                                                                                                                                                        |                          |
| Pad set 2x D 381 Melamin | 29 | 6.371-022.0  |                         | 381 mm   |        | 2 piece(s) |       | Melamine pad set with 381 mm diameter for our BD 80 W scrubber drier and other machines with the D 75 disc brush head. For the effective cleaning of microporous surfaces.                                                             | <input type="checkbox"/> |
| Pad set 2x D 356 Melamin | 30 | 6.371-021.0  |                         | 356 mm   |        | 2 piece(s) |       | Melamine pad set with 356 mm diameter for our B 60 W, B 80 W, B 95 RS and B 90 R scrubber driers with the D 65 disc brush head. For the effective cleaning of microporous surfaces.                                                    | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

# B 90 R CLASSIC 1.161-307.0

**KÄRCHER**




|                                         |    | Order Number | Length  | Colour      | Quantity   | Price | Description                                                                                 |                          |
|-----------------------------------------|----|--------------|---------|-------------|------------|-------|---------------------------------------------------------------------------------------------|--------------------------|
| <b>Suction bar, complete</b>            |    |              |         |             |            |       |                                                                                             |                          |
| Squeegee                                | 1  | 4.777-080.0  | 1000 mm | transparent | 1 piece(s) |       |                                                                                             | <input type="checkbox"/> |
|                                         | 2  | 4.777-079.0  | 900 mm  | transparent | 1 piece(s) |       |                                                                                             | <input type="checkbox"/> |
|                                         | 3  | 4.777-402.0  | 940 mm  | transparent | 1 piece(s) |       | Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane. | <input type="checkbox"/> |
|                                         | 4  | 4.777-401.0  | 850 mm  | transparent | 1 piece(s) |       |                                                                                             | <input type="checkbox"/> |
|                                         | 5  | 4.777-412.0  | 940 mm  | transparent | 1 piece(s) |       | Curved, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.   | <input type="checkbox"/> |
|                                         | 6  | 4.777-411.0  | 850 mm  | transparent | 1 piece(s) |       |                                                                                             | <input type="checkbox"/> |
| <b>Squeegees for suction bars</b>       |    |              |         |             |            |       |                                                                                             |                          |
| Rubber lip set corrugated oil resistant | 7  | 6.273-024.0  | 1116 mm | transparent | 2 parts    |       |                                                                                             | <input type="checkbox"/> |
|                                         | 8  | 6.273-023.0  | 1010 mm | transparent | 2 parts    |       |                                                                                             | <input type="checkbox"/> |
| Suction lips                            | 9  | 6.273-208.0  | 960 mm  | transparent | 2 parts    |       | Standard, grooved, oil-resistant.                                                           | <input type="checkbox"/> |
|                                         | 10 | 6.273-205.0  | 960 mm  | transparent | 2 parts    |       | Slotted, oil-resistant, for sensitive floors.                                               | <input type="checkbox"/> |
|                                         | 11 | 6.273-291.0  | 960 mm  | transparent | 2 parts    |       | Closed, oil-resistant, for structured floors.                                               | <input type="checkbox"/> |
|                                         | 12 | 6.273-214.0  | 960 mm  | blue        | 2 parts    |       | Grooved, natural rubber.                                                                    | <input type="checkbox"/> |
|                                         | 13 | 6.273-207.0  | 890 mm  | transparent | 2 parts    |       | Standard, grooved, oil-resistant.                                                           | <input type="checkbox"/> |
|                                         | 14 | 6.273-229.0  | 890 mm  | transparent | 2 parts    |       | Slotted, oil-resistant, polyurethane, for sensitive floors.                                 | <input type="checkbox"/> |
|                                         | 15 | 6.273-290.0  | 890 mm  | transparent | 2 parts    |       | Closed, oil-resistant, for structured floors.                                               | <input type="checkbox"/> |
|                                         | 16 | 6.273-213.0  | 890 mm  | blue        | 2 parts    |       | Fluted, standard, natural rubber.                                                           | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

# B 90 R CLASSIC

## 1.161-307.0



|                                              |   | Order Number | Length | Colour | Quantity   | Price | Description                                                                                                                                                       |                          |
|----------------------------------------------|---|--------------|--------|--------|------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Miscellaneous</b>                         |   |              |        |        |            |       |                                                                                                                                                                   |                          |
| Add-on kit ecolzero                          | 1 | 5.388-133.0  |        |        | 1 piece(s) |       | With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide. | <input type="checkbox"/> |
| Filling hose                                 | 2 | 6.680-124.0  | 1,5 m  |        | 1 piece(s) |       | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.                                             | <input type="checkbox"/> |
| Dirty water tank filter                      | 3 | 6.414-976.0  |        |        | 1 piece(s) |       | Improves airflow even when damp, thanks to modified filter material.                                                                                              | <input type="checkbox"/> |
| Additional weight kit                        | 4 | 5.031-498.0  |        |        | 1 piece(s) |       | ensures that squeegee glides optimally                                                                                                                            | <input type="checkbox"/> |
| <b>Wheels/tyres</b>                          |   |              |        |        |            |       |                                                                                                                                                                   |                          |
| Tyres, supergrip                             | 5 | 6.435-403.0  |        | yellow | 1 piece(s) |       | Oil-resistant, with especially good traction.                                                                                                                     | <input type="checkbox"/> |
| <b>RM Dosierstation</b>                      |   |              |        |        |            |       |                                                                                                                                                                   |                          |
| Cleaning agent dosage kit, wall mounted DS 3 | 6 | 2.641-811.0  |        |        | 1 piece(s) |       | Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.    | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.



# B 90 R CLASSIC

## 1.161-307.0

**KÄRCHER**




|                              |    | Order Number | Hardness/<br>Brush type | Length | Colour | Quantity   | Price | Description                                                                                                                                                                                       |                          |
|------------------------------|----|--------------|-------------------------|--------|--------|------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Roller brushes for BR</b> |    |              |                         |        |        |            |       |                                                                                                                                                                                                   |                          |
| Roller brush                 | 1  | 6.906-934.0  | medium                  | 532 mm | red    | 1 piece(s) |       | Medium, for all floors. Standard with R 55.                                                                                                                                                       | <input type="checkbox"/> |
|                              | 2  | 6.906-935.0  | medium                  | 638 mm | red    | 1 piece(s) |       | Roller brush, medium-hard, red. Length: 638 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.                                      | <input type="checkbox"/> |
|                              | 3  | 6.906-985.0  | soft                    | 700 mm | white  | 1 piece(s) |       | Soft, for cleaning sensitive surfaces and for polishing. Fits on R 75.                                                                                                                            | <input type="checkbox"/> |
|                              | 4  | 6.906-986.0  | high / low              | 700 mm | orange | 1 piece(s) |       | Medium hard, for cleaning strong structured floors and deeper joints. Fits R 75.                                                                                                                  | <input type="checkbox"/> |
|                              | 5  | 6.906-987.0  | hard                    | 700 mm | green  | 1 piece(s) |       | Hard, for heavy soiling and for deep cleaning; for unsensitive floors only. Fits to brush head R 75.                                                                                              | <input type="checkbox"/> |
|                              | 6  | 6.906-988.0  | very hard               | 700 mm | black  | 1 piece(s) |       | Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits to brush head R 75.                                                                               | <input type="checkbox"/> |
|                              | 7  | 6.906-981.0  | soft                    | 638 mm | white  | 1 piece(s) |       | Soft, for cleaning sensitive surfaces and for polishing. Fits on R 65.                                                                                                                            | <input type="checkbox"/> |
|                              | 8  | 6.906-982.0  | high / low              | 638 mm | orange | 1 piece(s) |       | Medium hard, for cleaning strong structured floors and deeper joints. Fits R 65.                                                                                                                  | <input type="checkbox"/> |
|                              | 9  | 6.906-983.0  | hard                    | 638 mm | green  | 1 piece(s) |       | Roller brush, hard, green. Length: 638 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long. | <input type="checkbox"/> |
|                              | 10 | 6.906-984.0  | very hard               | 638 mm | black  | 1 piece(s) |       | Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 65.                                                                                             | <input type="checkbox"/> |
|                              | 11 | 6.906-977.0  | soft                    | 532 mm | white  | 1 piece(s) |       | Soft, for cleaning sensitive surfaces and for polishing. Fits on R 55.                                                                                                                            | <input type="checkbox"/> |
|                              | 12 | 6.906-978.0  | high / low              | 532 mm | orange | 1 piece(s) |       | Medium hard, for cleaning strong structured floors and deeper joints. Fits R 55.                                                                                                                  | <input type="checkbox"/> |
|                              | 13 | 6.906-979.0  | hard                    | 532 mm | green  | 1 piece(s) |       | Hard, for heavy soiling and for deep cleaning; for unsensitive floors only. Fits R 55.                                                                                                            | <input type="checkbox"/> |
|                              | 14 | 6.906-980.0  | very hard               | 532 mm | black  | 1 piece(s) |       | Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 55.                                                                                             | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.



# B 90 R CLASSIC

## 1.161-307.0



|                         |   | Order Number | Hardness/<br>Brush type | Length | Diame-<br>ter | Colour      | Price | Description                                                                                                                                                                                                               |                          |
|-------------------------|---|--------------|-------------------------|--------|---------------|-------------|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Roller pad shaft</b> |   |              |                         |        |               |             |       |                                                                                                                                                                                                                           |                          |
| Pad roller shaft        | 1 | 4.762-434.0  |                         | 700 mm |               |             |       | fits R 75                                                                                                                                                                                                                 | <input type="checkbox"/> |
|                         | 2 | 4.762-433.0  |                         | 638 mm |               |             |       | Roller pad shaft, aluminium For roller pads or microfibre rollers, length 638 mm. Fits brush head R 56.                                                                                                                   | <input type="checkbox"/> |
|                         | 3 | 4.762-432.0  |                         | 532 mm |               |             |       | Roller pad shaft, aluminium For roller pads or microfibre rollers, length 532 mm. Fits brush head R 55.                                                                                                                   | <input type="checkbox"/> |
| <b>Roller pads</b>      |   |              |                         |        |               |             |       |                                                                                                                                                                                                                           |                          |
| Roller pad              | 4 | 6.369-454.0  | soft                    |        | 105 mm        | yellow      |       | Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.                                                                                     | <input type="checkbox"/> |
|                         | 5 | 6.369-456.0  | medium                  |        | 105 mm        | red         |       | Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.                                          | <input type="checkbox"/> |
|                         | 6 | 6.369-455.0  | hard                    |        | 105 mm        | green       |       | Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.                                                               | <input type="checkbox"/> |
| <b>Microfibre shaft</b> |   |              |                         |        |               |             |       |                                                                                                                                                                                                                           |                          |
| Microfibre roller       | 7 | 4.114-007.0  | Microfibre              | 700 mm | 105 mm        | light green |       | World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75. | <input type="checkbox"/> |
|                         | 8 | 4.114-006.0  | Microfibre              | 638 mm | 105 mm        | light green |       | World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-433.0. Fits on R 65. | <input type="checkbox"/> |
|                         | 9 | 4.114-005.0  | Microfibre              | 532 mm | 105 mm        | light green |       | World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-432.0. Fits on R 55. | <input type="checkbox"/> |

■ Included in delivery.    □ Available accessories.

# B 90 R CLASSIC

## 1.161-307.0



1, 5



2, 6, 10



3, 7, 11



4, 8



9

MISSING PICTURE:  
M:\print\6906563\_  
dd\_2\_24318\_acc.tif


12

|                            |    | Order Number | Hardness/<br>Brush type | Diameter | Colour  | Quantity   | Price | Description                                                                                                                              |                          |
|----------------------------|----|--------------|-------------------------|----------|---------|------------|-------|------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Disc Brushes for BD</b> |    |              |                         |          |         |            |       |                                                                                                                                          |                          |
| Disc brush                 | 1  | 4.905-019.0  | very soft               | 385 mm   | white   | 1 piece(s) |       | Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.                                                                 | <input type="checkbox"/> |
|                            | 2  | 4.905-020.0  | soft                    | 385 mm   | natural | 1 piece(s) |       | Made of natural fibres, for spray cleaning and for polishing. Fits D 75.                                                                 | <input type="checkbox"/> |
|                            | 3  | 4.905-018.0  | medium                  | 385 mm   | red     | 1 piece(s) |       | Medium, for all floors. Standard with D 75.                                                                                              | <input type="checkbox"/> |
|                            | 4  | 4.905-021.0  | hard                    | 385 mm   | black   | 1 piece(s) |       | Hard, for heavy soiling and for deep cleaning. For unsensitive floors only. Fits D 75.                                                   | <input type="checkbox"/> |
|                            | 5  | 4.905-011.0  | very soft               | 355 mm   | white   | 1 piece(s) |       | Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm. | <input type="checkbox"/> |
|                            | 6  | 4.905-012.0  | soft                    | 355 mm   | natural | 1 piece(s) |       | Made of natural fibres, for spray cleaning and for polishing. Fits D 65.                                                                 | <input type="checkbox"/> |
|                            | 7  | 4.905-010.0  | medium                  | 355 mm   | red     | 1 piece(s) |       | Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Standard brush head D 65.             | <input type="checkbox"/> |
|                            | 8  | 4.905-013.0  | hard                    | 355 mm   | black   | 1 piece(s) |       | Hard, for heavy soiling and for deep cleaning. For unsensitive floors only. Fits D 65.                                                   | <input type="checkbox"/> |
|                            | 9  | 4.905-015.0  | very soft               | 300 mm   | white   | 1 piece(s) |       | very soft, white, for cleaning sensitive surfaces and for polishing; fits D 55                                                           | <input type="checkbox"/> |
|                            | 10 | 4.905-016.0  | soft                    | 300 mm   | natural | 1 piece(s) |       | Made of natural fibres, for spray cleaning and for polishing. Fits D 55.                                                                 | <input type="checkbox"/> |
|                            | 11 | 4.905-014.0  | medium                  | 300 mm   | red     | 1 piece(s) |       | Disc brush, medium-hard, red, 300 mm diameter. For normal use. Also suitable for sensitive floors. Standard for brush head D 55.         | <input type="checkbox"/> |
|                            | 12 | 4.905-017.0  | hard                    | 300 mm   | black   | 1 piece(s) |       | Hard, for heavy soiling and for deep cleaning. For unsensitive floors only. Fits D 55.                                                   | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

# B 90 R CLASSIC

## 1.161-307.0



|                     |   | Order Number |  |  |  |  | Price | Description                                                                                                                                                                                                                                                                                                                |                          |
|---------------------|---|--------------|--|--|--|--|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Brush heads</b>  |   |              |  |  |  |  |       |                                                                                                                                                                                                                                                                                                                            |                          |
| Brush head R 90 S   | 1 | 2.763-006.0  |  |  |  |  |       | Brush head with two roller brushes and 90 cm working width. Brush replacement without tools. The side skirts are height-adjustable and hold the water under the brush head. This allows the cleaning fleet to be fed into the vacuum bar at an optimum rate, even when negotiating curves. Brush head supplied separately. | <input type="checkbox"/> |
| Brush-head R 65     | 2 | 2.763-004.0  |  |  |  |  |       | Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.       | <input type="checkbox"/> |
| Brush-head R 55     | 3 | 2.763-002.0  |  |  |  |  |       | Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.       | <input type="checkbox"/> |
| Brush-head D 75     | 4 | 2.763-005.0  |  |  |  |  |       | Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.             | <input type="checkbox"/> |
| Brush-head D 65     | 5 | 2.763-003.0  |  |  |  |  |       | Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.             | <input type="checkbox"/> |
| Brush-head D 55     | 6 | 2.763-001.0  |  |  |  |  |       | Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee. Packed separately.                                                      | <input type="checkbox"/> |
| Floor head S 65     | 7 | 2.763-030.0  |  |  |  |  |       | Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.                                                                                                                                                      | <input type="checkbox"/> |
| Connection kit S 65 | 8 | 4.036-061.0  |  |  |  |  |       | Kit for connecting the S 65 floor head to the B 90 R.                                                                                                                                                                                                                                                                      | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.

# B 90 R CLASSIC

## 1.161-307.0



|                              |   | Order Number | Length | Diameter | Quantity   | Price | Description                                                                                                                                    |                          |
|------------------------------|---|--------------|--------|----------|------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Other attachment kits</b> |   |              |        |          |            |       |                                                                                                                                                |                          |
| Flashing beacon              | 1 | 2.641-718.0  |        |          | 1 piece(s) |       | Increases the safety of the working environment.                                                                                               | <input type="checkbox"/> |
| Auto-Fill                    | 2 | 2.641-748.0  |        |          | 1 piece(s) |       | Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.                                       | <input type="checkbox"/> |
| Support roller kit           | 3 | 2.641-773.0  |        |          | 1 piece(s) |       | Reduces the danger of damaging the floor through abrupt steering at high speeds, sharp breaking on corners or when turning on downhill slopes. | <input type="checkbox"/> |
| Suction hose accessories     | 4 | 4.444-015.0  | 3,25 m |          | 1 piece(s) |       | For vacuuming water out of corners or containers (e.g. freezers).                                                                              | <input type="checkbox"/> |

■ Included in delivery. □ Available accessories.