# KÄRCHER

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.01.2020

Version number 5

Revision: 30.01.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name: PressurePro Oil and Grease Cleaner Extra RM 31
- · UFI: T140-Y06R-P009-WVV2
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd. Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

### · Further information obtainable from:

Department TCD-D Tel.: +49-7195-14-2548 Fax : +49-7195-14-3164 safetydata@karcher.com

#### · 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

# **SECTION 2: Hazards identification**

### $\cdot$ 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

- Skin Corr. 1A H314 Causes severe skin burns and eye damage.
- Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

according to 1907/2006/EC, Article 31


Printing date 31.01.2020

KARCHER

Version number 5

Revision: 30.01.2020

Trade name: PressurePro Oil and Grease Cleaner Extra RM 31



· vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Chemical characterisation: Mixtures

· **Description:** Cleaning agent

· Dangerous components:				
CAS: 1310-73-2	sodium hydroxide	Met. Corr.1, H290; Skin Corr. 1A, H314	5-10%	
EINECS: 215-185-5				
Index number: 011-002-00-6				
Reg.nr.: 01-2119457892-27-xxxx				
· Regulation (EC) No 648/2004 on detergents / Labelling for contents				
polycarboxylates, anionic surfactants			<5%	
		(Contd.	on page 3)	
			00	

according to 1907/2006/EC, Article 31

Printing date 31.01.2020

KARCHER

Version number 5

Revision: 30.01.2020

(Contd. of page 2)

Trade name: PressurePro Oil and Grease Cleaner Extra RM 31

• Additional information For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

### General information

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

- After inhalation In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.
- After skin contact Seek medical treatment.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed Corneal damage
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with full jet.

· 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear fully protective suit.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

# **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 31.01.2020

KARCHER

Version number 5

Revision: 30.01.2020

### Trade name: PressurePro Oil and Grease Cleaner Extra RM 31

(Contd. of page 3)

### · 6.2 Environmental precautions:

Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

### · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Avoid contact with eyes and skin.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Unsuitable material for receptacle: aluminium. Unsuitable material for receptacle: glass or ceramic. Store only in the original receptacle.
- Information about storage in one common storage facility: Do not store together with acids.
   Keep away from food, beverages and feed.
- Further information about storage conditions: Store under lock and key and out of the reach of children. Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

**SECTION 8: Exposure controls/personal protection** 

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)

GB

according to 1907/2006/EC, Article 31

Printing date 31.01.2020

Revision: 30.01.2020

(Contd. of page 4)

# Trade name: PressurePro Oil and Grease Cleaner Extra RM 31

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

### 1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m<sup>3</sup>

#### 8.2 Exposure controls

#### Personal protective equipment

· General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

#### · Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed. Short term filter device:

Filter A/P2.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable: \* butyl rubber 0,7 mm, 480 min (EN 374)
- · As protection from splashes gloves made of the following materials are suitable: \* nitril rubber 0,4 mm, 30 min (EN 374)
- Eye protection:



Tightly sealed goggles (EN 166)

### · Body protection:

Alkaline resistant protective clothing Boots

(Contd. on page 6)

GB



Version number 5

according to 1907/2006/EC, Article 31

Printing date 31.01.2020

Version number 5

Revision: 30.01.2020

(Contd. of page 5)

Trade name: PressurePro Oil and Grease Cleaner Extra RM 31

**SECTION 9: Physical and chemical properties**  9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Fluid Colour: Yellow Product specific · Odour: · Odour threshold: Not determined. · pH-value at 20 °C: 13.5 · pH-value 1 %: 12.4 · pH 1 % dem. 12.5 · Change in condition Melting point/freezing point: -14 °C Initial boiling point and boiling range: 100 °C · Flash point: Not applicable · Flammability (solid, gaseous) Not applicable. · Ignition temperature: not applicable · Decomposition temperature: Not determined. · Auto-ignition temperature: Product is not selfigniting. Explosive properties: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Upper: Not determined. · Vapour pressure: Not determined. · Density at 20 °C: 1.14 g/cm<sup>3</sup> · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Water: Fully miscible · Partition coefficient: n-octanol/water: Not determined. · Viscosity: dynamic at 20 °C: 5 mPas kinematic: Not determined. · Solvent content: VOC (EC) 0.00 % Solids content: 19.6 % (Contd. on page 7) GB



Ve

according to 1907/2006/EC, Article 31

Printing date 31.01.2020

Version number 5

Revision: 30.01.2020

(Contd. of page 6)

Trade name: PressurePro Oil and Grease Cleaner Extra RM 31

· 9.2 Other information

No further relevant information available.

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- to:3 Possibility of hazardous reactions Reacts with strong acids Strong exothermic reaction with acids Reacts with light alloys to form hydrogen Corrodes aluminium
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

# **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)





according to 1907/2006/EC, Article 31

Printing date 31.01.2020

KARCHER

Version number 5

Revision: 30.01.2020

# Trade name: PressurePro Oil and Grease Cleaner Extra RM 31

(Contd. of page 7)

# **SECTION 12: Ecological information**

· 12.1 Toxicity

Aquatic toxicity:

1310-73-2 sodium hydroxide

LC50/96 h 125 mg/l (Gambusia affinis)

EC50/48 h 76 mg/l (Daphnia magna)

EC50/15 min 22 mg/l (Photobacterium phosphoreum)

• 12.2 Persistence and degradability No further relevant information available.

· Other information: The product is biodegradable.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

- · Additional ecological information:
- · COD-value: 115000 mg/l
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### · 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

• **12.6 Other adverse effects** No further relevant information available.

(Contd. on page 9)

GB

according to 1907/2006/EC, Article 31

Printing date 31.01.2020

Version number 5

Revision: 30.01.2020

### Trade name: PressurePro Oil and Grease Cleaner Extra RM 31

(Contd. of page 8)

### SECTION 13: Disposal considerations

### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

### · European waste catalogue

20 01 29\* detergents containing hazardous substances

### · Uncleaned packaging:

#### · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Non contaminated packagings may be recycled.

• Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1824
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR</li> <li>· IMDG, IATA</li> </ul>	1824 SODIUM HYDROXIDE SOLUTION mixture SODIUM HYDROXIDE SOLUTION mixture
· 14.3 Transport hazard class(es)	
· ADR	
· Class · Label	8 (C5) Corrosive substances. 8
· IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group · ADR, IMDG, IATA	11
	(Contd. on page 10)





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 31.01.2020

Version number 5

Revision: 30.01.2020

### Trade name: PressurePro Oil and Grease Cleaner Extra RM 31

	(Contd. of page
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Stowage Category	A
Segregation Code	SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to An	nex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
/	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1824 SODIUM HYDROXIDE SOLUTION
	MIXTURE, 8, II

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

— GB ·

(Contd. on page 11)

according to 1907/2006/EC, Article 31

Printing date 31.01.2020

KARCHER

Version number 5

Revision: 30.01.2020

# Trade name: PressurePro Oil and Grease Cleaner Extra RM 31

(Contd. of page 10)

This information is he	ner information	ladge. However, this shall not constitute a guarantee for any
		ledge. However, this shall not constitute a guarantee for any the a legally valid contractual relationship.
	sheet can be provided if	
· Relevant phrases		
H290 May be corrosiv	ve to metals.	
H314 Causes severe	skin burns and eye dama	age.
· Department issuin	<b>g SDS:</b> TCD-D	
· Contact:		
Department TCD-D		
Tel.: +49-7195-14-25	48	
Fax : +49-7195-14-31	164	
safetydata@karcher.	com	
<ul> <li>Abbreviations and a</li> </ul>	-	
		angereuses par Route (European Agreement concerning the International Carriage
Dangerous Goods by Road	) e Code for Dangerous Goods	
IATA: International Air Tran		
	System of Classification and Lab	
	ry of Existing Commercial Chemi Notified Chemical Substances	ical Substances
	Service (division of the American (	Chemical Society)
VOC: Volatile Organic Com		
PBT: Persistent, Bioaccum		
	ery Bioaccumulative	
vPvB: very Persistent and v		
vPvB: very Persistent and very Met. Corr.1: Corrosive to me	etals – Category 1	
vPvB: very Persistent and very Met. Corr.1: Corrosive to me Skin Corr. 1A: Skin corrosic	etals – Category 1	
vPvB: very Persistent and w Met. Corr.1: Corrosive to me Skin Corr. 1A: Skin corrosic Eye Dam. 1: Serious eye da	etals – Category 1 on/irritation – Category 1A	tered.
vPvB: very Persistent and v Met. Corr.1: Corrosive to me Skin Corr. 1A: Skin corrosic Eye Dam. 1: Serious eye da	etals – Category 1 on/irritation – Category 1A amage/eye irritation – Category 1	tered.