

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.10.2021

Version number 10 (replaces version 9)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: VehiclePro Truck Cleaner, acidic RM 804
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Exterior vehicle cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House **Brookhill Way** Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Department CSD-D Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 15.10.2021

Version number 10 (replaces version 9)

Trade name: VehiclePro Truck Cleaner, acidic RM 804

(Contd. of page 1)

Revision: 01.09.2021

· Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining components of labelling:

fatty alcohol ethoxylate
Octyloxypoly(ethyleneoxy)ethyl phosphate
phosphoric acid

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for showerl.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

P310 Immediately call P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Cleaning agent

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.10.2021

Version number 10 (replaces version 9)

Trade name: VehiclePro Truck Cleaner, acidic RM 804

Dangerous components:			
CAS: 7664-38-2 EINECS: 231-633-2 Index number: 015-011-00-6 Reg.nr.: 01-2119485924-24-xxxx	phosphoric acid Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	10-20	
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	≥5-<1	
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36-XXXX	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%	
CAS: 78330-20-8	fatty alcohol ethoxylate Eye Dam. 1, H318; Acute Tox. 4, H302	≥3-≤5	
CAS: 147170-44-3 EC number: 931-333-8 Reg.nr.: 01-2119489410-39-0002	1-propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl-, N- (C8-18 (even numbered) and C18-unsaturated) acyl derivatives, hydroxides, inner salts Eye Dam. 1, H318; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 4 % ≤ C < 10 %	_	
CAS: 31800-88-1	Octyloxypoly(ethyleneoxy)ethyl phosphate Skin Corr. 1A, H314; Eye Dam. 1, H318	≥3-<5	
Regulation (EC) No 648/2004 on detergents / Labelling for contents			
phosphates	i	≥5 - <15	
non-ionic surfactants		<5%	

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

· After inhalation

In case of unconsciousness place patient stably in side position for transportation. Supply fresh air; consult doctor in case of complaints.

· After skin contact

Consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 4)



Printing date 15.10.2021 Version number 10 (replaces version 9) Revision: 01.09.2021

Trade name: VehiclePro Truck Cleaner, acidic RM 804

(Contd. of page 3)

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- · Hazards No further relevant information available
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.10.2021

Version number 10 (replaces version 9)

Trade name: VehiclePro Truck Cleaner, acidic RM 804

(Contd. of page 4)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols. Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles:

Protect from humidity. Store dry and locked up.

Store only in the original receptacle.

- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Keep receptacle tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

319 mg/kg*d (consumer)

Inhalative DNEL 500 mg/m3 (employee)

· 8.1 Cont	· 8.1 Control parameters			
· Ingredie	· Ingredients with limit values that require monitoring at the workplace:			
7664-38-2 phosphoric acid				
WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³				
67-63-0 p	67-63-0 propan-2-ol			
	WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm			
111-76-2	111-76-2 2-butoxyethanol			
WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV				
· DNELs				
67-63-0 p	67-63-0 propan-2-ol			
Oral	DNEL	26 mg/kg*d (consumer)		
Dermal	DNEL	888 mg/kg*d (employee)		

(Contd. on page 6)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.10.2021

Version number 10 (replaces version 9)

Trade name: VehiclePro Truck Cleaner, acidic RM 804

			(Contd. of page 5)
		89 mg/m3 (consumer)	
· PNECs	PNECs		
67-63-0 pro	opan-	-2-ol	
PNEC		140.9 mg/l (freshwater)	
		140.9 mg/l (marine water)	
140		140.9 mg/l (STP)	
		2,251 mg/l (STP)	
PNEC sedi	iment	552 mg/kg (freshwater)	
552 mg/kg (marine water)		552 mg/kg (marine water)	
PNEC soil 28 mg/kg (soil)		28 mg/kg (soil)	
· Ingredients with biological limit values:			
111-76-2 2-butoxyethanol			
BMGV 240	BMGV 240 mmol/mol creatinine		
	Medium: urine		
	Sampling time: post shift		
Pai	Parameter: butoxyacetic acid		

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter A/P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable:
 - * butyl rubber 0,7 mm, 480 min (EN 374)

(Contd. on page 7)



Version number 10 (replaces version 9) Revision: 01.09.2021 Printing date 15.10.2021

Trade name: VehiclePro Truck Cleaner, acidic RM 804

(Contd. of page 6)

- · As protection from splashes gloves made of the following materials are suitable:
 - * nitril rubber 0,4 mm, 30 min (EN 374)
- · Not suitable are gloves made of the following materials:

Strong material gloves

Leather gloves

· Eye/face protection



Tightly sealed goggles (EN 166)

· Body protection:

Acid resistant protective clothing **Boots**

- · Environmental exposure controls No further relevant information available.
- · Risk management measures No further relevant information available.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information

· Physical state Fluid · Colour: Red

· Odour: Product specific · Odour threshold: Not determined.

· Melting point/freezing point: -9 °C

· Boiling point or initial boiling point and boiling

range 100 °C · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: 42 °C (Closed Cup)

Does not support burning Product is not selfigniting. · Auto-ignition temperature:

 Decomposition temperature: Not determined. · pH at 20 °C 1.2

· pH-value 1 %: 2-3

· Viscosity:

· Kinematic viscosity Not determined. · dynamic at 20 °C: 8 mPas

· Solubility

· Water: Fully miscible · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not determined.

· Density and/or relative density

· Density at 20 °C: 1.06 g/cm3 · Relative density Not determined.

(Contd. on page 8)



Printing date 15.10.2021 Version number 10 (replaces version 9) Revision: 01.09.2021

Trade name: VehiclePro Truck Cleaner, acidic RM 804

	(Contd. of page 7
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of he	ealth
and environment, and on safety.	
· Ignition temperature:	not applicable
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	·
· Organic solvents:	12.5 %
· VOC (EC)	12.5-<12.52 %
· Solids content:	26.1 %
· Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazar	rd
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamma	
gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong alkali

(Contd. on page 9)



Printing date 15.10.2021

Version number 10 (replaces version 9)

Trade name: VehiclePro Truck Cleaner, acidic RM 804

(Contd. of page 8)

Revision: 01.09.2021

Corrosive action on metals

Forms hydrogen in aqueous solution with metals

Reacts with light alloys to form hydrogen

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Not suitable for acid sensible materials. metals

· 10.6 Hazardous decomposition products: Flammable gases/vapours

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50 values relevant for classification:			
7664-38-2	7664-38-2 phosphoric acid		
Oral	LD50	2,600 mg/kg (Rat)	
Dermal	LD50	2,740 mg/kg (Rabbit)	
Inhalative	LC50	850 mg/kg (Rat)	
67-63-0 pr	67-63-0 propan-2-ol		
Dermal	LD50	12,800 mg/kg (Rabbit)	
Inhalative	LC50	5,280 mg/kg (Rat)	
111-76-2 2	111-76-2 2-butoxyethanol		
Oral	LD50	1,300 mg/kg (Rat)	
Inhalative	LCLo	>3.1 ppm (consumer)	
78330-20-	78330-20-8 fatty alcohol ethoxylate		
Oral	ATE	500 mg/kg (Rat)	
147170-44	147170-44-3 1-propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl-, N- (C8-18 (even numbered) and C18-unsaturated) acyl derivatives, hydroxides, inner salts		
Oral	LD50	2,335 mg/kg (Rat)	
0.1	Olding a sum a distribution of the state of		

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · 11.2 Information on other hazards

· Endocrin	· Endocrine disrupting properties		
118-58-1	Benzyl salicylate	List II	
1506-02-1	1-(5,6,7,8-Tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one (Fixolid)	List II	

(Contd. on page 10)



Printing date 15.10.2021

Version number 10 (replaces version 9)

Trade name: VehiclePro Truck Cleaner, acidic RM 804

(Contd. of page 9)

Revision: 01.09.2021

SECTION 12: Ecological information

· 12.1 Toxicity

 Aquatic toxicity: 7664-38-2 phosphoric acid LC50/96 h	
LC50/96 h 138 mg/l (Gambusia affinis)	
3 (14 14 14 14 14	
EC50/48 h >100 mg/l (Daphnia magna) (OECD 202)	
67-63-0 propan-2-ol	
LC50/96 h 9,640 mg/l (Pimephales promelas)	
EC50/48 h 13,299 mg/l (Daphnia magna)	
EC50/72 h >1,000 mg/l (Desmodesmus subspicatus)	
EC10/18 h >1,000 mg/l (Pseudomonas putida) (DIN 38412)	
111-76-2 2-butoxyethanol	
LC50/96 h 1,474 mg/l (Oncorhynchus mykiss) (OECD 203)	
EC50/48 h 1,550 mg/l (Daphnia magna) (OECD 202)	
EC50/72 h 1,840 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
EC0 (16 h) 700 mg/l (Pseudomonas putida)	
NOEL (21 d) 100 mg/l (Daphnia magna) (OECD 211)	
NOEC (static) 286 mg/l /72 h (Pseudokirchneriella subcapitata)	
78330-20-8 fatty alcohol ethoxylate	
LC50/96 h >10-100 mg/l (Leuciscus idus)	
EC50/48 h >10-<100 mg/l (Aquatic invertebrates)	
EC50/72 h >10-<100 mg/l (Aquatic plants)	
147170-44-3 1-propanaminium, 3-amino-N- (carboxymethyl) -N, N-dimethyl-, N- (C8-18 (even	
numbered) and C18-unsaturated) acyl derivatives, hydroxides, inner salts	
LC50/96 h 1.11 mg/l (Pimephales promelas)	
EC50/48 h 1.9 mg/l (Daphnia magna)	
EC50/72 h 1.5 mg/l (Desmodesmus subspicatus)	
31800-88-1 Octyloxypoly(ethyleneoxy)ethyl phosphate	
LC50/48 h 218 mg/l (Leuciscus idus) (DIN 38142/15)	
EC50/48 h 79 mg/l (Daphnia magna)	
EC50/24 h 123 mg/l (Daphnia magna)	

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

(Contd. on page 11)



Printing date 15.10.2021 Version number 10 (replaces version 9) Revision: 01.09.2021

Trade name: VehiclePro Truck Cleaner, acidic RM 804

(Contd. of page 10)

- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 533000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

- · Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA UN1805
- · 14.2 UN proper shipping name
- · **ADR** 1805 PHOSPHORIC ACID, SOLUTION

(Contd. on page 12)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.10.2021

Version number 10 (replaces version 9)

Trade name: VehiclePro Truck Cleaner, acidic RM 804

(Contd. of page 11) · IMDG, IATA PHOSPHORIC ACID, SOLUTION · 14.3 Transport hazard class(es) · ADR · Class 8 (C1) Corrosive substances. · Label · IMDG, IATA · Class 8 Corrosive substances. · Label · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Corrosive substances. · Hazard identification number (Kemler code): · EMS Number: F-A,S-B · Segregation groups Acids · Stowage Category Α · Segregation Code SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides · 14.7 Maritime transport in bulk according to **IMO** instruments Not applicable. Transport/Additional information: · ADR · Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category · Tunnel restriction code Ε · IMDG · Limited quantities (LQ) 5L (Contd. on page 13)



Printing date 15.10.2021 Version number 10 (replaces version 9) Revision: 01.09.2021

Trade name: VehiclePro Truck Cleaner, acidic RM 804

	(Contd. of page 12)
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning juveniles must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: CSD-D

· Contact:

Department CSD-D Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 14)



Printing date 15.10.2021

Version number 10 (replaces version 9)

Revision: 01.09.2021

Trade name: VehiclePro Truck Cleaner, acidic RM 804

(Contd. of page 13)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

· * Data compared to the previous version altered.

0.011-347.0

RM804/7.2

2.437

GB