

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** VehiclePro Spray Wax RM 821 Classic
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Drying aid for vehicle washing plants

- **1.3 Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40
D - 71364 Winnenden
Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House
Brookhill Way
Banbury
Oxon OX16 3ED
Great Britain
Tel.: +44-1295-752-000

Internet: www.karcher.com

- **Further information obtainable from:**

Department CSD-D
Tel.: +49-7195-14-2548
productsafety.management@de.kaercher.com

- **1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** Void
- **Signal word** Void

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic

(Contd. of page 1)

· **Hazard statements**

H412 Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:**

Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

· **2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

· **Results of PBT and vPvB assessment**

· **PBT:**

541-02-6	decamethylcyclopentasiloxane
----------	------------------------------

· **vPvB:**

541-02-6	decamethylcyclopentasiloxane
----------	------------------------------

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous components:**

EC number: 931-216-1 Reg.nr.: 01-2119472309-33	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 28 % Eye Irrit. 2; H319: C ≥ 28 %	1-5%
CAS: 541-02-6 EINECS: 208-764-9 Reg.nr.: 01-2119511367-43-0000	decamethylcyclopentasiloxane Non-classified vPvB substance. Non-classified PBT substance. Substance identified as having endocrine disrupting properties (II).	≥1-≤5%
CAS: 5131-66-8 EINECS: 225-878-4 Index number: 603-052-00-8 Reg.nr.: 01-2119475527-28-XXXX	propylene glycol monobutyl ether ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	1-5%
CAS: 5989-27-5 EINECS: 227-813-5 Index number: 601-029-00-7	(R)-p-mentha-1,8-diene ⚠ Flam. Liq. 3, H226; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.25-<1%
CAS: 68424-85-1 EINECS: 270-325-2 Reg.nr.: 01-2119965180-41	Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16)) ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Acute Tox. 4, H302	≥0.1-<0.25%

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic

(Contd. of page 2)

· **SVHC**

541-02-6	decamethylcyclopentasiloxane
----------	------------------------------

· **Regulation (EC) No 648/2004 on detergents / Labelling for contents**

cationic surfactants	<5%
----------------------	-----

allergenic fragrances, perfumes (LIMONENE, 2-Hexyl-(E)-cinnamaldehyde, alpha-Hexylcinnamaldehyde)	
---	--

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Rinse with warm water.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with full jet.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic

(Contd. of page 3)

· **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

· **Information about fire - and explosion protection:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Keep away from food, beverages and feed.
· **Further information about storage conditions:** Protect from frost.

· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

67-63-0 propan-2-ol

WEL	Short-term value: 1250 mg/m ³ , 500 ppm Long-term value: 999 mg/m ³ , 400 ppm
-----	--

· **DNELs**

67-63-0 propan-2-ol

Oral	DNEL	26 mg/kg*d (consumer)
Dermal	DNEL	888 mg/kg*d (employee) 319 mg/kg*d (consumer)
Inhalative	DNEL	500 mg/m ³ (employee) 89 mg/m ³ (consumer)

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic

(Contd. of page 4)

68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))		
Dermal	DNEL	5.7 mg/kg*d (employee)
Inhalative	DNEL	3.96 mg/m ³ (employee)
		1.64 mg/m ³ (consumer)
Irritation of skin	DNEL	3.4 mg/cm ² (consumer)

· PNECs

67-63-0 propan-2-ol	
PNEC	140.9 mg/l (freshwater) 140.9 mg/l (marine water) 140.9 mg/l (STP) 2,251 mg/l (STP)
PNEC sediment	552 mg/kg (freshwater) 552 mg/kg (marine water)
PNEC soil	28 mg/kg (soil)

68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))	
PNEC	0.001 mg/l (freshwater) 0.001 mg/l (marine water) 0.4 mg/l (STP)
PNEC sediment	12.27 mg/kg (freshwater) 13.09 mg/kg (marine water)
PNEC soil	7 mg/kg (soil)

· 8.2 Exposure controls

· **Appropriate engineering controls** No further data; see item 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

· **Hand protection**

* chemical resistant protective gloves (EN 374)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves.

· **Material of gloves** Butyl rubber, BR

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic

(Contd. of page 5)

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

* butyl rubber 0,7 mm, 480 min (EN 374)

· **As protection from splashes gloves made of the following materials are suitable:**

* nitril rubber 0,4 mm, 30 min (EN 374)

· **Eye/face protection** Goggles recommended during refilling.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· Physical state	Fluid
· Colour:	Blue
· Odour:	fresh
· Odour threshold:	Not determined.
· Melting point/freezing point:	0 °C
· Boiling point or initial boiling point and boiling range	100 °C
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Auto-ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH at 20 °C	4
· pH-value 1 %:	6-8
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic at 20 °C:	3 mPas
· Solubility	
· Water:	Fully miscible
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	0.994 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· **9.2 Other information**

· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	not applicable

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic

(Contd. of page 6)

· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Organic solvents:	3.8 %
· VOC (EC)	2.56 %
· Solids content:	5.1 %
· Change in condition	
· Evaporation rate	Not determined.

· **Information with regard to physical hazard classes**

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

GB

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic

(Contd. of page 7)

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity**

· **LD/LC50 values relevant for classification:**

541-02-6 decamethylcyclopentasiloxane

Dermal	LD50	>15,000 mg/kg (Rat)
--------	------	---------------------

Inhalative	LC50	>5,000 mg/kg (Rat)
------------	------	--------------------

5131-66-8 propylene glycol monobutyl ether

Oral	LD50	3,300 mg/kg (Rat)
------	------	-------------------

67-63-0 propan-2-ol

Dermal	LD50	12,800 mg/kg (Rabbit)
--------	------	-----------------------

		12,800 mg/kg (rabbit)
--	--	-----------------------

Inhalative	LC50	5,280 mg/kg (Rat)
------------	------	-------------------

68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))

Oral	LD50	344 mg/kg (Rat)
------	------	-----------------

Dermal	LD50	3,340 mg/kg (Rabbit)
--------	------	----------------------

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

541-02-6	decamethylcyclopentasiloxane	List II
----------	------------------------------	---------

540-97-6	Dodecamethylcyclohexasiloxane	List II
----------	-------------------------------	---------

556-67-2	octamethylcyclotetrasiloxane	List II; III
----------	------------------------------	--------------

118-58-1	Benzyl salicylate	List II
----------	-------------------	---------

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

5131-66-8 propylene glycol monobutyl ether

LC50/96 h	560-1,000 mg/l (fish)
-----------	-----------------------

67-63-0 propan-2-ol

LC50/96 h	9,640 mg/l (Pimephales promelas)
-----------	----------------------------------

EC50/48 h	13,299 mg/l (Daphnia magna)
-----------	-----------------------------

EC50/72 h	>1,000 mg/l (Desmodesmus subspicatus)
-----------	---------------------------------------

EC10/18 h	>1,000 mg/l (Pseudomonas putida) (DIN 38412)
-----------	--

68424-85-1 Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-C16))

LC50/96 h	0.28 mg/l (Pimephales promelas) (US-EPA)
-----------	--

	0.515 mg/l (Lepomis macrochirus)
--	----------------------------------

IC50/72 h	0.03 mg/l (Algae)
-----------	-------------------

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic

(Contd. of page 8)

EC50/48 h	0.016 mg/l (Daphnia magna)
ErC50/96h	0.049 mg/l (Pseudokirchneriella subcapitata)
NOEC	0.032 mg/l (Pimephales promelas)
	0.0042 mg/l (Daphnia magna)
	0.456 mg/l (Lepomis macrochirus)

· **12.2 Persistence and degradability** No further relevant information available.

· **Other information:** The product is biodegradable.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:**

541-02-6	decamethylcyclopentasiloxane
----------	------------------------------

· **vPvB:**

541-02-6	decamethylcyclopentasiloxane
----------	------------------------------

· **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

· **12.7 Other adverse effects**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **COD-value:** 219000 mg/l

· **General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

(Contd. on page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic

(Contd. of page 9)

· **European waste catalogue**

20 01 29*	detergents containing hazardous substances
-----------	--

· **Uncleaned packaging:**

· **Recommendation:**

Packaging may be reused or recycled after cleaning.

Non contaminated packagings may be recycled.

· **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· ADR, ADN, IMDG, IATA Void

· **14.2 UN proper shipping name**

· ADR, ADN, IMDG, IATA Void

· **14.3 Transport hazard class(es)**

· ADR, ADN, IMDG, IATA

· Class Void

· **14.4 Packing group**

· ADR, IMDG, IATA Void

· **14.5 Environmental hazards:**

· Marine pollutant: No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **UN "Model Regulation":**

Void

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations**

· **Information about limitation of use:** Employment restrictions concerning juveniles must be observed.

(Contd. on page 11)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic

(Contd. of page 10)

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

541-02-6	decamethylcyclopentasiloxane
----------	------------------------------

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** CSD-D

· **Contact:**

Department CSD-D
Tel.: +49-7195-14-2548
productsafety.management@de.kaercher.com

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 13.08.2021

Version number 7 (replaces version 6)

Revision: 09.08.2021

Trade name: VehiclePro Spray Wax RM 821 Classic*(Contd. of page 11)*

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

· 0-011-776-0

RM 821/11

2-051

GB