



Engine Driven Pressure Washers

including hydraulic, electric and engine pump units





Engine Driven Pressure Washers

PETROL	12125 LpmBar	Part No.	Engine	PSI	Kg
		LCT12125PLR	Loncin G200F-P518	1231	
		Dimensions 500L x 370W x 445H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated carry frame
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter

Powered by
LONCIN



PETROL	9 160 LpmBar	Part No.	Engine	PSI	Kg
		LCT9160PLR	Loncin G200F-P523	2035	
		Dimensions 650L x 515W x 930H (mm)			

Direct drive 3400 Rpm axial pump
Integrated controlset & bypass
Integrated chemical tank & injector
Powder-coated trolley with 11" wheels

Two-piece lance assembly
8m high pressure hose
Garden quick coupler inlet

Unit does not self prime and must be mains fed

Powered by
LONCIN



PETROL	12125 LpmBar	Part No.	Engine	PSI	Kg
		LCT12125PLR	Loncin G200F-P518	1236	
		Dimensions 650L x 515W x 930H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical tank & injector

Powder-coated trolley with 11" wheels
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter

Powered by
LONCIN



PETROL	16200 LpmBar	Part No.	Engine	PSI	Kg
		LCT16200PLR	Loncin G390F-P529	20060	
		Dimensions 855L x 625W x 1055H (mm)			

Interpump 58 series pump
3400 Rpm direct drive pump
Interpump controlset & bypass
Integrated chemical injector

Powder-coated trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m suction hose & filter

Powered by
LONCIN



PETROL	15250 LpmBar	Part No.	Engine	PSI	Kg
		LCT15250PLR	Loncin G420F-P536	2673	
		Dimensions 855L x 625W x 1055H (mm)			

Interpump 59 series pump
1450 Rpm gearbox drive
Return to tank unloader valve
External chemical injector
Easy prime ball valve

Powder-coated trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter

Powered by
LONCIN





- direct drive



POWERED by
HONDA

PETROL	10150 LpmBar	

Part No.	Engine	PSI	Kg
GF10150PHR	Honda GP16021	17531	
Dimensions 500L x 370W x 445H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated carry frame
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter



POWERED by
HONDA

PETROL	13150 LpmBar	

Part No.	Engine	PSI	Kg
GF13150PHR	Honda GP20021	17531	
Dimensions 500L x 370W x 445H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated carry frame
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter



POWERED by
HONDA

PETROL	10150 LpmBar	

Part No.	Engine	PSI	Kg
GT10150PHR	Honda GP16021	17536	
Dimensions 635L x 510W x 950H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated trolley - 10" wheels
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter



POWERED by
HONDA

PETROL	13150 LpmBar	

Part No.	Engine	PSI	Kg
GT13150PHR	Honda GP20021	17537	
Dimensions 635L x 510W x 950H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated trolley - 10" wheels
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter

Engine Driven Pressure Washers

PETROL	10135 LpmBar	Part No.	Engine	PSI	Kg
		E1F10135PHR	Honda GX160195	831.2	
		Dimensions 500L x 370W x 445H (mm)			
PETROL	12150 LpmBar	Part No.	Engine	PSI	Kg
		E1F12150PHR	Honda GX160217	531.2	
		Dimensions 500L x 370W x 445H (mm)			
PETROL	13150 LpmBar	Part No.	Engine	PSI	Kg
		E1F13150PHR	Honda GX200217	531.2	
		Dimensions 500L x 370W x 445H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated carry frame
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter



POWERED by
HONDA

PETROL	12150 LpmBar	Part No.	Engine	PSI	Kg
		E1T12150PHR	Honda GX160217	542.8	
		Dimensions 630L x 530W x 810H (mm)			
PETROL	13150 LpmBar	Part No.	Engine	PSI	Kg
		E1T13150PHR	Honda GX200217	543.8	
		Dimensions 630L x 530W x 810H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated trolley - 10" wheels
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter



POWERED by
HONDA

PETROL	13200 LpmBar	Part No.	Engine	PSI	Kg
		E1T13200PHR	Honda GX240290	0059	
		Dimensions 800L x 640W x 840H (mm)			

Interpump 58 series pump
3400 Rpm direct drive pump
Return to head unloader valve
External chemical injector
Easy prime ball valve

Powder-coated trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter



POWERED by
HONDA

PETROL	15275 LpmBar	Part No.	Engine	PSI	Kg
		E1T15275PHR	Honda GX390399	065.5	
		Dimensions 800L x 640W x 840H (mm)			
PETROL	16200 LpmBar	Part No.	Engine	PSI	Kg
		E1T16200PHR	Honda GX340290	065.5	
		Dimensions 800L x 640W x 840H (mm)			

Interpump 58 series pump
3400 Rpm direct drive pump
Return to head unloader valve
External chemical injector
Easy prime ball valve

Powder-coated trolley - 13" wheels
Heavy-duty twin lance
10m high pressure hose
3m heavy-duty suction hose & filter



POWERED by
HONDA



POWERED by
HONDA

PETROL	20200 LpmBar	Part No.	Engine	PSI	Kg
		E1T20200PHR	Honda GX390290	1065.5	
		Dimensions 800L x 640W x 840H (mm)			

Interpump 59 series pump
3400 Rpm direct drive pump
Return to head unloader valve
External chemical injector
Easy prime ball valve

Powder-coated trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter



Powered by
YANMAR

DIESEL	12125 LpmBar	Part No.	Engine	PSI	Kg
		E1T12125DYR	Yanmar L48V181	1248.5	
		Dimensions 630L x 530W x 810H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated trolley - 10" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter



Powered by
YANMAR

DIESEL	13170 LpmBar	Part No.	Engine	PSI	Kg
		E1T13170DYR	Yanmar L70V246	1656.9	
		Dimensions 800L x 640W x 840H (mm)			

Interpump 58 series pump
3400 Rpm direct drive pump
Return to head unloader valve
External chemical injector
Easy prime ball valve

Powder-coated trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m Heavy-duty suction hose & filter



POWERED by
HONDA

PETROL	14150 LpmBar	Part No.	Engine	PSI	Kg
		E2T14150PHR	Honda GX200217	1753.8	
		Dimensions 630L x 530W x 810H (mm)			

Interpump 58 series pump
1450 Rpm gearbox drive
Interpump controlset with bypass
Integrated chemical injector

Powder-coated trolley - 10" wheels
Two-piece lance assembly
10m high pressure hose
3m heavy-duty suction hose & filter

PETROL	15 200 LpmBar	Part No.	Engine	PSI	Kg
		E2T15200PHR	Honda GX340290	0064.5	
		Dimensions 800L x 640W x 840H (mm)			
PETROL	15 250 LpmBar	Part No.	Engine	PSI	Kg
		E2T15250PHR	Honda GX390362	0064.5	
		Dimensions 800L x 640W x 840H (mm)			
PETROL	21 200 LpmBar	Part No.	Engine	PSI	Kg
		E2T21200PHR	Honda GX390290	0064.5	
		Dimensions 800L x 640W x 840H (mm)			
DIESEL	15 150 LpmBar	Part No.	Engine	PSI	Kg
		E2T15150DYR	Yanmar L70V217	00575.5	
		Dimensions 800L x 640W x 840H (mm)			

Interpump 59 series pump
1450 Rpm gearbox drive
Return to tank unloader valve
External chemical injector
Easy prime ball valve

Powder-coated trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter

Powered by
YANMAR



POWERED by
HONDA



PETROL	15 250 LpmBar	Part No.	Engine	PSI	Kg
		SS2T15250PHR	Honda GX390362	0064.5	
		Dimensions 800L x 640W x 840H (mm)			
PETROL	21 200 LpmBar	Part No.	Engine	PSI	Kg
		SS2T21200PHR	Honda GX390290	0064.5	
		Dimensions 800L x 640W x 840H (mm)			

Interpump 59 series pump
1450 Rpm gearbox drive
Return to tank unloader valve
External chemical injector
Easy prime ball valve

Stainless steel trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter



POWERED by
HONDA

heavy-duty - gearbox drive

PETROL	15 200 LpmBar	Part No.	Engine	PSI	Kg
		E3T15200PHR	Honda GX340290	00077	
		Dimensions 1100L x 620W x 700H (mm)			
PETROL	15 250 LpmBar	Part No.	Engine	PSI	Kg
		E3T15250PHR	Honda GX390362	00578.5	
		Dimensions 1100L x 620W x 700H (mm)			
PETROL	21 200 LpmBar	Part No.	Engine	PSI	Kg
		E3T21200PHR	Honda GX390290	00079	
		Dimensions 1100L x 620W x 700H (mm)			

Interpump 59 series pump
1450 Rpm gearbox drive
Return to tank unloader valve
External chemical injector
Easy prime ball valve

Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter



POWERED by
HONDA

heavy-duty - gearbox drive



PETROL	15400 LpmBar	Part No.	Engine	PSI	Kg
		E3T15400PBE	B&S 18HP V-Twin	5800	113
		Dimensions 1100L x 620W x 790H (mm)			

PETROL	15500 LpmBar	Part No.	Engine	PSI	Kg
		E3T15500PBE	B&S 23HP V-Twin	7250	115
		Dimensions 1100L x 620W x 790H (mm)			

Interpump 66HP series pump
1450 Rpm gearbox drive
Electric start with battery
Interpump unloader valve
Interpump safety valve

Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter



PETROL	23250 LpmBar	Part No.	Engine	PSI	Kg
		E3T23250PBE	B&S 18HP V-Twin	3625	108.5
		Dimensions 1100L x 620W x 790H (mm)			

PETROL	25300 LpmBar	Part No.	Engine	PSI	Kg
		E3T25300PBE	B&S 23HP V-Twin	4350	110
		Dimensions 1100L x 620W x 790H (mm)			

Interpump 66HP series pump
1450 Rpm gearbox drive
Electric start with battery
Flow sensitive unloader valve
Interpump safety valve

Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter



PETROL	30200 LpmBar	Part No.	Engine	PSI	Kg
		E3T30200PBE	B&S 18HP V-Twin	2900	108.5
		Dimensions 1100L x 620W x 790H (mm)			
PETROL	41200 LpmBar	Part No.	Engine	PSI	Kg
		E3T41200PBE	B&S 23HP V-Twin	2900	110
		Dimensions 1100L x 620W x 790H (mm)			

Interpump 66 series pump
1450 Rpm gearbox drive
Electric start with battery
Flow sensitive unloader valve
Fitted with pulsation dampener

Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter
Optional twin outlet kit p/n 204-1015



DIESEL	15200 LpmBar	Part No.	Engine	PSI	Kg
		E3T15200DYE	Yanmar L100V	2900	108.5
		Dimensions 1100L x 620W x 720H (mm)			

DIESEL	20190 LpmBar	Part No.	Engine	PSI	Kg
		E3T20190DYE	Yanmar L100V	2750	109.5
		Dimensions 1100L x 620W x 720H (mm)			

Interpump 59 series pump
1450 Rpm gearbox drive
Electric start with battery
Return to tank unloader valve
External chemical injector

Easy prime ball valve
Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter

PETROL	12150 LpmBar	Part No.	Engine	PSI	Kg
		E2T12150PHE	Honda GX16021	175	40
		Dimensions 800L x 640W x 840H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Electric start with battery
Integrated controlset & bypass
Integrated chemical injector

Powder-coated trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m suction hose & filter



PETROL	14150 LpmBar	Part No.	Engine	PSI	Kg
		E2T14150PHE	Honda GX20021	175	42
		Dimensions 800L x 640W x 840H (mm)			

Interpump 58 series pump
1450 Rpm gearbox drive
Electric start with battery
Return to tank unloader valve
External chemical injector

Easy prime ball valve
Powder-coated trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter



POWERED by
HONDA

PETROL	15250 LpmBar	Part No.	Engine	PSI	Kg
		E2T15250PHE	Honda GX39036	266	6.5
		Dimensions 800L x 640W x 840H (mm)			

PETROL	21200 LpmBar	Part No.	Engine	PSI	Kg
		E2T21200PHE	Honda GX39029	300	6.5
		Dimensions 800L x 640W x 840H (mm)			

Interpump 59 series pump
1450 Rpm gearbox drive
Electric start with battery
Return to tank unloader valve
External chemical injector

Easy prime ball valve
Powder-coated trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter



POWERED by
HONDA

heavy-duty - gearbox drive

PETROL	15250 LpmBar	Part No.	Engine	PSI	Kg
		E3T15250PHE	Honda GX39036	266	81
		Dimensions 1100L x 620W x 700H (mm)			

PETROL	21200 LpmBar	Part No.	Engine	PSI	Kg
		E3T21200PHE	Honda GX39029	300	81
		Dimensions 1100L x 620W x 700H (mm)			

Interpump 59 series pump
1450 Rpm gearbox drive
Electric start with battery
Return to tank unloader valve
External chemical injector

Easy prime ball valve
Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m heavy-duty suction hose & filter



POWERED by
HONDA



PETROL	10135 LpmBar	Part No.	Engine	PSI	Kg
		CF10135PHR	Honda GX16019	175	824
		Dimensions 500L x 370W x 445H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated carry frame
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter

POWERED by
HONDA



PETROL	12150 LpmBar	Part No.	Engine	PSI	Kg
		CF12150PHR	Honda GX16021	175	531
		Dimensions 580L x 410W x 455H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated carry frame
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter

POWERED by
HONDA



PETROL	12150 LpmBar	Part No.	Engine	PSI	Kg
		CT12150PHR	Honda GX16021	175	536
		Dimensions 635L x 510W x 950H (mm)			

Interpump 51 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated trolley - 10" wheels
Two-piece lance assembly
8m high pressure hose
3m suction hose & filter

POWERED by
HONDA



PETROL	13200 LpmBar	Part No.	Engine	PSI	Kg
		CT13200PHR	Honda GX24029	200	48
		Dimensions 855L x 625W x 1055H (mm)			

Interpump 63 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated trolley - 13" wheels
Two-piece lance assembly
10m high pressure hose
3m suction hose & filter

POWERED by
HONDA

PETROL	16200 LpmBar	Part No.	Engine	PSI	Kg
		CT16200PHR	Honda GX34029	200	55
		Dimensions 855L x 625W x 1055H (mm)			

Interpump 63 series pump
3400 Rpm direct drive pump
Integrated controlset & bypass
Integrated chemical injector

Powder-coated trolley - 13" wheels
Two-piece lance assembly
10m high pressure hose
3m suction hose & filter

POWERED by
HONDA



PETROL	15250 LpmBar	Part No.	Engine	PSI	Kg
		CT15250PHR	Honda GX390362560		
		RTT-C101	Fitted with return to tank bypass		
		Dimensions 855L x 625W x 1055H (mm)			

Interpump 44 series pump
3400 Rpm direct drive pump
Interpump controlset with bypass
Integrated chemical injector

Powder-coated trolley - 13" wheels
Two-piece lance assembly
10m high pressure hose
3m suction hose & filter

POWERED by
HONDA

PETROL	12 140 LpmBar	Part No.	Engine	PSI	Kg
		DT12140PHR	Honda GX16020304		
		RTT-D201	Fitted with return to tank bypass		
		Dimensions 855L x 625W x 1055H			

PETROL	14 150 LpmBar	Part No.	Engine	PSI	Kg
		DT14150PHR	Honda GX200217543		
		RTT-D203	Fitted with return to tank bypass		
		Dimensions 855L x 625W x 1055H (mm)			

Interpump 44 series pump
1450 Rpm gearbox drive
Interpump controlset with bypass
Integrated chemical injector

Powder-coated trolley - 13" wheels
Two-piece lance assembly
10m high pressure hose
3m suction hose & filter



POWERED by
HONDA

PETROL	15 200 LpmBar	Part No.	Engine	PSI	Kg
		DT15200PHR	Honda GX340290070		
		RTT-D204	Fitted with return to tank bypass		
		Dimensions 855L x 625W x 1055H (mm)			

Interpump 47 series pump
1450 Rpm gearbox drive
Interpump controlset with bypass
Integrated chemical injector

Powder-coated trolley - 13" wheels
Two-piece lance assembly
10m high pressure hose
3m suction hose & filter



POWERED by
HONDA

PETROL	15 250 LpmBar	Part No.	Engine	PSI	Kg
		DT15250PHR	Honda GX390362571		
		RTT-D205	Fitted with return to tank bypass		
		Dimensions 855L x 625W x 1055H (mm)			

Interpump 47 series pump
1450 Rpm gearbox drive
Interpump controlset with bypass
Integrated chemical injector

Powder-coated trolley - 13" wheels
Two-piece lance assembly
10m high pressure hose
3m suction hose & filter




POWERED by
HONDA

PETROL	14 150 LpmBar	Part No.	Engine	PSI	Kg
		DF14150PHR	Honda GX200217538		
		Dimensions 580L x 410W x 455H (mm)			

Interpump 44 series pump
1450 Rpm gearbox drive
Integrated controlset & bypass
Integrated chemical injector

Powder-coated carry frame
Two-piece lance assembly
10m high pressure hose
3m suction hose & filter



POWERED by
HONDA




PETROL	15 200 LpmBar	

Part No.	Engine	PSI	Kg
RT15200PHR	Honda GX34029Q	082	
Dimensions 1100L x 620W x 700H (mm)			

Interpump 47 series pump
1450 Rpm gearbox drive
Return to tank unloader valve
External chemical injector
Easystart valve

Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m suction hose & filter

POWERED by
HONDA



PETROL	15 250 LpmBar	

Part No.	Engine	PSI	Kg
RT15250PHR	Honda GX39036	2582	
Dimensions 1100L x 620W x 700H (mm)			

Interpump 47 series pump
1450 Rpm gearbox drive
Return to tank unloader valve
External chemical injector
Easystart valve

Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m suction hose & filter

POWERED by
HONDA



PETROL	21 170 LpmBar	

Part No.	Engine	PSI	Kg
RT21170PHR	Honda GX39024	6582	
Dimensions 1100L x 620W x 700H (mm)			

Interpump 47 series pump
1450 Rpm gearbox drive
Return to tank unloader valve
External chemical injector
Easystart valve

Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m suction hose & filter

POWERED by
HONDA



DIESEL	15 200 LpmBar	

Part No.	Engine	PSI	Kg
RT15200DYE	Yanmar L100V290	0113	
Dimensions 1100L x 620W x 720H (mm)			

Interpump 47 series pump
1450 Rpm gearbox drive
Electric start with battery
Return to tank unloader valve
External chemical injector

Easystart valve
Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m suction hose & filter

Powered by
YANMAR
Electric Start



DIESEL	21 170 LpmBar	

Part No.	Engine	PSI	Kg
RT21170DYE	Yanmar L100V246	5113	
Dimensions 1100L x 620W x 720H (mm)			

Interpump 47 series pump
1450 Rpm gearbox drive
Electric start with battery
Return to tank unloader valve
External chemical injector

Easystart valve
Heavy-duty trolley - 13" wheels
Heavy-duty single lance
10m high pressure hose
3m suction hose & filter

Powered by
YANMAR
Electric Start



ultra heavy-duty - gearbox drive

Electric Start



Interpump 66 series pump
Hatz 2G40 diesel engine
Gearbox drive with Vibroflex coupling
Super heavy-duty trolley with brake

21 litre fuel tank for all day running
Electric start with 16 Ah pure lead dry cell battery
Fuel cut-off solenoid for ignition key shut-down
Ignition panel with digital hour meter and warning lights

DIESEL	41200 LpmBar	Part No.	Engine	PSI	Kg
		TBE41200DHE	Hatz 2G4029	00204	
		Dimensions 1190L x 680W x 875H (mm)			

Interpump W2141 66 series pump
Interpump K1 flow sensitive unloader valve
Twin outlet for dual operator use
Interpump safety valve
Pulsation dampener
Heavy duty lance assembly
Supplied with 4m suction hose & filter
10m high pressure hose

Powered by



DIESEL	25300 LpmBar	Part No.	Engine	PSI	Kg
		TBE25300DHE	Hatz 2G4043	00206	
		Dimensions 1190L x 680W x 875H (mm)			

Interpump W3025 66 series pump
Interpump K9 flow sensitive unloader valve
Interpump safety valve
Heavy duty lance assembly
Supplied with 4m suction hose & filter
10m high pressure hose


Powered by



DIESEL	18400 LpmBar	Part No.	Engine	PSI	Kg
		TBE18400DHE	Hatz 2G4058	00208	
		Dimensions 1190L x 680W x 875H (mm)			


Interpump W4018 66HP series pump
Interpump K9 flow sensitive unloader valve
Interpump safety valve
Heavy duty lance assembly
Supplied with 4m suction hose & filter
10m high pressure hose

Powered by



DIESEL	15500 LpmBar	Part No.	Engine	PSI	Kg
		TBE15500DHE	Hatz 2G4072	00206	
		Dimensions 1190L x 680W x 875H (mm)			


Interpump W5015 66HP series pump
PA VB16 soft start unloader valve
Interpump safety valve
Heavy duty lance assembly
Supplied with 4m suction hose & filter
10m high pressure hose
Vibroflex Coupling



Vibroflex

A key feature of machines with our unique **Vibroflex torsional drive coupling**.

Located in between the engine and gearbox it eliminates the highly damaging on-off stresses & snatch effect that can occur when a conventional hollow to solid shaft drive system is used.




**POWERED by
HONDA**

PETROL	30 125 LpmBar	Part No.	Engine	PSI	Kg
		JET30125PHR	Honda GX390181	297.5	
		Dimensions 1100L x 620W x 960H (mm)			

Interpump 47 series pump
1450 Rpm gearbox drive
Return to tank unloader valve
Easystart valve
Heavy-duty trolley - 13" wheels
Hose reel with 40m DN10 thermoplastic flexible jetting hose
DRAINET jetting nozzle
Inline jetting trigger w/ 2x 3m HP hoses for remote operation
QR fittings for multiple set up options
Heavy-duty pressure wash lance
10m high pressure hose
3m suction hose & filter


**Powered by
YANMAR
Electric Start**

DIESEL	30 100 LpmBar	Part No.	Engine	PSI	Kg
		JET30100DYE	Yanmar L100V1450	128.5	
		Dimensions 1100L x 620W x 960H (mm)			

Interpump 47 series pump
1450 Rpm gearbox drive
Electric start with battery
Return to tank unloader valve
Easystart valve
Heavy-duty trolley - 13" wheels
Hose reel with 40m DN10 thermoplastic flexible jetting hose
DRAINET jetting nozzle
Inline jetting trigger w/ 2x 3m HP hoses for remote operation
QR fittings for multiple set up options
Heavy-duty pressure wash lance
10m high pressure hose
3m suction hose & filter

**POWERED by
HONDA**

Not supplied with
battery & leads

PETROL	30 125 LpmBar	Part No.	Engine	PSI	Kg
		E100-1046	Honda GX390181	1269	
		Dimensions 720L x 460W x 500H (mm)			

Interpump 47 series pump & gearbox
Honda petrol engine - oil alert & recoil start
Heavy skid with dampening rubbers
Unloader valve with return to tank bypass
Inline suction filter

Easystart valve
Inlet 3/4" hose barb
Outlet 3/8" BSP F thread
Bypass 15mm hose barb
60°C max fluid temperature

**Powered by
YANMAR**

Not supplied with
battery & leads

DIESEL	30 100 LpmBar	Part No.	Engine	PSI	Kg
		E100-1047	Yanmar L100V1450	15084	
		Dimensions 720L x 440W x 553H (mm)			

Interpump 47 series pump & gearbox
Yanmar diesel engine - electric start
Heavy skid with dampening rubbers
Unloader valve with return to tank bypass
Inline suction filter

Easystart valve
Inlet 3/4" hose barb
Outlet 3/8" BSP F thread
Bypass 15mm hose barb
60°C max fluid temperature