




BR 55/40 RS

Step-on-scrubber-dryer with 55cm working width and 40 I tank capacity. The step-on- machine combines the manoeuvrability of a walk-behind machine with the speed of a ride-on machine.





4

Easy to use.

Automatic filling option

- Full view 30 cm in front of the vehicle. For precise cleaning.
- Compact design allows cleaning within narrow areas as well as easy storage and transport.

2 With sweeping function

- Coarse dirt is picked up by 2 contra-rotating rollers and collected in a waste container.
- Coarse dirt is picked up in advance by 2 rollers to maintain suction power.

- .
- Easy connection to the water supply which automatically stops when filling is complete.

ecolefficiency mode saves time, energy, water and cleaning agent.

This saves time, as the operator can do other jobs in the meantime.

TECHNICAL DATA AND EQUIPMENT.

KARCHER



BR 55/40 RS

With two roller brushes


including sweeping attachment
Includes battery and charger (for 1.533-173.0)

Technical data		
Order no.		1.533-173.0
EAN code		4039784917064
Working width of brushes	mm	550
Working width, vacuuming	mm	716
Fresh/dirty water tank	I	40 / 40
Max. Area Performance	m²/h	3025
Brush speed	rpm	1200
Brush contact pressure	kg / g/cm²	- 315 / 24
Battery runtime	h	max. 2,5
Battery voltage	v	36
Battery capacity	Ah	76
Rated input power	w	max. 1480
Weight (with accessories)	kg	216
Dimensions (L × W × H)	mm	1118 × 691 × 1316
Equipment		

Equipment	
Roller brushes	1
Squeegee, curved	I contraction of the second seco
Battery and built-in charger included	1
Powerful traction drive	I contraction of the second
Automatic water stop	I contract of the second se
Tin	-
Sweeping function	I contract of the second se
2-tank system	I contraction of the second
Included in delivery.	



		Order no.	Quantity	Battery volta-	Battery capaci- ty	Battery type	Price	Description
Batteries								
Battery kit Gel 3x 12V/76Ah	1	2.815-103.0	3 parts	36 V	76 Ah	mainte- nance- free		
Battery	2	6.654-093.0	1 piece(s)	12 V	76 Ah	mainte- nance- free		Gel traction battery, maintenance-free. With 12 V/70 Ah (5h). 2 batteries required for 24 V machines, 3 required for 36 V machines.
Battery Chargers								· · · · ·
Charger	3	6.654-276.0	1 piece(s)	36 V		separate		Charger with 36 V / 12 A voltage, suitable for BD 50/40 RS Bp Pack. For battery 3 x 6.654-093.0.
Accessories for batteries				·				·
Cable set battery Bp	4	4.036-106.0	3 parts					
■ Included in delivery □ 4	\vailable	- accessories						· · · · · · · · · · · · · · · · · · ·



		Order no.	Hardness/ Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes for BR									
Roller brush complete for replace- ment BR	1	4.035-184.0	medium	550 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 550 mm. For all common cleaning tasks. Also suitable for sensitive floors. Bristles made from polypropylene; 0.4 mm thick, 20 mm long.	
Roller brush	2	4.762-409.0	soft	550 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing.	
	3	4.762-410.0	high / low	550 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	
	4	4.762-411.0	hard	550 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensi- tive floors only.	
	5	4.762-412.0	very hard	550 mm	black	1 piece(s)		Very hard (GRIT), for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.	



		Order no.	Length	Colour	Quanti- ty	Price	Description
Suction bar, complete							
Squeegee	1	8.633-666.0	716 mm	transparent	1 piece(s)		Curved, with support rollers. Squeegee blades of oil-resis- tant, transparent polyurethane.
Squeegees for suction bars							
Suction lips	2	6.273-294.0	870 mm	transparent	2 parts		Standard, grooved, oil-resistant.

KÄRCHER

BR 55/40 RS 1.533-173.0




		Order no.	Length	Colour	Quanti- ty	Price	Description	
Wiping lips								
Set of squeegee blades	1	4.035-404.0			1 piece(s)		Oil-resistant rubber squeegees for mounting to the side of the brush head.	
Miscellaneous								
Add-on kit eco!zero	2	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	
Filling hose	3	6.680-124.0	1,5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
RM Dosierstation				÷				
Cleaning agent dosage kit, wall mounted DS 3	4	2.641-811.0			1 piece(s)		Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	

KARCHER







		Order no.	Hardness/ Brush type	Length	Diame- ter	Colour	Price	Description	
Microfibre shaft									
Microfibre roller	1	4.114-010.0	Microfibre	550 mm	96 mm	light green		World innovation: application of microfibre rollers combine the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with rolle pad shaft 4.762-415.0.	
Roller pad shaft									
Pad roller shaft	2	4.762-415.0		550 mm				550 mm	
Roller pads									
Roller pad	3	8.635-692.0		550 mm		brown		Fits B 40 W (R 55), B 60 W Ep (R 55), BR 55/40 RS.	
Roller pad on sleeve	4	6.369-732.0	soft	530 mm	96 mm	yellow		For polishing and cleaning non-textured floors. In conjunc- tion with pad roller shaft 4.762-415.0	
	5	6.369-734.0	medium	530 mm	96 mm	red		For cleaning non-textured floors. In conjunction with pad roller shaft 4.762-415.0	
	6	6.369-733.0	hard	530 mm	96 mm	green		For removing stubborn dirt and deep cleaning of non-textu- red floors. In conjunction with pad roller shaft 4.762-415.0	
Roller pad	7	6.369-451.0	soft		96 mm	yellow		soft, yellow, for polishing	
	8	6.369-452.0	hard		96 mm	green		hard, green, for deep cleaning	
	9	6.369-453.0	medium		96 mm	red		Medium, for cleaning non-structured surfaces. Combined with the corresponding roller pad shaft.	

2	1400
1	

		Order no.	Length	Diameter	Quanti- ty	Price	Description
Other attachment kits							
Set deflector roll stack formation SB	1	4.035-619.0			2 parts		