




## IVC 60/24-2 Tact<sup>2</sup>

High productivity, high filtration, single phase compact industrial vacuum with Tact<sup>2</sup> automatic filter clean system for heavy duty dust extraction.



### 1 Automatic Filter Cleaning System Tact<sup>2</sup>

- The filter cleans itself with powerful blasts of air. This automatic process guarantees constantly high suction power. Further benefits: low maintenance costs, long filter service life.
- Filter designed to allow uninterrupted use with consistently high suction power.

### 2 Two blower motors

- Two blowers for powerful cleaning action. The motors are electronically controlled, which avoids high starting currents.

### 3 Waste container with set-down mechanism

- The waste container with set-down mechanism ensures ergonomic emptying, even when the vacuumed waste is heavy.

### 4 With compact flat pleated filter

- The compact flat pleated filter allows a large filter area with a small and clear design.



## IVC 60/24-2 Tact²

- Antistatic equipment
- Liquid cut-off
- Integrated pre-separation cyclone

### Technical data

|                               |                    |                         |
|-------------------------------|--------------------|-------------------------|
| <b>Order no.</b>              | 1.576-100.0        |                         |
| <b>EAN code</b>               | 4039784463691      |                         |
| <b>Current type</b>           | <b>Ph / V / Hz</b> | 1 / 220 - 240 / 50 - 60 |
| <b>Air flow</b>               | <b>l/s / m³/h</b>  | 148 / 532               |
| <b>Vacuum</b>                 | <b>mbar / kPa</b>  | 254 / 25,4              |
| <b>Container content</b>      | <b>l</b>           | 60                      |
| <b>Rated input power</b>      | <b>kW</b>          | 2,4                     |
| <b>Filter area</b>            | <b>m²</b>          | 0,95                    |
| <b>Nominal size</b>           | ID 70              |                         |
| <b>Accessory nominal size</b> | ID 50 / ID 40      |                         |
| <b>Sound pressure level</b>   | <b>dB(A)</b>       | 73                      |
| <b>Dimensions (L × W × H)</b> | <b>mm</b>          | 970 × 690 × 995         |


### Equipment

|  |    |
|--|----|
| <b>Accessories included with machine</b> | no |
|--|----|

# IVC 60/24-2 TACT<sup>2</sup> 1.576-100.0



1



2

|                                    |   | Order no.   | Anzahl     | Dummy | Dummy | Dummy | Price | Description          |                          |
|------------------------------------|---|-------------|------------|-------|-------|-------|-------|----------------------|--------------------------|
| <b>Flat pleated filter (paper)</b> |   |             |            |       |       |       |       |                      |                          |
| Flat pleated filter (paper)        | 1 | 6.907-276.0 | 1 piece(s) |       |       |       |       | Paper, dust class M. | <input type="checkbox"/> |
| <b>Flachfaltenfilter (PTFE)</b>    |   |             |            |       |       |       |       |                      |                          |
| Flat pleated filter, PTFE          | 2 | 6.907-449.0 | 1 piece(s) |       |       |       |       |                      | <input type="checkbox"/> |

Available accessories.

# IVC 60/24-2 TACT<sup>2</sup> 1.576-100.0

**KÄRCHER**



|                                       |    | Order no.   | Quantity | ID    | Length / width | Price | Description |                          |
|---------------------------------------|----|-------------|----------|-------|----------------|-------|-------------|--------------------------|
| <b>Adapter Accessory</b>              |    |             |          |       |                |       |             |                          |
| Adapter DN50/DN51                     | 1  | 9.989-603.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Adapter DN51/DN50                     | 2  | 9.989-601.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Adapter DN50/DN61                     | 3  | 9.989-602.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Adapter DN61/DN50                     | 4  | 9.989-604.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>Reducers</b>                       |    |             |          |       |                |       |             |                          |
| Reducer DN 70/DN 50 (SBC)             | 5  | 9.977-772.0 |          | DN 70 |                |       |             | <input type="checkbox"/> |
| Reducer DN70/DN40                     | 6  | 9.989-690.0 |          | DN 70 |                |       |             | <input type="checkbox"/> |
|                                       | 7  | 9.981-231.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Reducer V2A DN72 auf DN52             | 8  | 9.989-712.0 |          | DN 70 |                |       |             | <input type="checkbox"/> |
| Reducer V2A DN70/DN40                 | 9  | 9.989-713.0 |          | DN 70 |                |       |             | <input type="checkbox"/> |
| <b>Expanders</b>                      |    |             |          |       |                |       |             |                          |
|                                       | 10 | 9.981-921.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>Distributors</b>                   |    |             |          |       |                |       |             |                          |
| Distributor DN70/DN50/DN50            | 11 | 9.989-611.0 |          | DN 70 |                |       |             | <input type="checkbox"/> |
| <b>PVC</b>                            |    |             |          |       |                |       |             |                          |
| Hose PVC DN40 3 m                     | 12 | 9.989-647.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hose PVC DN40 5 m                     | 13 | 9.989-614.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hose without connection PVC DN40 15 m | 14 | 9.989-633.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hose PVC DN50 3 m                     | 15 | 9.989-615.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Hose PVC DN50 5 m                     | 16 | 9.989-616.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Hose without connection PVC DN50 15 m | 17 | 9.989-634.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Hose PVC DN40 1 m                     | 18 | 9.989-626.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| <b>EVA</b>                            |    |             |          |       |                |       |             |                          |
| Extension hose EVA el. DN42 3m        | 19 | 9.988-088.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Extension hose EVA el. DN42 5m        | 20 | 9.988-089.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hose without connection EVA DN40 15 m | 21 | 9.989-630.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Extension hose EVA el. DN52 3m        | 22 | 9.988-090.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Extension hose EVA el. DN52 5m        | 23 | 9.988-091.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Hose without connection EVA DN50 15 m | 24 | 9.989-631.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>ME</b>                             |    |             |          |       |                |       |             |                          |
| Hose connection kit DN40              | 25 | 9.989-627.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hose connection kit DN50              | 26 | 9.989-628.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>PU</b>                             |    |             |          |       |                |       |             |                          |
| Hose PU DN40 3 m                      | 27 | 9.989-617.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hose PU DN40 5 m                      | 28 | 9.989-618.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hose without connection PU DN40 15 m  | 29 | 9.989-637.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hose PU DN50 3 m                      | 30 | 9.989-619.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Hose PU DN50 5 m                      | 31 | 9.989-620.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Hose without connection PU DN50 15 m  | 32 | 9.989-638.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |

Available accessories.

# IVC 60/24-2 TACT<sup>2</sup> 1.576-100.0

**KÄRCHER**



|  |    | Order no.   | Quantity | ID    | Length / width | Price | Description |                          |
|--|----|-------------|----------|-------|----------------|-------|-------------|--------------------------|
| <b>ME-PU</b>                                   |    |             |          |       |                |       |             |                          |
| Hose ME-PU DN40 3 m                            | 33 | 9.989-621.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
|  | 34 | 9.989-622.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hose without connection ME-PU DN40 15 m        | 35 | 9.989-640.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hose ME-PU DN50 3 m                            | 36 | 9.989-623.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Hose ME-PU DN50 5 m                            | 37 | 9.989-625.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Hose without connection ME-PU DN50 15 m        | 38 | 9.989-641.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>Handles</b>                                 |    |             |          |       |                |       |             |                          |
| Hand grip curved 45°, DN 42                    | 39 | 9.977-679.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hand grip 45°, DN 52 ohne Sterngriff           | 40 | 9.977-678.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Hand grip curved stainless steel 45°IK D       | 41 | 9.989-036.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hand grip curved stainless steel 45°, IK       | 42 | 9.988-111.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Elbow aluminium 45° DN40                       | 43 | 9.989-544.0 |          |       |                |       |             | <input type="checkbox"/> |
| Elbow aluminium 45° DN50                       | 44 | 9.989-547.0 |          |       |                |       |             | <input type="checkbox"/> |
| <b>Suction tubes</b>                           |    |             |          |       |                |       |             |                          |
| Suction tube 750 mm DN40                       | 45 | 9.977-525.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Extension pipe 850mm DN 50, SBG                | 46 | 9.977-531.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Extension pipe stainless steel DN50 US         | 47 | 9.989-038.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Hand grip curved stainless steel 45°IK D       | 48 | 9.989-035.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Extension pipe stainless steel DN40 US         | 49 | 9.989-039.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Extension pipe stainless steel DN50 IK,        | 50 | 9.988-114.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Suction tube carbon 1500mm DN40                | 51 | 9.989-552.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Suction tube carbon 1500mm DN50                | 52 | 9.989-553.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>Standard nozzles</b>                        |    |             |          |       |                |       |             |                          |
| Standard nozzle PVC DN40                       | 53 | 9.989-674.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Standard nozzle PVC DN50                       | 54 | 9.989-673.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Nozzle elastic silicon DN42                    | 55 | 9.988-401.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Nozzle elastic silicon DN52                    | 56 | 9.988-402.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| Standard nozzle rubber cuttable DN40           | 57 | 9.989-677.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Standard nozzle rubber cuttable DN50           | 58 | 9.989-675.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
|  | 59 | 9.980-748.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
|  | 60 | 9.980-749.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>Standard nozzles bendable</b>               |    |             |          |       |                |       |             |                          |
| Nozzle, zinc coated, flexible, with rubber tip | 61 | 9.981-420.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
|  | 62 | 9.981-421.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
|  | 63 | 9.981-429.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
|  | 64 | 9.981-430.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |

Available accessories.



# IVC 60/24-2 TACT<sup>2</sup> 1.576-100.0

**KÄRCHER**



|  |    | Order no.   | Quantity | ID    | Length / width | Price | Description |  |  |                          |
|--|----|-------------|----------|-------|----------------|-------|-------------|--|--|--------------------------|
| <b>Floor nozzles</b>                     |    |             |          |       |                |       |             |  |  |                          |
| Floor nozzle Alu 370 mm DN40             | 65 | 9.989-683.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |
| Floor nozzle Alu el 370 mm DN40          | 66 | 9.989-682.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |
|  | 67 | 9.981-426.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| Floor nozzle Alu 370 mm DN50             | 68 | 9.989-664.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| Multi-purpose nozzle 370mm el. leit., DN | 69 | 9.987-612.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| Floor nozzle Alu 500 mm DN50             | 70 | 9.989-684.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
|  | 71 | 9.981-925.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| Multi-purpose nozzle 370mm el. leit., DN | 72 | 9.989-558.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |
|  | 73 | 9.988-115.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
|  | 74 | 9.981-923.0 |          |       |                |       |             |  |  | <input type="checkbox"/> |
| Rubber lips with molding 370mm           | 75 | 9.981-914.0 |          |       |                |       |             |  |  | <input type="checkbox"/> |
|  | 76 | 9.981-915.0 |          |       |                |       |             |  |  | <input type="checkbox"/> |
| Bürstenleiste Satz elektr. leitend, für  | 77 | 9.984-939.0 |          |       |                |       |             |  |  | <input type="checkbox"/> |
|  | 78 | 9.980-764.0 |          |       |                |       |             |  |  | <input type="checkbox"/> |
| <b>Crevice nozzles</b>                   |    |             |          |       |                |       |             |  |  |                          |
| Crevice nozzle, lightweight plastic      | 79 | 9.988-117.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
|  | 80 | 9.981-482.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
|  | 81 | 9.981-442.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
|  | 82 | 9.981-465.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| <b>Crevice nozzles bendable</b>          |    |             |          |       |                |       |             |  |  |                          |
| Nozzle Langschaft Silikon DN52           | 83 | 9.988-403.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| Nozzle Crevice nozzle bendable 11 mm x 5 | 84 | 9.989-681.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |
| Crevice nozzle, zinc coated, flexible    | 85 | 9.981-423.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |
|  | 86 | 9.981-424.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| Crevice nozzle, zinc coated, flexible    | 87 | 9.981-425.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| <b>Surface nozzles</b>                   |    |             |          |       |                |       |             |  |  |                          |
| Nozzle with connecting piece 90° DN40    | 88 | 9.988-118.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |
| Nozzle with connecting piece 90° DN50    | 89 | 9.988-119.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| Nozzle Surface nozzle Alu 150 mm DN40    | 90 | 9.989-666.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |
| Nozzle Surface nozzle Alu 150 mm DN50    | 91 | 9.989-665.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| <b>Liquid nozzles</b>                    |    |             |          |       |                |       |             |  |  |                          |
|  | 92 | 9.981-427.0 |          | DN 50 |                |       |             |  |  | <input type="checkbox"/> |
| <b>Blind hole nozzles</b>                |    |             |          |       |                |       |             |  |  |                          |
| Nozzle Blind hole nozzle DN40            | 93 | 9.989-671.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |
| Nozzle Blind hole nozzle bended 60° DN40 | 94 | 9.989-669.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |
| Nozzle Blind hole nozzle bended 90° DN40 | 95 | 9.989-667.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |
| Nozzle Blind hole nozzle bended 90° 200  | 96 | 9.989-670.0 |          | DN 40 |                |       |             |  |  | <input type="checkbox"/> |

Available accessories.

# IVC 60/24-2 TACT<sup>2</sup> 1.576-100.0

**KÄRCHER**



|                                   |     | Order no.   | Quantity | ID    | Length / width | Price | Description |                          |
|-----------------------------------|-----|-------------|----------|-------|----------------|-------|-------------|--------------------------|
| <b>Standard brushes</b>           |     |             |          |       |                |       |             |                          |
|                                   | 97  | 9.981-431.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
|                                   | 98  | 9.981-432.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>Pencil brushes</b>             |     |             |          |       |                |       |             |                          |
| Brush ø82 mm DN40                 | 99  | 9.989-609.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Brush ø82 mm DN50                 | 100 | 9.989-608.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>Surface brushes</b>            |     |             |          |       |                |       |             |                          |
| Brush PP 24 mm DN40               | 101 | 9.989-610.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Vacuum brush                      | 102 | 9.981-911.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
|                                   | 103 | 9.981-912.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>Pre-separators</b>             |     |             |          |       |                |       |             |                          |
| Separator Tc Op Liquid 125 l DN70 | 104 | 9.989-686.0 |          | DN 70 |                |       |             | <input type="checkbox"/> |
| <b>Liquids</b>                    |     |             |          |       |                |       |             |                          |
| Kit liquid DN40                   | 105 | 9.989-660.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Kit liquid DN50                   | 106 | 9.989-661.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |
| <b>Liquid / Swarf</b>             |     |             |          |       |                |       |             |                          |
| Kit liquid swarf 3 m DN40         | 107 | 9.989-657.0 |          | DN 40 |                |       |             | <input type="checkbox"/> |
| Kit liquid swarf DN50             | 108 | 9.989-658.0 |          | DN 50 |                |       |             | <input type="checkbox"/> |

Available accessories.