



IVC 60/30 Tact²

High productivity, high filtration, three phase compact industrial vacuum with Tact² automatic filter clean system for heavy duty dust extraction.





1 Wear-resistant side channel compressor

A side channel blower delivers high suction power with a very long lifetime of at least 20,000 hours. These machines are therefore ideal for multiple shift operation.

3 Waste container with set-down mechanism

The waste container with set-down mechanism ensures ergonomic emptying, even when the vacuumed waste is heavy.

2 Automatic Filter Cleaning System Tact²

- The two filters are cleaned with targeted, powerful blasts of air The procedure is triggered automatically, the suction power remains constantly high, and the work can be continued without interruption.
- Filter designed to allow uninterrupted use with consistently high suction power.

4 With compact flat pleated filter

■ The compact flat pleated filter allows a large filter area with a small and clear design.

TECHNICAL DATA AND EQUIPMENT.



IVC 60/30 Tact²

- Antistatic equipment
- Liquid cut-offIntegrated pre-separation cyclone

Technical data		
Order Number		1.576-101.0
EAN code		4039784463707
Current type	Ph / V / Hz	3 / 400 / 50
Air flow	l/s / m³/h	68 / 244,8
Vacuum	mbar / kPa	286 / 28,6
Container capacity	I	60
Motor rating	kW	3
Filter area	m²	1,9
Nominal size		ID 70
Accessory nominal size		ID 50 / ID 40
Sound level	dB(A)	77
Weight	kg	95
Dimensions (L x W x H)	mm	970 × 690 × 1240

Equipment	
Accessories included with machine	No

IVC 60/30 TACT² 1.576-101.0







		Order Number	Quantity	ID	Length	Width	Price	Description
Flat pleated filter (paper)								
Flat pleated filter (paper)	1	6.907-276.0	1 piece(s)					Flat pleated filter dust class M, nano-coated paper. Suitable for fine dust and dry dirt pick up.
Flachfaltenfilter (PTFE)								
	2	6.907-449.0	1 piece(s)					

[☐] Available accessories.

IVC 60/30 TACT² 1.576-101.0











		Order Number	Quantity	ID	Length / width	Price	Description
Floor nozzles			I.				
Brush strip	1	6.903-067.0	2 parts		500 mm		
EVA-Schläuche							
Suction hose EVA el. DN42 3m	2	9.988-092.0	1 piece(s)	ID 42	3 m		
Suction hose EVA el. DN42 5m	3	9.988-093.0	1 piece(s)	ID 42	5 m		
Suction hose EVA el. DN52 3m	4	9.988-094.0	1 piece(s)	ID 52	3 m		
Suction hose EVA el. DN52 5m	5	9.988-095.0	1 piece(s)	ID 52	5 m		
Extension hose EVA el. DN42 3m	6	9.988-088.0	1 piece(s)	ID 42	3 m		
Extension hose EVA el. DN42 5m	7	9.988-089.0	1 piece(s)	ID 42	5 m		
Extension hose EVA el. DN52 3m	8	9.988-090.0	1 piece(s)	ID 52	3 m		
Extension hose EVA el. DN52 5m	9	9.988-091.0	1 piece(s)	ID 52	5 m		
Suction nozzles							
Slot nozzle flexible DN 40	10	9.981-423.0	1 piece(s)	ID 42	490 × 20 mm		
Slot nozzle flexible DN 50, 20mm	11	9.981-425.0	1 piece(s)	ID 52	490 × 20 mm		
Nozzle flexible rubber mouthpiece DN40/D	12	9.981-420.0	1 piece(s)	ID 42	30 mm		
	13	9.981-421.0	1 piece(s)	ID 52	30 mm		

[☐] Available accessories.