

### IVS 100/75 M

The IVS 100/75 is a very robust industrial vacuum. It is a partially mobile vacuum cleaner which finds versatile use in many target groups. It is driven by an extremely long-lasting side channel blower. Due to the type of motor, this machine is often used continuously. The vacuum cleaner is driven by 400 V at 50 Hz. Depending on the use, the container (dry) (part no. 6.394-527.0) or container (wet) (part no. 6.394-529.0) must be ordered separately.















### 1 Optional remote control

- Convenient, time-saving operation of the machine in a single forward movement.
- Optimal space utilisation: the vacuum cleaner can be stored in unused or safety areas.

### 2 Power-saving soft start

- Low starting current prevents power supply voltage dips.
- Low energy peaks ensure lower energy costs.

### 3 User-friendly machine handling


- Hose hook and accessory storage ensure fast tool access and tidy storage.
- Integrated cable hook for secure cable storage.

### 4 User-friendly set-down mechanism

- Easy and time-saving container removal directly on the handle.
- The practical container handle serves as an aid for pulling and pushing the machine to the emptying point.

# **TECHNICAL DATA AND EQUIPMENT.**





### IVS 100/75 M

- Antistatic equipment
- Extra large filter area
- Terminal reverse plug

|                           |            | = Terminal reverse plog |
|---------------------------|------------|-------------------------|
| Technical data            |            |                         |
| Order Number              |            | 1.573-820.0             |
| EAN code                  |            | 4054278238470           |
| Current type              | Ph/V/Hz    | 3 / 400 / 50            |
| Air flow                  | l/s / m³/h | 148 / 536               |
| Vacuum                    | mbar / kPa | 350 / 35                |
| Container capacity        | 1          | 100                     |
| Motor rating              | kW         | 7,5                     |
| Power rating in operation | kW         | 7,5                     |
| Filter area               | m²         | 2,2                     |
| Nominal size              |            | ID 70                   |
| Accessory nominal size    |            | ID 70 / ID 50           |
| Sound level               | dB(A)      | 73                      |
| Weight                    | kg         | 160                     |
| Dimensions (L x W x H)    | mm         | 1202 × 771 × 1470       |
|                           |            |                         |
| Equipment                 |            |                         |

| Equipment                            |             |
|--------------------------------------|-------------|
| Accessories included with machine    | No          |
| Recommended for multi-shift operati- |             |
| on                                   |             |
| Optional remote control              | 2.273-001.0 |
| Included in delivery                 |             |

lacksquare Included in delivery.

# IVS 100/75 M 1.573-820.0































|   |    | 1            |             |        |                |       |   | $\overline{}$ |
|---|----|--------------|-------------|--------|----------------|-------|---|---------------|
|   |    |              |             |        |                |       |   |               |
|   |    |              |             |        |                |       |   |               |
|   |    |              |             |        |                |       |   |               |
|   |    |              |             |        | Length         |       |   |               |
|   |    | Order Number | Quantity    | ID     | / width        | Price | Description   |               |
| Filter  |    |              |             |        |                |       |   | +             |
| Paper disposal bags, 60 - 100 l, 10             | 1  | 6.904-347.0  | 10 piece(s) |        |                |       | Disposal sack, paper, 100 l for dust-free disposal  |               |
| pcs   |    |              |             |        |                |       |   | _             |
| Disposal bags, PE, 60-100 I, 20 pcs             | 2  | 6.904-348.0  | 20 piece(s) |        |                |       | Disposal sack PE 20 pcs 60/100 l for dust-free disposal   |               |
|   | 3  | 6.907-336.0  | 5 piece(s)  |        |                |       |   |               |
| Bend, coated                                    |    |              | l           | Lip so | 1 1            | ı     |   |               |
| Bend, coated, electrically conducti-<br>ve DN52 | 4  | 6.902-201.0  | 1 piece(s)  | ID 52  |                |       |   |               |
| Bend, coated, electrically conducti-            | 5  | 6.902-203.0  | 1 piece(s)  | ID 72  |                |       |   |               |
| ve DN72   |    |              |             |        |                |       |   | Ľ             |
| Suction tube, coated                            |    | l · · · ·    |             | 1      | 1              |       |   |               |
| Suction tube, coated, 750 mm,                   | 6  | 6.902-181.0  | 1 piece(s)  | ID 52  | 850 mm         |       |   |               |
| electrically conductive DN52                    | 7  | 9.981-910.0  | 1 piece(s)  | ID 72  | 750 mm         |       | -   |               |
| Floor nozzles                                   |    | 3.301 310.0  | 1 piece(5)  | 18 72  | 730 111111     |       |   |               |
| Multi-purpose nozzle (wet/dry)                  | 8  | 6.902-184.0  | 1 piece(s)  | ID 52  | 370 mm         |       | Multi-purpose nozzle, width 370mm, DN 52  |               |
| more porpose nozzie (mega.y)                    | 9  | 6.902-186.0  | 1 piece(s)  | ID 52  | 500 mm         |       | Multi-purpose nozzle, width 500mm, DN 52  |               |
| Brush strip                                     | 10 | 6.903-067.0  | 2 parts     |        | 500 mm         |       |   |               |
| Other nozzles                                   |    |              | ,           |        |                |       |   |               |
| Nozzle, elastic, rubber                         | 11 | 6.902-196.0  | 1 piece(s)  | ID 52  | 250 mm         |       | Nozzle, elastic, rubber, DN 52  |               |
|   | 12 | 6.902-198.0  | 1 piece(s)  | ID 72  | 260 mm         |       | Nozzle, elastic, rubber, DN 72  |               |
| Suction nozzle, rubber, round                   | 13 | 6.902-199.0  | 1 piece(s)  | ID 52  | 315 mm         |       | Suction nozzle, rubber, round, DN 52, length 315mm  |               |
| Suction brush, round 45°                        | 14 | 6.902-192.0  | 1 piece(s)  | ID 52  |                |       | Suction brush, round 45°, DN 52   |               |
| Surface nozzle, aluminium                       | 15 | 6.902-187.0  | 1 piece(s)  | ID 52  | 150 mm         |       | Surface nozzle, aluminium, width 150mm, DN 52   |               |
| Crevice tools                                   |    |              |             |        |                |       |   |               |
| Crevice nozzle, plastics, long                  | 16 | 6.902-194.0  | 1 piece(s)  | ID 52  | 340 ×          |       | Crevice nozzle, plastics, long, DN 52, width 13mm   |               |
|   |    |              |             |        | 13 mm          |       |   | Ļ             |
| Crevice nozzle flexible DN52                    | 17 | 6.902-211.0  | 1 piece(s)  | ID 52  | 425 ×          |       |   |               |
| Crevice nozzle, zinc-plated                     | 18 | 6.902-189.0  | 1 piece(s)  | ID 52  | 20 mm<br>350 × |       | Crevice nozzle, zinc-plated, width 25mm, DN 52  | +             |
| crevice nozzie, zine platea                     | 10 | 0.502 105.0  | 1 prece(s)  | 15 32  | 17 mm          |       | crevice nozzie, zine piated, widin zanini, bit az   |               |
|   | 19 | 6.902-191.0  | 1 piece(s)  | ID 72  | 350 ×          |       | Crevice nozzle, zinc-plated, width 30mm, DN 72  |               |
|   |    |              |             |        | 30 mm          |       |   | $\perp$       |
| Slot nozzle flat DN50                           | 20 | 9.988-117.0  | 1 piece(s)  | ID 52  |                |       |   |               |
| PVC hoses                                       |    | l            | 1           | 1      | 1_ 1           |       | I service and the service and | 1-            |
| Suction hose PVC                                | 21 | 6.907-294.0  | 1 piece(s)  | ID 52  | 3 m            |       | Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector  |               |
|   | 22 | 6.907-295.0  | 1 piece(s)  | ID 52  | 5 m            |       |   |               |
|   | 23 | 6.907-296.0  | 1 piece(s)  | ID 72  | 3 m            |       | Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector (also suitable for use as an extension   | L             |
|   | 24 | 6.907-297.0  | 1 piece(s)  | ID 72  | 5 m            |       | hose)   |               |
| Extension hose PVC                              | 25 | 6.907-312.0  | 1 piece(s)  | ID 52  | 3 m            |       | Electrically conductive, accessory end rotary coupling, hose  | Г             |
|   | 26 | 6.907-313.0  | 1 piece(s)  | ID 52  | 5 m            |       | with DN 52 connector at both ends   |               |
|   | 27 | 9.980-646.0  |             | ID 52  |                |       |   |               |
|   | 28 | 9.980-677.0  |             | ID 72  |                |       |   |               |
| EVA-Schläuche                                   |    |              |             |        | ,              |       |   |               |
| Suction hose EVA el. DN52 3m                    | 29 | 9.988-094.0  | 1 piece(s)  | ID 52  | 3 m            |       |   |               |
| Suction hose EVA el. DN52 5m                    | 30 | 9.988-095.0  | 1 piece(s)  | ID 52  | 5 m            |       |   |               |
| Extension hose EVA el. DN52 3m                  | 31 | 9.988-090.0  | 1 piece(s)  | ID 52  | 3 m            |       |   |               |
| Extension hose EVA el. DN52 5m                  | 32 | 9.988-091.0  | 1 piece(s)  | ID 52  | 5 m            |       |   |               |

# IVS 100/75 M 1.573-820.0































|   |          |                            |                    |          | Length  |       |  |     |
|---|----------|----------------------------|--------------------|----------|---------|-------|--|-----|
|   |          | Order Number               | Quantity           | ID       | / width | Price | Description  |     |
| PU hoses  |          |                            |                    |          |         |       |  |     |
| Suction hose PU                                       | 33       | 6.907-300.0                | 1 piece(s)         | ID 52    | 3 m     |       | Electrically conductive, accessory end rotary coupling, DN       |     |
|   | 34       | 6.907-301.0                | 1 piece(s)         | ID 52    | 5 m     |       | 72 vacuum connector  |     |
|   | 35       | 6.907-302.0                | 1 piece(s)         | ID 72    | 3 m     |       | Electrically conductive, accessory end rotary coupling, DN       |     |
|   | 36       | 6.907-303.0                | 1 piece(s)         | ID 72    | 5 m     |       | 72 vacuum connector (also suitable for use as an extension hose) |     |
| Extension hose PU el. DN52 3m                         | 37       | 6.907-316.0                | 1 piece(s)         | ID 52    | 3 m     |       | Electrically conductive, accessory end rotary coupling, hose     | . [ |
| Extension hose PU el. DN52 5m                         | 38       | 6.907-317.0                | 1 piece(s)         | ID 52    | 5 m     |       | with DN 52 connector at both ends                                |     |
|   | 39       | 9.980-649.0                |                    | ID 52    |         |       |  |     |
|   | 40       | 9.980-650.0                |                    | ID 72    |         |       |  |     |
|   | 41       | 9.980-680.0                |                    | ID 52    |         |       |  |     |
|   | 42       | 9.980-681.0                |                    | ID 72    |         |       |  |     |
| Metal hoses   |          |                            |                    | <u>'</u> |         |       |  |     |
| Suction hose ME-PU                                    | 43       | 6.907-306.0                | 1 piece(s)         | ID 52    | 3 m     |       | Electrically conductive, accessory end rotary coupling, DN       |     |
|   | 44       | 6.907-307.0                | 1 piece(s)         | ID 52    | 5 m     |       | 72 vacuum connector  | Г   |
|   | 45       | 6.907-308.0                | 1 piece(s)         | ID 72    | 3 m     |       | Electrically conductive, accessory end rotary coupling, DN       |     |
|   | 46       | 6.907-309.0                | 1 piece(s)         | ID 72    | 5 m     |       | 72 vacuum connector (also suitable for use as an extension hose) |     |
| Extension hose ME-PU                                  | 47       | 6.907-320.0                | 1 piece(s)         | ID 52    | 3 m     |       | Electrically conductive, accessory end rotary coupling, hose     | : [ |
|   | 48       | 6.907-321.0                | 1 piece(s)         | ID 52    | 5 m     |       | with DN 52 connector at both ends                                |     |
|   | 49       | 9.980-707.0                |                    | ID 52    |         |       |  |     |
| Adapter   |          |                            |                    |          |         | ·     |  |     |
|   | 50       | 6.902-001.0                | 1 piece(s)         | ID 61    |         |       |  |     |
| Reducer DN72 - DN52                                   | 51       | 6.902-180.0                | 1 piece(s)         | ID 72    |         |       |  |     |
| Vacuum adapter DN 72 to DN 52                         | 52       | 6.902-177.0                | 1 piece(s)         | ID 72    |         |       |  |     |
| DN 52 accessory connector                             | 53       | 6.902-168.0                | 1 piece(s)         | ID 52    |         |       |  |     |
| DN 72 accessory connector                             | 54       | 6.902-173.0                | 1 piece(s)         | ID 72    |         |       |  |     |
| Rotatable accessory connector                         | 55       | 6.902-169.0                | 1 piece(s)         | ID 52    |         |       |  |     |
|   | 56       | 6.902-175.0                | 1 piece(s)         | ID 72    |         |       |  |     |
| Hose clamp DN 42 and 52                               | 57       | 6.902-167.0                | 1 piece(s)         | ID 42    |         |       |  |     |
| Hose clamp DN 72                                      | 58       | 6.902-176.0                | 1 piece(s)         | ID 72    |         |       |  |     |
| DN 52 hose adapter                                    | 59       | 6.902-166.0                | 1 piece(s)         | ID 52    |         |       |  |     |
| DN 72 hose adapter                                    | 60       | 6.902-174.0                | 1 piece(s)         | ID 72    |         |       |  |     |
| M8 handle scew-nut                                    | 61       | 6.303-554.0                | 1 piece(s)         | ID 52    |         |       |  |     |
|   | 62       | 6.902-206.0                | 1 piece(s)         | ID 72    |         |       |  |     |
| Miscellaneous   |          |                            |                    |          |         |       |  |     |
| Remote control  | 63       |                            | 1 piece(s)         |          |         |       |  |     |
|   | 64       | 9.982-080.0                | 1 piece(s)         |          |         |       |  |     |
| IVC power cable hook                                  | 65       | 5.037-240.0                | 1 piece(s)         |          |         |       |  |     |
| Accessory holder complete                             | 66       | 4.645-412.0                | 1 piece(s)         |          |         |       |  |     |
| Zubehörsets IVC, IVS, IVR (3 Phaser                   | r .      |                            |                    |          |         |       |  | Ţ   |
| Vacuuming kit for solids Vacuuming kit for dry coarse | 67<br>68 | 2.869-108.0<br>2.869-109.0 | 6 parts<br>6 parts | ID 52    |         |       | _  |     |
| particles   | 00       | 2.003 103.0                | ο μαιτο            | 10 32    |         |       |  | [   |

<sup>☐</sup> Available accessories.

# IVS 100/75 M 1.573-820.0









|                                  |    |              |            |       | Length  |       |             |
|----------------------------------|----|--------------|------------|-------|---------|-------|-------------|
|                                  |    | Order Number | Quantity   | ID    | / width | Price | Description |
| Suction nozzles                  |    |              |            |       |         |       |             |
|                                  | 69 | 9.981-912.0  | 1 piece(s) | ID 52 | 300 mm  |       |             |
| Slot nozzle flexible DN 50, 20mm | 70 | 9.981-425.0  | 1 piece(s) | ID 52 | 490 ×   |       |             |
|                                  |    |              |            |       | 20 mm   |       |             |
|                                  | 71 | 9.981-421.0  | 1 piece(s) | ID 52 | 30 mm   |       |             |

<sup>☐</sup> Available accessories.