

B 90 R Classic Bp Pack

The B 90 R Classic Bp Pack battery-powered ride-on scrubber dryer is compact, versatile, features an extended tank capacity and variable working widths (55-75 cm).











1 Highly manoeuvrable

- Thanks to its very short and narrow construction style, the machine is very agile and easy to manoeuver despite large water volumes.
- The 90° steering system allows you to turn on the spot.

2 Easy operation

- The basic functions are easily controlled using the EASY switch.
- Operating hours can be viewed on the display.

3 Long running time

Large compartment for a large battery capacity. Maintenance-free gel batteries in the pack variants.

4 Quick replacement

- If required, the brush head can be replaced quickly with no need for tools
- The rollers on the R head can be changed in next to no time.

TECHNICAL DATA AND EQUIPMENT





B 90 R Classic Bp Pack

- Very easy to use
- With operating hour counterFor maintenance cleaning

| Equipment | | | |
|---------------------------------------|---|--|--|
| Powerful traction drive | | | |
| Battery and built-in charger included | | | |
| Automatic water stop | | | |
| Tin | - | | |
| 2-tank system | | | |
| | | | |

■ Included in the scope of supply.





| | | Order no. | Quantity | Battery voltage | Battery capaci- ty | Battery type | Price | Description | |
|---------------------------|---|-------------|----------|-----------------|--------------------------|---------------------------|-------|----------------------------------------------------------------------------------------------------------------------|---|
| Batteries | | | | | | | | | |
| Battery kit | 1 | 2.815-092.0 | 4 -part | 24 V | 170 Ah | mainte- nance- free | | Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries. | • |
| Accessories for batteries | | | | | | | | | |
| Battery mounting kit | 2 | 2.638-064.0 | 5 -part | | | | | Installation kit for installing battery kit in a machine. Incl. 2 brackets and 3 connection cables. | |





















| | | | | 1 | | I | | | _ |
|------------------------|----|-------------|--------------------------|----------|--------|---------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| | | Order no. | Hardness / Brush type | Diameter | Colour | Quanti- ty | Price | Description | |
| Pad drive boards | | | | | | | | | |
| Pad drive board STRONG | 1 | 4.762-591.0 | | 375 mm | | 1 piece(s) | | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 75. 2 pc. required. | lп |
| | 2 | 4.762-590.0 | | 335 mm | | 1 piece(s) | | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 65. 2 pc. required. | |
| Pad drive board | 3 | 4.762-447.0 | | 375 mm | | 1 piece(s) | | Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75. | |
| | 4 | 4.762-446.0 | | 335 mm | | 1 piece(s) | | Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65. | |
| | 5 | 4.762-445.0 | | 280 mm | | 1 piece(s) | | Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55. | |
| Microfibre pad | | | | | | | | | |
| Microfibre pad | 6 | 6.371-078.0 | microfibre | 381 mm | White | 5 piece(s) | | 5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BE 40/25 C. | |
| | 7 | | microfibre | 356 mm | White | 5 piece(s) | | Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles. | |
| | 8 | 6.369-120.0 | microfibre | 280 mm | White | 5 piece(s) | | | |
| Pads | | | | | | piccc(3) | | | |
| Pad | 9 | 6.371-000.0 | medium-soft | 650 mm | red | 5 piece(s) | | Red, standard disc pad for regular maintenance cleaning. | |
| | 10 | 4.642-025.0 | hard | 650 mm | brown | 5 piece(s) | | Very abrasive disc pad for chemical-free care film and decoating. | |
| | 11 | 6.369-791.0 | medium-soft | 381 mm | red | 5 piece(s) | | Red, standard disc pad for regular maintenance cleaning. | |
| | 12 | 6.369-790.0 | medium-hard | 381 mm | green | 5 piece(s) | | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt. | |
| | 13 | 6.369-789.0 | hard | 381 mm | black | 5 piece(s) | | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| | 14 | 6.369-003.0 | medium-soft | 356 mm | red | 5 piece(s) | | Red, standard disc pad for regular maintenance cleaning. | |
| | 15 | 6.369-002.0 | medium-hard | 356 mm | green | 5 piece(s) | | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt. | |
| | 16 | 6.369-001.0 | hard | 356 mm | black | 5 piece(s) | | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| | 17 | 6.371-153.0 | medium-soft | 280 mm | red | 5 piece(s) | | Red, standard disc pad for regular maintenance cleaning. | |
| | 18 | 6.371-154.0 | medium-hard | 280 mm | green | 5 piece(s) | | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt. | |
| | 19 | 6.371-155.0 | hard | 280 mm | black | 5 piece(s) | | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |

[■] Included in the scope of supply.

Available accessories.











| | | Order no. | Hardness / Brush type | Diameter | Colour | Quanti- ty | Price | Description | |
|---------------|----|-------------|--------------------------|----------|----------------|---------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Diamond pad | ' | · | • | , | | | | | |
| Diamond pad | 20 | 6.371-252.0 | coarse | 385 mm | White | 5 piece(s) | | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad. | |
| | 21 | 6.371-253.0 | medium | 385 mm | yellow | 5 piece(s) | | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad. | |
| | 22 | 6.371-236.0 | fine | 385 mm | green | 5 piece(s) | | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation. | |
| | 23 | 6.371-250.0 | coarse | 356 mm | White | 5 piece(s) | | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad. | |
| | 24 | 6.371-251.0 | medium | 356 mm | yellow | 5 piece(s) | | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad. | |
| | 25 | 6.371-235.0 | fine | 356 mm | green | 5 piece(s) | | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation. | |
| | 26 | 6.371-246.0 | coarse | 280 mm | White | 5 piece(s) | | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad. | |
| | 27 | 6.371-247.0 | medium | 280 mm | yellow | 5 piece(s) | | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad. | |
| | 28 | 6.371-233.0 | fine | 280 mm | green | 5 piece(s) | | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation. | |
| Melamine pads | | | | | | | | | |
| Melamine pad | 29 | 6.371-022.0 | | 381 mm | Grey/ white | 2 piece(s) | | White melamine disc pad for intermediate and deep cleaning of microporous surfaces, as well as fine stone and other | . [|
| | 30 | 6.371-021.0 | | 356 mm | Grey/ white | 2 piece(s) | | hard floor coverings. Can also be used for removing grey haze. | |

[■] Included in the scope of supply.

Available accessories.















| | | Order no. | Length | Colour | Quanti- ty | Price | Description | |
|----------------------------------------------|----|-------------|---------|-------------|---------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Squeegees | | | | | | | | |
| Squeegee | 1 | 4.777-080.0 | 1000 mm | transparent | 1 piece(s) | | Suitable for all conventional floors and with very good gliding properties on crevices: V-shaped squeegee with length of 1,000 mm and suction lips made from wear-resist ant polyurethane with a long lifetime. | - |
| _ | 2 | 4.777-079.0 | 900 mm | transparent | 1 piece(s) | | 900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment. | [|
| | 3 | 4.777-402.0 | 940 mm | transparent | 1 piece(s) | | Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure. | [|
| | 4 | 4.777-401.0 | 850 mm | transparent | 1 piece(s) | | Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane. | [|
| Squeegee blades | | | | | | | | |
| queegee blades for V-squeegee | 5 | 6.273-024.0 | 1116 mm | transparent | 2 -part | | Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane. | 1 |
| | 6 | 6.273-023.0 | 1010 mm | transparent | 2 -part | | Suction lip set, fluted and developed for V-shaped squee- gees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors. | |
| Squeegee blades | 7 | 6.273-208.0 | 960 mm | transparent | 2 -part | | Squeegee blade kit includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. | , |
| | 8 | 6.273-205.0 | 960 mm | transparent | 2 -part | | Squeegee blade kit includes front and rear squeegee blades, 960 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors. | , |
| | 9 | 6.273-291.0 | 960 mm | transparent | 2 -part | | Closed, oil-resistant, for structured floors. | |
| | 10 | 6.273-214.0 | 960 mm | blue | 2 -part | | Squeegee blade kit includes front and rear squeegee blades, 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors. | . [|
| Rubber lip set oil resistant BR- BD530,55 | 11 | 6.273-207.0 | 890 mm | transparent | 2 -part | | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-re- sistant, transparent polyurethane. For all standard floors. | |
| Squeegee blades | 12 | 6.273-229.0 | 890 mm | transparent | 2 -part | | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-re- sistant, transparent polyurethane. For sensitive floors. | , |
| | 13 | 6.273-290.0 | 890 mm | transparent | 2 -part | | Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors. | [|
| Rubber lip set standard | 14 | 6.273-213.0 | 890 mm | blue | 2 -part | | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors. | , |

[■] Included in the scope of supply.

Available accessories.













| | | Order no. | Length | Colour | Quanti- ty | Price | Description |
|------------------------------------|---|-------------|--------|--------|---------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Wheels / tyres | | | | | | | |
| Tyres, supergrip | 1 | 6.435-403.0 | | yellow | 1 piece(s) | | Oil-resistant, with especially good traction. |
| Miscellaneous | | | | | | | |
| Add-on kit eco!zero | 2 | 5.388-133.0 | | | 1 piece(s) | | With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide. |
| Filling hose | 3 | 6.680-124.0 | 1.5 m | | 1 piece(s) | | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps. |
| Dirty water tank filter | 4 | 6.414-976.0 | | | 1 piece(s) | | Improves airflow even when damp, thanks to modified filter material. |
| Additional weight kit | 5 | 5.031-498.0 | | | 1 piece(s) | | ensures that squeegee glides optimally |
| Dosing aids | | | | | | | |
| DS 3 Cleaning Agent Dosing Station | 6 | 2.641-811.0 | | | 1 piece(s) | | After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717). |

 $[\]blacksquare$ Included in the scope of supply. \square Available accessories.

















| | | | | | | | | | T |
|----------------|----|-------------|--------------------------|--------|--------|---------------|-------|----------------------------------------------------------------------------------------------------------------|----------|
| | | Order no. | Hardness / Brush type | Length | Colour | Quanti- | Price | Description | |
| Roller brushes | ' | · | • | | | | | | |
| Roller brush | 1 | 6.906-985.0 | soft | 700 mm | White | 1 piece(s) | | White roller brush for cleaning sensitive floor coverings. | |
| | 2 | 4.035-190.0 | medium | 700 mm | red | 1 piece(s) | | Red standard roller brush for maintenance cleaning. | |
| | 3 | 6.906-986.0 | high / low | 700 mm | orange | 1 piece(s) | | Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings. | <u> </u> |
| _ | 4 | 6.906-987.0 | hard | 700 mm | green | 1 piece(s) | | Green, abrasive roller brush for deep cleaning and removal of sticky dirt. | |
| | 5 | 6.906-988.0 | very hard | 700 mm | black | 1 piece(s) | | Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| | 6 | 6.906-981.0 | soft | 638 mm | White | 1 piece(s) | | White roller brush for cleaning sensitive floor coverings. | |
| | 7 | 4.035-187.0 | medium | 638 mm | red | 1 piece(s) | | Red standard roller brush for maintenance cleaning. | |
| | 8 | 6.906-982.0 | high / low | 638 mm | orange | 1 piece(s) | | Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings. | |
| | 9 | 6.906-983.0 | hard | 638 mm | green | 1 piece(s) | | Green, abrasive roller brush for deep cleaning and removal of sticky dirt. | |
| | 10 | 6.906-984.0 | very hard | 638 mm | black | 1 piece(s) | | Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| | 11 | 6.906-977.0 | soft | 532 mm | White | 1 piece(s) | | White roller brush for cleaning sensitive floor coverings. | |
| | 12 | 4.035-193.0 | medium | 532 mm | red | 1 piece(s) | | Red standard roller brush for maintenance cleaning. | |
| | 13 | 6.906-978.0 | high / low | 532 mm | orange | 1 piece(s) | | Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings. | _ |
| | 14 | 6.906-979.0 | hard | 532 mm | green | 1 piece(s) | | Green, abrasive roller brush for deep cleaning and removal of sticky dirt. | |
| | 15 | 6.906-980.0 | very hard | 532 mm | black | 1 piece(s) | | Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |

[■] Included in the scope of supply.

Available accessories.















| | | | | | 1 | | | | \Box |
|-------------------|---|-------------|--------------------------|--------|---------------|----------------|-------|----------------------------------------------------------------------------------------------------------------------|--------------|
| | | | | | | | | | |
| | | | | | | | | | |
| | | Order no. | Hardness / Brush type | Length | Diame- ter | Colour | Price | Description | |
| Pad roller shafts | | | | | | | | | |
| Pad roller shaft | 1 | 4.762-434.0 | | 700 mm | | | | Aluminium pad roller shaft suitable for holding roller pads | |
| | 2 | 4.762-433.0 | | 638 mm | | | | or microfibre rollers. | |
| | 3 | 4.762-432.0 | | 532 mm | | | | Pad roller shaft suitable for holding roller pads or microfibre rollers. | ² |
| Roller pads | | | | | | | | | |
| Roller pad | 4 | 6.369-454.0 | soft | | 105 mm | yellow | | Yellow roller pad for cleaning and polishing non-textured floor coverings. | |
| | 5 | 6.369-456.0 | medium | | 105 mm | red | | Red standard roller pad for the maintenance cleaning of non-textured floor coverings. | |
| | 6 | 6.369-455.0 | hard | | 105 mm | green | | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings. | |
| Microfibre shaft | | | | | | | | | |
| Microfibre roller | 7 | 4.114-007.0 | microfibre | 700 mm | 105 mm | light green | | Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze. | |
| | 8 | 4.114-006.0 | microfibre | 638 mm | 105 mm | light green | | | |
| | 9 | 4.114-005.0 | microfibre | 532 mm | 105 mm | light green | | | |

[■] Included in the scope of supply.

[☐] Available accessories.















| | | Order no. | Hardness / Brush type | Diameter | Colour | Quanti- ty | Price | Description | |
|--------------|----|-------------|--------------------------|----------|---------|---------------|-------|--------------------------------------------------------------------------------------------------------------|--|
| Disc brushes | | | | | | | | | |
| Disc brush | 1 | 4.905-019.0 | very soft | 385 mm | White | 1 piece(s) | | White, soft disc brush for the gentle cleaning of sensitive floor coverings. | |
| | 2 | 4.905-020.0 | soft | 385 mm | natural | 1 piece(s) | | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. | |
| | 3 | 4.905-018.0 | medium | 385 mm | red | 1 piece(s) | | Red standard disc brush for regular maintenance cleaning. | |
| | 4 | 4.905-021.0 | hard | 385 mm | black | 1 piece(s) | | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| | 5 | 4.905-011.0 | very soft | 355 mm | White | 1 piece(s) | | White, soft disc brush for the gentle cleaning of sensitive floor coverings. | |
| | 6 | 4.905-012.0 | soft | 355 mm | natural | 1 piece(s) | | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. | |
| | 7 | 4.905-010.0 | medium | 355 mm | red | 1 piece(s) | | Red standard disc brush for regular maintenance cleaning. | |
| | 8 | 4.905-013.0 | hard | 355 mm | black | 1 piece(s) | | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |
| | 9 | 4.905-015.0 | very soft | 300 mm | White | 1 piece(s) | | White, soft disc brush for the gentle cleaning of sensitive floor coverings. | |
| | 10 | 4.905-016.0 | soft | 300 mm | natural | 1 piece(s) | | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. | |
| | 11 | 4.905-014.0 | medium | 300 mm | red | 1 piece(s) | | Red standard disc brush for regular maintenance cleaning. | |
| | 12 | 4.905-017.0 | hard | 300 mm | black | 1 piece(s) | | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | |

[■] Included in the scope of supply.

[☐] Available accessories.



















| | | | | | | | _ |
|---------------------|---|-------------|------|--|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| | | | | | | | |
| | | Order no. | | | Price | Description | |
| Brush heads | | | | | | | |
| Brush head R 75 S | 1 | 2.763-006.0 | | | | Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | |
| Brush head R 65 S | 2 | 2.763-004.0 | | | | Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately. | |
| Brush head R 55 S | 3 | 2.763-002.0 | | | | Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately. | |
| D 75 S brush head | 4 | 2.763-005.0 | | | | Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | |
| D 65 S brush head | 5 | 2.763-003.0 | | | | Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | |
| D 55 S brush head | 6 | 2.763-001.0 | | | | Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brushhead. The cleaning solution will be run optimally to the squeegee: Packed separately. | |
| Floor head S 65 | 7 | 2.763-030.0 | | | | Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners. | |
| Connection kit S 65 | 8 | 4.036-061.0 | | | | Kit for connecting the S 65 floor head to the B 90 R. | |

[■] Included in the scope of supply.

Available accessories.













| | | Order no. | Length | Diameter | Quanti- ty | Price | Description | |
|-----------------------------------------------|---------|-------------|--------|----------|---------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Lighting / revolving signal light mo | ounting | kit | | | | | | |
| Flashing beacon | 1 | 2.641-718.0 | | | 1 piece(s) | | Increases the safety of the working environment. | |
| Other attachment kits | | | | | | | | |
| Auto-Fill | 2 | 2.641-748.0 | | | 1 piece(s) | | Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow. | |
| Support roller kit | 3 | 2.641-773.0 | | | 1 piece(s) | | Reduces the danger of damaging the floor through abrupt steering at high speeds, sharp breaking on corners or when turning on downhill slopes. | |
| Suction hose accessories | 4 | 4.444-015.0 | 3.25 m | | 1 piece(s) | | For vacuuming water out of corners or containers (e.g. freezers). | |
| Attachment kit stacked bumper roller squeegee | 5 | 4.035-619.0 | | | 2 -part | | Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet. | |

[■] Included in the scope of supply.

□ Available accessories.