



B 40 W Bp DOSE (roller)

Battery-operated walk-behind scrubber dryer B 40 W Bp with 40 litre tank. Example: 55 cm roller brush system, pre-sweep function, traction drive, maintenance-free battery with 115 Ah capacity.



1 Choice of three batteries. Also available as a mains-operated variant

- Battery types: maintenance-free with 70 or 105 Ah, as well as low-maintenance with 80 Ah.
- The built-in charger is perfectly adapted for the different battery types.

2 Convenient Auto Fill function

- Time-saving filling of the fresh water tank.
- Filling with the fresh water hose stops automatically as soon as the tank is full.

3 Brush head with rollers

- Optionally available with a 45 or 55 centimetre working width.
- High contact pressure for perfect cleaning results.

4 EASY Operation switch

- Simple operation.
- The basic functions are easily controlled using the EASY Operation switch.



B 40 W Bp DOSE (roller)

Technical data

Order no.	1.533-210.2	
EAN code	4039784538764	
Working width of brushes	mm	550
Working width, vacuuming	mm	850
Max. area performance	m ² /h	3300
Fresh/dirty water tank	l	40 / 40
Brush contact pressure	g/cm ²	140 - 160
Brush rotational speed	rpm	1200
Rated input power	W	max. 1300
Weight (with accessories)	kg	88
Dimensions (L × W × H)	mm	1249 × 620 × 1145
Battery voltage	V	24
Battery runtime	h	max. 3,5

Equipment

Roller brush	■
Fact	-
Tin	-
Sweeping function	■
Tank-in-tank design	■
Motor	Battery

■ Included in the scope of supply.

B 40 W BP DOSE (ROLLER) 1.533-210.2



		Order no.	Hardness / Brush type	Length	Colour	Quantity	Price	Description	
Roller brushes									
Roller brush	1	4.762-409.0	soft	550 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	<input type="checkbox"/>
	2	4.035-184.0	medium	550 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	<input type="checkbox"/>
	3	4.762-410.0	high / low	550 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	<input type="checkbox"/>
	4	4.762-411.0	hard	550 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	<input type="checkbox"/>
	5	4.762-412.0	very hard	550 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
	6	4.762-405.0	soft	450 mm	White	1 piece(s)		White roller brush for cleaning sensitive floor coverings.	<input type="checkbox"/>
	7	4.762-392.0	medium	450 mm	red	1 piece(s)		Red standard roller brush for maintenance cleaning.	<input type="checkbox"/>
	8	4.762-406.0	high / low	450 mm	orange	1 piece(s)		Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings.	<input type="checkbox"/>
	9	4.762-407.0	hard	450 mm	green	1 piece(s)		Green, abrasive roller brush for deep cleaning and removal of sticky dirt.	<input type="checkbox"/>
	10	4.762-408.0	very hard	450 mm	black	1 piece(s)		Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>

Available accessories.

B 40 W BP DOSE (ROLLER) 1.533-210.2

KÄRCHER



		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	
Roller pads									
Stripping roller	1	8.635-692.0		550 mm		brown		Very abrasive roller pad for chemical-free care film and decoating.	<input type="checkbox"/>
	2	4.114-011.0		450 mm		brown			<input type="checkbox"/>
Roller pad on sleeve	3	6.369-732.0	soft	530 mm	96 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	<input type="checkbox"/>
	4	6.369-734.0	medium	530 mm	96 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	<input type="checkbox"/>
	5	6.369-733.0	hard	530 mm	96 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	<input type="checkbox"/>
	6	6.367-105.0	soft	450 mm	96 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	<input type="checkbox"/>
	7	6.367-107.0	medium	450 mm	96 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	<input type="checkbox"/>
	8	6.367-106.0	hard	450 mm	96 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	<input type="checkbox"/>
Roller pad	9	6.369-451.0	soft		96 mm	yellow		Yellow roller pad for cleaning and polishing non-textured floor coverings.	<input type="checkbox"/>
	10	6.369-452.0	hard		96 mm	green		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings.	<input type="checkbox"/>
	11	6.369-453.0	medium		96 mm	red		Red standard roller pad for the maintenance cleaning of non-textured floor coverings.	<input type="checkbox"/>
Microfibre shaft									
Microfibre roller	12	4.114-010.0	microfibre	550 mm	96 mm	light green		Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze.	<input type="checkbox"/>
	13	4.114-009.0	microfibre	450 mm	96 mm	light green			<input type="checkbox"/>

Available accessories.

B 40 W BP DOSE (ROLLER) 1.533-210.2

		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description
Pads								

Available accessories.


B 40 W BP DOSE (ROLLER) 1.533-210.2

KÄRCHER



B 40 W BP DOSE (ROLLER) 1.533-210.2

KÄRCHER



		Order no.	Length	Colour	Quantity	Price	Description	
Squeegee blades								
Rubber lip set oil resistant BR-BD530,55	1	6.273-207.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	<input type="checkbox"/>
Squeegee blades	2	6.273-229.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	<input type="checkbox"/>
	3	6.273-290.0	890 mm	transparent	2 -part		Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	<input type="checkbox"/>
Rubber lip set standard	4	6.273-213.0	890 mm	blue	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	<input type="checkbox"/>
Squeegee blades for V-squeegee	5	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	<input type="checkbox"/>
Squeegees								
Squeegee	6	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	<input type="checkbox"/>

Available accessories.

B 40 W BP DOSE (ROLLER) 1.533-210.2

KÄRCHER




		Order no.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Filling hose	1	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	<input type="checkbox"/>
KIK key, white	2	4.035-076.0		White	1 piece(s)		User key for using the appliance programmable	<input type="checkbox"/>
KIK key set, white	3	4.035-064.0		White	5 piece(s)		5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms.	<input type="checkbox"/>
Add-on kit ecolzero	4	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	<input type="checkbox"/>
Home Base accessories								
Home Base adapter	5	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	<input type="checkbox"/>
Home Base mop holder kit	6	4.035-374.0			1 piece(s)		The Homebase Mop kit contains mop clip, mop support and bottle holder - the perfect solution for securely carrying the mop directly on the scrubber drier.	<input type="checkbox"/>
Double hook	7	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	<input type="checkbox"/>
Holder handhold grey	8	6.980-078.0		grey	1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	<input type="checkbox"/>
Bottle holder	9	6.980-080.0		grey	1 piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	<input type="checkbox"/>
Home Base Box Kit	10	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	<input type="checkbox"/>
Universal hook kit	11	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	<input type="checkbox"/>
Dosing aids								
DS 3 Cleaning Agent Dosing Station	12	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717).	<input type="checkbox"/>

Available accessories.

B 40 W BP DOSE (ROLLER) 1.533-210.2



1



2

		Order no.	Length	Diameter	Quantity	Price	Description	
Other attachment kits								
Suction hose accessories	1	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Attachment kit stacked bumper roller squeegee	2	4.035-619.0			2 -part		Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	<input type="checkbox"/>

Available accessories.

B 40 W BP DOSE (ROLLER) 1.533-210.2



1



2-3

		Order no.	Quantity	Battery voltage	Battery capacity	Battery type	Price	Description	
Batteries									
Battery kit	1	2.815-100.0	2 -part	24 V	105 Ah	mainte-nance-free		Battery kit with 24 V voltage and 105 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
	2	2.815-091.0	2 -part	24 V	115 Ah	mainte-nance-free		Battery kit with 24 V voltage and 115 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	<input type="checkbox"/>
	3	2.815-090.0	2 -part	24 V	80 Ah	mainte-nance-free		AGM battery kit with 24 V voltage and 80 Ah (C5). The kit includes 2 single batteries, each with 12 V and 80 Ah capacity.	<input type="checkbox"/>
Accessories for batteries									
Battery mounting kit	4	2.638-036.0	2 -part					Installation kit for installing battery kit in a machine. Incl. connection cable and brackets.	<input type="checkbox"/>
	5	2.638-059.0	2 -part					Installation kit for installing battery kit in a machine. Incl. brackets and connection cable.	<input type="checkbox"/>
Spacer	6	4.642-020.0	1 piece(s)					Fits quick charger set 2.642-559.0. Prevents the battery from slipping into the machine.	<input type="checkbox"/>

Available accessories.

B 40 W BP DOSE (ROLLER) 1.533-210.2



		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	<input type="checkbox"/>

Available accessories.