





## B 60 W

Walk-behind scrubber drier (60 l) with traction drive. Ideal for 1,000-2,500 m<sup>2</sup>. Configuration example with disc brushes, 65 cm working width and battery (180 Ah).



### 1 Choice of four batteries

- Battery types: maintenance-free 105 Ah (C5), maintenance-free 170 Ah (C5) with fleece technology, maintenance-free or low-maintenance 180 Ah (C5). Also available as a mains-operated version.
- The charge curve of the built-in charger is perfectly adapted to the different battery types.

### 2 Convenient Auto Fill function

- Time-saving filling of the fresh water tank.
- Filling via the fresh water hose stops automatically when the tank is full.

### 3 Brush head with disc engineering

- Different working widths available from 51 to 65 cm.
- Simple brush replacement in seconds: unlocking the brush via foot pedal, locking by lowering the machine or clipping in manually.

### 4 EASY Operation selector switch

- Simple operation.
- The basic functions are easily controlled using the EASY switch.



## B 60 W

### Technical data

Order no.		1.384-020.2
EAN code		4039784582545
Current type	V / Hz	100 - 240 / 50 - 60
Working width, vacuuming	mm	850
Max. area performance	m <sup>2</sup> /h	3900
Fresh/dirty water tank	l	60 / 60
Brush contact pressure	g/cm <sup>2</sup>	26
Brush rotational speed	rpm	180
Rated input power	W	max. 2100
Weight (with accessories)	kg	113
Dimensions (L × W × H)	mm	1520 × 746 × 1147
Battery voltage	V	24
Battery capacity	Ah	180
Battery runtime	h	max. 3

### Equipment

Disc brush	■
Fact	-
Tin	-
Tank-in-tank design	■
Motor	Battery

■ Included in the scope of supply.

# B 60 W

## 1.384-020.2

**KÄRCHER**



		Order no.	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	■
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	■
Filling hose	3	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
KIK key, white	4	4.035-076.0		White	1 piece(s)		User key for using the appliance programmable	□
KIK key set, yellow	5	4.035-408.0		yellow	5 piece(s)		Key for operators. Cannot be adjusted.	□
KIK key set, white	6	4.035-064.0		White	5 piece(s)		5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms.	□
Add-on kit ecolzero	7	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO <sub>2</sub> which is produced by using the machine, we support climate protection projects worldwide.	□
<b>Home Base accessories</b>								
Home Base adapter	8	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	□
Double hook	9	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Holder handhold grey	10	6.980-078.0		grey	1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Bottle holder	11	6.980-080.0		grey	1 piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	□
Home Base Box Kit	12	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	□
Universal hook kit	13	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□
<b>Wheels / tyres</b>								
Sports hall attachment kit	14	4.744-162.0			1 piece(s)		Reduces floor loading to < 0.5 N/mm <sup>2</sup> , in accordance with DIN 18032.	□
Wheel, oil resistant	15	6.435-702.0			1 piece(s)		Machine requires 2.	□
<b>Dosing aids</b>								
DS 3 Cleaning Agent Dosing Station	16	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717).	□
<b>Wiping flaps</b>								
Modification kit, squeegee blades for brush head	17	2.763-031.0			1 piece(s)		Floating squeegee blades adapt to the surface. Fits D 90, D 75 and D 65.	□

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Disc brushes</b>									
Disc brush complete white D51	1	4.905-028.0	very soft	510 mm	White	1 piece(s)		White, soft disc brush for the gentle cleaning of sensitive floor coverings.	<input type="checkbox"/>
Disc brush	2	4.905-027.0	soft	510 mm	natural	1 piece(s)		Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	<input type="checkbox"/>
	3	4.905-026.0	medium	510 mm	red	1 piece(s)		Red standard disc brush for regular maintenance cleaning.	<input type="checkbox"/>
Disc brush complete black D51	4	4.905-029.0	hard	510 mm	black	1 piece(s)		Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
Disc brush	5	4.905-011.0	very soft	355 mm	White	1 piece(s)		White, soft disc brush for the gentle cleaning of sensitive floor coverings.	<input type="checkbox"/>
	6	4.905-012.0	soft	355 mm	natural	1 piece(s)		Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	<input type="checkbox"/>
	7	4.905-010.0	medium	355 mm	red	1 piece(s)		Red standard disc brush for regular maintenance cleaning.	<input type="checkbox"/>
	8	4.905-013.0	hard	355 mm	black	1 piece(s)		Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
	9	4.905-015.0	very soft	300 mm	White	1 piece(s)		White, soft disc brush for the gentle cleaning of sensitive floor coverings.	<input type="checkbox"/>
	10	4.905-016.0	soft	300 mm	natural	1 piece(s)		Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	<input type="checkbox"/>
	11	4.905-014.0	medium	300 mm	red	1 piece(s)		Red standard disc brush for regular maintenance cleaning.	<input type="checkbox"/>
	12	4.905-017.0	hard	300 mm	black	1 piece(s)		Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Microfibre pad</b>									
Microfibre pad	1	6.371-271.0	microfibre	508 mm	White	5 piece(s)		Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles.	<input type="checkbox"/>
	2	6.369-959.0	microfibre	356 mm	White	5 piece(s)			<input type="checkbox"/>
<b>Pads</b>									
Pad	3	6.371-000.0	medium-soft	650 mm	red	5 piece(s)		Red, standard disc pad for regular maintenance cleaning.	<input type="checkbox"/>
	4	4.642-025.0	hard	650 mm	brown	5 piece(s)		Very abrasive disc pad for chemical-free care film and decoating.	<input type="checkbox"/>
	5	6.369-079.0	medium-soft	508 mm	red	5 piece(s)		Red, standard disc pad for regular maintenance cleaning.	<input type="checkbox"/>
	6	6.369-078.0	medium-hard	508 mm	green	5 piece(s)		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	<input type="checkbox"/>
	7	6.369-077.0	hard	508 mm	black	5 piece(s)		Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
	8	2.639-258.0	hard	508 mm	brown	2 piece(s)		Very abrasive disc pad for chemical-free care film and decoating.	<input type="checkbox"/>
	9	6.371-149.0	soft	432 mm	beige / natural	5 piece(s)		Beige-coloured disc pad with fine abrasive for cleaning and polishing.	<input type="checkbox"/>
	10	6.369-002.0	medium-hard	356 mm	green	5 piece(s)		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	<input type="checkbox"/>
	11	6.369-001.0	hard	356 mm	black	5 piece(s)		Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
	12	6.371-153.0	medium-soft	280 mm	red	5 piece(s)		Red, standard disc pad for regular maintenance cleaning.	<input type="checkbox"/>
	13	6.371-154.0	medium-hard	280 mm	green	5 piece(s)		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	<input type="checkbox"/>
	14	6.371-155.0	hard	280 mm	black	5 piece(s)		Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
<b>Pad drive boards</b>									
Pad drive board STRONG	15	4.762-590.0		335 mm		1 piece(s)		Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 65. 2 pc. required.	<input type="checkbox"/>
Pad drive board	16	4.762-534.0		479 mm		1 piece(s)		For cleaning with pads. With quick-change coupling and Centerlock.	<input type="checkbox"/>
	17	4.762-446.0		335 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	<input type="checkbox"/>
	18	4.762-445.0		280 mm		1 piece(s)		Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2




		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Diamond pad</b>									
Diamond pad	19	6.371-260.0	coarse	508 mm	White	5 piece(s)		White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	<input type="checkbox"/>
	20	6.371-261.0	medium	508 mm	yellow	5 piece(s)		Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	<input type="checkbox"/>
	21	6.371-240.0	fine	508 mm	green	5 piece(s)		Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	<input type="checkbox"/>
	22	6.371-250.0	coarse	356 mm	White	5 piece(s)		White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	<input type="checkbox"/>
	23	6.371-251.0	medium	356 mm	yellow	5 piece(s)		Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	<input type="checkbox"/>
	24	6.371-235.0	fine	356 mm	green	5 piece(s)		Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	<input type="checkbox"/>
	25	6.371-246.0	coarse	280 mm	White	5 piece(s)		White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	<input type="checkbox"/>
	26	6.371-247.0	medium	280 mm	yellow	5 piece(s)		Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	<input type="checkbox"/>
	27	6.371-233.0	fine	280 mm	green	5 piece(s)		Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.



# B 60 W

## 1.384-020.2




		Order no.	Length	Colour	Quantity	Price	Description	
<b>Squeegee blades</b>								
Rubber lip set oil resistant BR-BD530,55	1	6.273-207.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	<input type="checkbox"/>
Squeegee blades	2	6.273-229.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	<input type="checkbox"/>
	3	6.273-290.0	890 mm	transparent	2 -part		Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	<input type="checkbox"/>
Rubber lip set standard	4	6.273-213.0	890 mm	blue	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	<input type="checkbox"/>
Squeegee blades for V-squeegee	5	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	<input type="checkbox"/>
<b>Squeegees</b>								
Squeegee	6	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order no.					Price	Description	
<b>Brush heads</b>									
Floor head S 65	1	2.763-030.0						Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	<input type="checkbox"/>
Connection kit S 65	2	4.036-063.0						Connection kit for connecting the S 65 floor head to the new generation of B 60 W and B 80 W.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.



# B 60 W

## 1.384-020.2



		Order no.	Length	Diameter	Quantity	Price	Description	
<b>Other attachment kits</b>								
Suction hose accessories	1	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Auto-Fill	2	4.035-345.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	<input type="checkbox"/>
Attachment kit stacked bumper roller squeegee	3	4.035-619.0			2 -part		Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	<input type="checkbox"/>
<b>Spray extraction mounting kit</b>								
Spray suction attachment kit	4	2.642-833.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order no.	Quantity	Battery voltage	Battery capacity	Battery type	Price	Description	
<b>Batteries</b>									
Battery kit	1	2.815-101.0	4 -part	24 V	180 Ah	mainten- ance- free		Battery kit with 24 V voltage and 180 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
	2	2.815-100.0	2 -part	24 V	105 Ah	mainten- ance- free		Battery kit with 24 V voltage and 105 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
	3	2.815-092.0	4 -part	24 V	170 Ah	mainten- ance- free		Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	<input type="checkbox"/>
	4	2.815-091.0	2 -part	24 V	115 Ah	mainten- ance- free		Battery kit with 24 V voltage and 115 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	<input type="checkbox"/>
<b>Accessories for batteries</b>									
Battery mounting kit	5	2.638-036.0	2 -part					Installation kit for installing battery kit in a machine. Incl. connection cable and brackets.	<input type="checkbox"/>
	6	2.638-037.0	3 -part					Installation kit for installing battery kit in a machine. Incl. 2 brackets and 1 connection cable.	<input type="checkbox"/>
	7	2.638-064.0	5 -part					Installation kit for installing battery kit in a machine. Incl. 2 brackets and 3 connection cables.	<input type="checkbox"/>
	8	2.638-106.0	3 -part					Installation kit for installing battery kit in a machine. Incl. 3 connection cables.	<input type="checkbox"/>
Spacer	9	4.642-019.0	1 piece(s)					Fits quick charger set 2.642-558.0. Prevents the battery from slipping into the machine.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order no.	Quantity	ID	Width	Length	Price	Description	
<b>Other</b>									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	<input type="checkbox"/>

Included in the scope of supply.
  Available accessories.