



## NT 27/1 Me

All-purpose vacuum cleaner built for demanding cleaning applications, with stainless steel container



### 1 On-board accessory storage

- Practical accessory storage at the rear.



### 2 Cartridge filter with float

- The float system interrupts the suction flow after reaching the maximum capacity.



### 3 Robust metal latches

- The extremely robust metal latches lock more reliably.



### 4 Robust bumper



## NT 27/1 Me

- With cartridge and wet filter
- Stainless steel container
- Accessory storage and cord hook

### Technical data

<b>Order no.</b>	1.428-112.0	
<b>EAN code</b>	4039784723962	
<b>Current type</b>	<b>V / Hz</b>	220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	67
<b>Vacuum</b>	<b>mbar / kPa</b>	200 / 20
<b>Container content</b>	<b>l</b>	27
<b>Container material</b>	Stainless steel	
<b>Rated input power</b>	<b>W</b>	max. 1380
<b>Standard nominal size</b>	DN 35	
<b>Cable length</b>	<b>m</b>	7,5
<b>Sound pressure level</b>	<b>dB(A)</b>	72
<b>Weight</b>	<b>kg</b>	8,2
<b>Dimensions (L × W × H)</b>	<b>mm</b>	420 × 420 × 540

### Equipment

<b>Suction hose</b>	<b>m</b>	2,5 / with bend
<b>Suction Tube</b>	<b>piece(s) × m</b>	2 × 0,5 / Metal
<b>Filter bag</b>	<b>piece(s)</b>	1 / Paper
<b>Wet and dry floor tool</b>	<b>mm</b>	300
<b>Crevice nozzle</b>	■	
<b>Cartridge filter</b>	■	
<b>Sturdy bumper</b>	■	
<b>Safety class</b>	II	

■ Included in delivery.

# NT 27/1 ME

## 1.428-112.0



		Order no.	Quantity				Price	Description	
<b>Cartridge filter paper</b>									
Cartridge filter	1	6.414-789.0	1 piece(s)					Paper cartridge filter with larger filter surface, standard for NT 48/1 and optional for NT 27/1/Me Advanced.	■
<b>Special filter bags, wet filter bags</b>									
Special filter bag, wet filter bag	2	6.904-171.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	□
<b>Paper filter bags</b>									
Paper filter bags	3	6.904-290.0	5 piece(s)					5 paper filter bags. BIA-(U, S, G, C) dust class M. Suitable for NT 27/1/Me Advanced.	□
<b>Membrane filter / fabric filter</b>									
Membrane filter	4	6.906-103.0	1 piece(s)					Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/Professional.	□

■ Included in delivery. □ Available accessories.

# NT 27/1 ME

## 1.428-112.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Plastic bend</b>									
Plastic bend	1	5.031-718.0	1 piece(s)	DN 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
	2	5.031-939.0	1 piece(s)	DN 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
Plastic bend, ID 35	3	6.902-009.0	1 piece(s)	DN 35				Plastic, ID 35.	□
Plastic bend	4	5.032-427.0	1 piece(s)	DN 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
	5	5.031-904.0	1 piece(s)	DN 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	□
<b>All-purpose nozzles (wet/dry)</b>									
Floor tool DN35	6	6.906-512.0	1 piece(s)	DN 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	■
Floor tool DN40-370	7	6.903-018.0	1 piece(s)	40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	8	6.906-383.0	1 piece(s)	40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	9	6.906-384.0	1 piece(s)	35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
DN 40 wet/dry floor nozzle	10	6.907-408.0	1 piece(s)	40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	□
<b>Crevice nozzles</b>									
Crevice nozzle DN35	11	6.900-385.0	1 piece(s)	DN 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
Crevice nozzle	12	6.900-922.0	1 piece(s)	35 mm	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	13	6.905-817.0	1 piece(s)	40 mm	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Crevice nozzle DN35	14	6.906-240.0	1 piece(s)	35 mm	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□
<b>Suction tubes metal</b>									
Suction tube DN35	15	6.900-514.0	1 piece(s)	35	500 mm			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■
Suction tube	16	6.900-275.0	1 piece(s)	40	550 mm			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	□
<b>Nozzle sets</b>									
Nozzles set DN35	17	2.860-116.0	1 piece(s)	DN 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	□
<b>Bend stainless</b>									
Bend, stainless steel ID 35	18	6.903-141.0	1 piece(s)	DN 35				Stainless steel and crooked, ID 35	□

■ Included in delivery. □ Available accessories.

# NT 27/1 ME

## 1.428-112.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
Bend, stainless steel ID 40	19	6.902-079.0	1 piece(s)	DN 40				Stainless steel and crooked, ID 40	<input type="checkbox"/>
<b>Bend metal</b>									
Bend, DN 35, metal	20	6.900-519.0	1 piece(s)	DN 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el.).	<input type="checkbox"/>
Bend, DN 40, metal	21	6.900-276.0	1 piece(s)	DN 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.).	<input type="checkbox"/>
<b>All-purpose brushes</b>									
All-purpose brush	22	6.903-863.0	1 piece(s)	35 mm	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	<input type="checkbox"/>
	23	6.900-425.0	1 piece(s)	35 mm	120 mm			All-purpose brush PPN_Bristle	<input type="checkbox"/>
<b>Car cleaning nozzles</b>									
Car nozzle DN35	24	6.906-108.0	1 piece(s)	DN 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>Rubber suction tools, nose 45°</b>									
Rubber suction tools, nose 45°	25	6.902-104.0	1 piece(s)	35 mm	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	26	6.902-105.0	1 piece(s)	40 mm	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>Combi-nozzles (dry)</b>									
Combination floor tool (dry)	27	6.906-511.0	1 piece(s)	DN 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
<b>Pipe dusting nozzles</b>									
BRUSH	28	6.903-035.0	1 piece(s)	35 mm				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
	29	6.903-036.0	1 piece(s)	35 mm				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
<b>Suction brushes</b>									
Suction brush DN35	30	6.903-862.0	1 piece(s)	35 mm		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
<b>Turbo nozzle</b>									
Upholstery nozzle TURBO	31	2.860-113.0	1 piece(s)	32 mm		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Floor tool TURBO DN 35/32	32	2.860-114.0	1 piece(s)	32 mm		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
<b>Suction tubes stainless steel</b>									
Suction tube, ID 40	33	6.902-081.0	1 piece(s)	40	500 mm			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube	34	6.906-531.0	1 piece(s)	40	1000 mm			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube, DN 35	35	6.902-154.0	1 piece(s)	35	500 mm			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	<input type="checkbox"/>
<b>Suction tubes plastic</b>									
Suction tube, DN 35	36	6.900-384.0	1 piece(s)	35	500 mm			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# NT 27/1 ME 1.428-112.0



		Order no.	Quantity	ID	Length	Price	Description	
<b>Suction hoses complete (Clip-system)</b>								
Suction hose C DN35	1	4.440-626.0	1 piece(s)	DN 35	2,5 m		With bend, C DN-35	■
Suction hose	2	4.440-653.0	1 piece(s)	DN 35	2,5 m		With bend, electrically conductive, C DN-35.	□
<b>Repair kits</b>								
Repair set, C 35	3	2.639-682.0	1 piece(s)	C- 35			Suction hose repair kit (clip system).	□
<b>Suction hoses (Clip-system)</b>								
Suction hose	4	6.906-241.0	1 piece(s)	DN 35	4 m		With bayonet and clip connection.	□
	5	6.906-275.0	1 piece(s)	DN 35	2,5 m		With bayonet and clip connection, electrically conductive, C 35.	□
Suction hose (clip system), C 35, el.	6	6.906-500.0	1 piece(s)	DN 35	4 m		With bayonet and clip connection, electrically conductive, C 35	□
<b>Suction hoses complete</b>								
Suction hose, complete	7	4.440-287.0	1 piece(s)	DN 35	4 m		Electrically non-conductive, 4 m	□
<b>Hose connection</b>								
Adapter, DN 32/35, with internal thread	8	6.902-077.0	1 piece(s)	DN 32			For connecting 2 suction hoses (not ESB 28 and 34).	□
<b>Extension hoses (Clip-system)</b>								
Extension hose, C 32, C 35 clip system	9	6.906-237.0	1 piece(s)	DN 32	2,5 m		For all C-32 and C-35 hoses.	□

■ Included in delivery. □ Available accessories.

# NT 27/1 ME 1.428-112.0



		Order no.	Quantity	ID			Price	Description	
<b>Connecting sleeve C-DN (clip on taper), EL (electroconductive)</b>									
C-ID 35 adapter	1	5.407-112.0	1 piece(s)	35 mm				Connects C 35 hose for ID 35, electrically conductive.	<input type="checkbox"/>
C 40 adapter	2	5.407-109.0	1 piece(s)	C-DN 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
C-DN 40 adapter	3	5.407-111.0	1 piece(s)	40 mm				Connects C 40 hose for ID 40, electrically conductive.	<input type="checkbox"/>
<b>Adapter for electric power tools, clip on, el.</b>									
Adapter for electric power tools, C 35, el.	4	5.453-048.0	1 piece(s)	35 mm				Inner Ø 25.4 mm, outer Ø 34.6 mm/ 38 mm, el. Only NT-vacuums.	<input type="checkbox"/>
	5	5.453-050.0	1 piece(s)	35 mm				Inner Ø 27 mm, outer Ø 36.5 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
<b>Adapter for electric power tools, screwable</b>									
Power tool adapter, threaded, DN 35	6	5.453-016.0	1 piece(s)	35 mm				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
Adapter for electric power tools, screwable, ID 35	7	5.453-026.0	1 piece(s)	35 mm				Inner Ø 28.6 mm, outer Ø 37.3/38.8 mm.	<input type="checkbox"/>
Power tool adapter, threaded, DN 35	8	6.902-059.0	1 piece(s)	35 mm				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm. External diameter: 39 mm.	<input type="checkbox"/>
	9	6.902-095.0	1 piece(s)	35 mm				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mm. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
<b>Reducing sleeves</b>									
Reducer	10	5.407-108.0	1 piece(s)	40 mm				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Sleeve C40 / C35	11	5.407-113.0	1 piece(s)	40 mm				Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	<input type="checkbox"/>
<b>Reducer (tube -&gt; nozzle)</b>									
Reducer	12	6.902-017.0	1 piece(s)	40 mm				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to 32	13	6.902-072.0	1 piece(s)	35 mm				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
<b>Set reducing / extension sleeves</b>									
Set reducing / extension sleeves	14	2.860-117.0	1 piece(s)					ID 40/35, ID 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# NT 27/1 ME

## 1.428-112.0



		Order no.	Quantity	Width			Price	Description	
<b>Other</b>									
Drilling dust tool	1	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
CS 40 Me	2	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>

■ Included in delivery.    □ Available accessories.