



### **NT 40/1 TACT TE L \*GB 240V**

The NT 40/1 Tact Te L is designed for the pickup of very large quantities of hazardous dusts, suitable for dust class L. It is robust yet highly mobile, featuring a 40 litre container.



## **TECHNICAL DATA AND EQUIPMENT.**





#### NT 40/1 TACT TE L \*GB 240V

- PES flat pleated filter
- Antistatic preparation

Tact Filter CleanTact Filter Clean-Tact Filter CleanTact Filter Clean

Order Number		1.148-314.0		
EAN code		4054278299938		
Air flow	I/s	74		
Vacuum	mbar / kPa	254 / 25,4		
Container capacity	1	40		
Max. rated input power	W	1380		
Standard nominal size		ID 35		
Sound level	dB(A)	69		
Container material		Plastic		
Quantity of motors		1		
Frequency	Hz	50-60		
Voltage	V	220-240		
Weight	kg	14,4		
Dimensions (L x W x H)	mm	560 × 370 × 655		
Equipment				
Suction hose	m	4	Safety class	I
Filter bag		Fleece	Caster with brake	
Wet and dry floor tool	mm	360 / standard		
Crevice nozzle				
Connector for electric tools				
Auto shutdown when max. level is reached		•		
Automatic on/off control for electric power tools		•		
		•		

Filter cleaning

**Technical data** 

## NT 40/1 TACT TE L \*GB 240V 1.148-314.0































		1	1						
		Order Number	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter (PES)		•							
Flat pleated filter (PES)	1	6.904-360.0	1 piece(s)					Flat pleated filter (PES) – BIA-C dust class M: rotproof poly-	
								ester fleece, ideal for wet use and abrasives. Standard for	
Fleece filter bags (3 ply)								NT 35/1 Eco BS and NT 55/1 Eco BS.	_
Filter bags-fleece 5 piece 40-50	2	2.889-155.0	5 piece(s)					Fleece filter bag with 40-50 litre volume. Tear-resistant,	Т
Liter		2.003 100.0	o piece(o)					dust class M, for suction hose port in machine head.	
Plastic bend									
Elbow packaged NW35 2K	3	2.889-170.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system.	
Elbow electrically conducting packaged N	4	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	
Elbow complete packaged NW35	5	2.889-168.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. Electrically con-	+
2K			, , , ,					ductive design. Particularly suited to high concentrations of	: E
								fine dust.	┸
All-purpose nozzles (wet/dry)	_	La coo 450 o	l	Libras		1 000	1	less in a line of the second	4
Floor tool packaged NW35 360mm	6	2.889-152.0	1 piece(s)	ID 35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	, =
Floor tool DN35	7	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working	T
								width. With side rollers, brush strips (6.903-278.0) and	
Floor to all postrolly DNOF		6,006,304,0	1 nines(s)	ID OF		270		squeegees (6.903-277.0). Only for NT vacuum cleaners.	+
Floor tool neutrally DN35	8	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips	
								(6.903-064.0) and oil-resistant squeegees (6.903-081.0).	
								Only for NT vacuum cleaners.	
Wet and dry floor nozzle	9	2.889-118.0	1 piece(s)	ID 35		400 mm		Multi-purpose nozzle (DN 35) for wet vacuum cleaning of	
								large areas. Squeegee and brush are quick and easy to change.	
Floor tool packaged NW40 360mm	10	2.889-153.0	1 piece(s)	ID 40		360 mm		criange.	
Crevice nozzles		•							
Crevice nozzle wet and dry pa- ckaged NW35	11	2.889-159.0	1 piece(s)	ID 35	225 mm			Crevice nozzle ID 35, for new Tact range.	
Crevice nozzle wet and dry pa-	12	2.889-160.0	1 piece(s)	ID 40	225 mm			Crevice nozzle ID 40, for new Tact range.	
ckaged NW40  Suction tubes stainless steel									_
Set suction tube stainless steel	13	2.889-192.0	1 piece(s)	ID 35	550 mm	l		Stainless steel suction tube set (2 × 0.55 m)	
NW35 55	13	2.003 132.0	1 piece(s)	10 33	330 111111			Starriess steel social tabe set (2 · · o.ss m)	
Suction hoses complete (Clip-system	n)								
Suction hose	14	2.889-135.0	1 piece(s)	ID 35	4 m			4 m suction hose with new bayonet and clip fastener.	
	15	2.889-134.0	1 piece(s)	ID 35	2,5 m			2.5 m suction hose with new bayonet and clip fastener.	
Electrically conductive suction	16	2.889-136.0	1 piece(s)	ID 35	2,5 m			Electrically conductive suction hose with new bayonet and	
hose	17	2.889-137.0	1 piece(s)	ID 35	4 m			clip fastener. Length: 2.5 m.  4 m suction hose with new bayonet and clip fastener. Elec-	+
	1/	2.009-137.0	1 biece(s)	10 33	4 111			trically conductive.	
Suction hose	18	2.889-138.0	1 piece(s)	ID 40	4 m			4 m suction hose with new bayonet and clip fastener.	
	19	2.889-139.0	1 piece(s)	ID 40	2,5 m			Suction hose with new bayonet and clip fastener. Length:	Г
Continue have all a site of		2,000,112,0	4 -1 ()	ID 40	4			2.5 m.	
Suction hose, oil-resistant	20	2.889-140.0	1 piece(s)	ID 40	4 m			Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	
Electrically conductive suction	21	2.889-141.0	1 piece(s)	ID 40	4 m			4 m, electrically conductive suction hose with new bayonet	Г
hose		2,000,112,0	4 -1 ()	ID 40	2.5			and clip fastener.	4
	22	2.889-142.0	1 piece(s)	ID 40	2,5 m			Suction hose, electrically conductive, with new bayonet and clip fastener. 2.5 m long.	·   [
								CITP TUSTOTICE. 2.3 III IUIIB.	ㅗ

# NT 40/1 TACT TE L \*GB 240V 1.148-314.0































									_
		Order Number	Quantity	ID	Length	Width	Price	Description	
Adapter for electric power tools, cl	ip on, e	el.			l.				H
Sleeve electrically conducting	23	2.889-151.0	1 piece(s)	ID 35				Tool adaptor with a rubber fixture and airflow control slide	Г
packaged								for the new clip system. Suitable for all current electric	
Flat planted filter (paner)								tools.	┶
Flat pleated filter (paper) Flat filter only for replacement	24	6.904-367.0	1 piece(s)		l			Paper flat pleated filter (dust class M) suitable for NT 361,	ī
Kaerche	24	0.304 307.0	1 piece(s)					NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	
Flachfaltenfilter (PTFE)	-				J.				
Flat pleated filter, PTFE	25	6.907-455.0	1 piece(s)					Polyester fleece with PTFE coating for single-motor Tact and	t
								Ap vacuum cleaners, dust class M. Particularly suitable for	
Cannon filters for weat misland								very adhesive materials.	L
Coarse filter for wet pickup	ا عد	6 004 397 0	1 ninco(s)					Coarce dirt filter with perferated metal plate and feem seed	
Coarse dirt filter for wet pick up	26	6.904-287.0	1 piece(s)					Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	
Membrane filter / fabric filter									
Candle filter packaged	27	2.414-000.0							
Membrane filter packaged Kärcher	28	2.889-281.0							
HEPA filter for dust class H				1	ı				
HEPA surface filter	29	6.904-242.0	1 piece(s)					HEPA surface filter - dust class H (HEPA 13) - with glass- fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	
Plastic sacks for dust-free disposal									
Disposal bag 10-parts PE	30	2.889-158.0	10 piece(s)					PE plastic sack for dust-free disposal.	
All-purpose brushes	ı		ı		ı				
All-purpose brush	31	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	
Car cleaning nozzles	1		1	1	ı			1	
Car nozzle DN35	32	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Combi-nozzles (dry)	l		1	1	ı				
Combination floor tool (dry)	33	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	
Suction brushes									
Suction brush DN35	34	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	
Repair kits									
Repair set NW35	35	2.889-149.0	1 piece(s)	ID 35				Repair kit ID 35 for the new clip system.	
Repair set NW40	36	2.889-150.0	1 piece(s)	ID 40				Repair kit ID 40 for the new clip system.	
Extension hoses (Clip-system)				_					
Extension hose packaged NW35 2.5m	37	2.889-145.0	1 piece(s)	ID 35	2,5 m			Extension hose for new clip system ID 35. Length: 2.5 m.	
Extension hose packaged NW40 2.5m	38	2.889-146.0	1 piece(s)	ID 40	2,5 m			Extension hose for new clip system ID 40. Length: 2.5 m.	
Other				_					
Add-on kit shearing shackle NT 40/1	39	2.643-868.0	1 piece(s)					Ergonomic push handle for NT 40/1 Tact Te L.	
Drilling dust tool	40	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming. Suitable for	

# NT 40/1 TACT TE L \*GB 240V 1.148-314.0











		Order Number	Quantity	ID	Length	Width	Price	Description
Adapter for electric power tools, so	rewab	le						
Power tool adapter, threaded, DN 35	41	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.
Target group specific vacuum clean	er acc	essory sets						
Universal kit for industrial and commercial use	42	2.637-595.0		ID 35				Accessory kit for industrial and commercial use.
Boiler cleaning kit	43	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.
Car cleaning kit	44	2.862-166.0		ID 35				Contains: - Car cleaning nozzle ID 35 - Upholstery/crevice tool ID 35 - Suction brush ID 35 - Connecting sleeve C 35/ ID 35

<sup>■</sup> Included in delivery. 

Available accessories.