




NT 65/2 Tact²

High capacity, high filtration professional multi-purpose vacuum cleaner with twin motors and Tact² automatic filter clean system for heavy duty dust extraction.




1 Easy transport

- Adjustable push handle and large wheels make transport easy even on uneven surfaces.




2 Smart accessory storage

- For example, the floor tool can be quickly fixed any way round.



3 Automatic Filter Cleaning System Tact²

- This divided flat pleated filter is cleaned by air blasts and can be removed from the clean side.
- Fine dusts cannot block the filter. A constant high air flow is maintained.



4 Practical storage

- On-board practical storage for tools, small items and bottles.



NT 65/2 Tact²

- Automatic Filter Cleaning System Tact²
- Antistatic system
- Adjustable push handle

Technical data

Order no.	1.667-286.0	
EAN code	4039784714953	
Current type	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	2 x 74
Vacuum	mbar / kPa	254 / 25,4
Container content	l	65
Container material	Plastic	
Rated input power	W	max. 2760
Standard nominal size	DN 40	
Cable length	m	10
Sound pressure level	dB(A)	73
Weight	kg	24,5
Weight incl. packaging	kg	31,33
Dimensions (L x W x H)	mm	575 x 490 x 880

Equipment

Suction hose	m	4 / electrically conductive	Sturdy bumper	■
Suction Tube	piece(s) x m / mm	2 x 0,55 / 40 / Stainless steel	Push handle	■
Filter bag	piece(s)	1 / Paper	Safety class	I
Wet and dry floor tool	mm	360	Caster with brake	■
Crevice nozzle	■			
Drain hose (oil-resistant)	■			
Auto shutdown when max. level is reached	■			
Antistatic system	■			
Eco filter system	■			
Flat pleated filter	Paper			
Filter cleaning	Tact Filter CleanTact Filter Clean-Tact Filter CleanTact Filter Clean			

■ Included in delivery.

NT 65/2 TACT² 1.667-286.0

KÄRCHER




		Order no.	Quantity				Price	Description	
Flat pleated filter (paper)									
Flat pleated filter (paper)	1	6.907-276.0	1 piece(s)					Flat pleated filter dust class M, nano-coated paper. Suitable for fine dust and dry dirt pick up.	■
Flat pleated filter HEPA, dust class H									
HEPA surface filter	2	6.904-364.0	1 piece(s)					HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	□
Flat pleated filter (PES)									
Flat pleated filter (PES)	3	6.907-277.0	1 piece(s)					Flat pleated filter dust class M, rotproof PES fleece. Suitable for frequent wet pick up.	□
Flachfaltenfilter (PTFE)									
Flat pleated filter, PTFE	4	6.907-449.0	1 piece(s)					Polyester fleece with PTFE coating, dust class M, for Tact ² vacuum cleaners. Particularly suitable for very adhesive materials.	□
Special filter bags, wet filter bags									
Special filter bags, wet filter bags	5	6.904-252.0	5 piece(s)					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	□
Paper filter bags									
Paper filter bags	6	6.904-285.0	5 piece(s)					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	□
Plastic sacks for dust-free disposal									
Plastic bag for dust-free disposal	7	6.900-698.0	10 piece(s)					PE plastic sack.	□
Membrane filter / fabric filter									
Membrane filter	8	6.904-282.0	1 piece(s)					Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	□
Candle Filter - Wood	9	2.414-003.0	1 piece(s)						□
Fleece filter bags (3 ply)									
Fleece filter bags	10	2.885-753.0	5 piece(s)						□

■ Included in delivery. □ Available accessories.

NT 65/2 TACT²

1.667-286.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description	
Plastic bend									
Elbow electrically conducting packaged N	1	2.889-172.0	1 piece(s)	DN 40				Bend for the new clip system in nominal size DN 40. Electrically conductive design. Particularly suited to high concentrations of fine dust.	■
Plastic bend	2	5.031-718.0	1 piece(s)	DN 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	□
	3	5.031-939.0	1 piece(s)	DN 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	4	5.032-427.0	1 piece(s)	DN 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
All-purpose nozzles (wet/dry)									
Floor tool packaged NW40 360mm	5	2.889-153.0	1 piece(s)	40		360 mm			■
Floor tool DN40-370	6	6.903-018.0	1 piece(s)	40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	7	6.906-383.0	1 piece(s)	40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	8	6.906-384.0	1 piece(s)	35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Wet and dry floor nozzle	9	2.889-117.0	1 piece(s)	40		400 mm		The wet and dry floor nozzle (DN 40) allows quick changing of the squeegees/brush and is ideal for wet vacuum cleaning of large areas.	□
Floor tool anthracite packaged NW35	10	2.889-173.0	1 piece(s)	35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Floor tool anthracite packaged NW40	11	2.889-174.0	1 piece(s)	40		360 mm		Standard floor nozzle, anthracite, in nominal diameter 40, with brush strips and squeegees. Suitable for all wet and dry applications.	□
Crevice nozzles									
Crevice nozzle DN 40 300mm 1:50	12	5.130-655.0	1 piece(s)	DN 40					■
Crevice nozzle DN35	13	6.900-385.0	1 piece(s)	DN 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	□
Crevice nozzle	14	6.900-922.0	1 piece(s)	35 mm	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	15	6.905-817.0	1 piece(s)	40 mm	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Suction tubes stainless steel									
Set suction tube stainless steel NW40 55	16	2.889-194.0	2 piece(s)	40	550 mm			Stainless steel suction tube set (2 × 0.55 m)	■
Suction tube, ID 40	17	6.902-081.0	1 piece(s)	40	500 mm			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	□
Suction tube	18	6.906-531.0	1 piece(s)	40	1000 mm			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	□
Suction tube, DN 35	19	6.902-154.0	1 piece(s)	35	500 mm			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	□

■ Included in delivery. □ Available accessories.

NT 65/2 TACT²

1.667-286.0

KÄRCHER



		Order no.	Quantity	ID	Length	Width	Price	Description	
Bend stainless									
Bend, stainless steel ID 35	20	6.903-141.0	1 piece(s)	DN 35				Stainless steel and crooked, ID 35	<input type="checkbox"/>
Bend, stainless steel ID 40	21	6.902-079.0	1 piece(s)	DN 40				Stainless steel and crooked, ID 40	<input type="checkbox"/>
Bend metal									
Bend, DN 35, metal	22	6.900-519.0	1 piece(s)	DN 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0, C 35-DN 35, plastic, el).	<input type="checkbox"/>
Bend, DN 40, metal	23	6.900-276.0	1 piece(s)	DN 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el).	<input type="checkbox"/>
All-purpose brushes									
All-purpose brush	24	6.903-863.0	1 piece(s)	35 mm	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	<input type="checkbox"/>
Car cleaning nozzles									
Car nozzle	25	6.900-952.0	1 piece(s)	DN 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	26	6.902-104.0	1 piece(s)	35 mm	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	27	6.902-105.0	1 piece(s)	40 mm	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Pipe dusting nozzles									
BRUSH	28	6.903-035.0	1 piece(s)	35 mm				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
	29	6.903-036.0	1 piece(s)	35 mm				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
Suction tubes metal									
Suction tube DN35	30	6.900-514.0	1 piece(s)	35	500 mm			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	<input type="checkbox"/>
Set suction tube chromed NW35 550mm	31	2.889-191.0	2 piece(s)	35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT²

1.667-286.0

KÄRCHER



		Order no.	Quantity	ID	Length	Price	Description	
Suction hoses (Clip-system)								
Suction hose	1	6.906-321.0	1 piece(s)	40	4 m		With bayonet and clip connection, C 40.	■
Suction hose (clip system), C 40, 10 m	2	6.906-279.0	1 piece(s)	DN 40	10 m		With bayonet and clip connection, C 45	□
Suction hose	3	6.906-714.0	1 piece(s)	DN 40	4 m		With bayonet and clip connection, C 45.	□
Suction hose (Clip-system), C 40, 16 m	4	6.906-635.0	1 piece(s)	DN 40	16 m		With bayonet and clip connection, C 40	□
Suction hose (clip system), C 40, 10 m, el.	5	6.906-877.0	1 piece(s)	DN 40	10 m		With bayonet and clip connection, electrically conductive, C 40	□
Suction hoses complete (Clip-system)								
Electrically conductive suction hose	6	2.889-141.0	1 piece(s)	DN 40	4 m			■
Suction hose	7	4.440-678.0	1 piece(s)	DN 40	4 m		With bend, C DN-40.	□
Suction hose complete (Clip-system), C ID 40, 4 m, el.	8	4.440-728.0	1 piece(s)	DN 40	4 m		With bend and module (4.060-533.0), electrically conductive.	□
Electrically conductive suction hose	9	2.889-137.0	1 piece(s)	DN 35	4 m			□
Suction hose	10	2.889-138.0	1 piece(s)	DN 40	4 m			□
	11	2.889-139.0	1 piece(s)	DN 40	2,5 m			□
Suction hose, oil-resistant	12	2.889-140.0	1 piece(s)	DN 40	4 m			□
Electrically conductive suction hose	13	2.889-142.0	1 piece(s)	DN 40	2,5 m			□
Suction hose	14	2.889-161.0	1 piece(s)	DN 35	2 m			□
Repair kits								
Repair set, C 40	15	2.639-873.0	1 piece(s)	C- 40			Suction hose repair kit (clip system).	□
Repair kit ID 61	16	2.862-038.0	1 piece(s)	DN 61			Suction hose repair kit.	□
Repair set NW40	17	2.889-150.0	1 piece(s)	DN 40				□
Suction hoses complete								
Suction hose, complete	18	4.440-264.0	1 piece(s)	DN 61	4 m		Plastic, EVA	□
Suction hose complete, ID 61, smooth inside	19	4.440-328.0	1 piece(s)	DN 61	3 m		Industrial hose, PVC / elastomer with steel spiral, smooth inside.	□
Suction hose, complete, DN 61, 10 m	20	4.440-467.0	1 piece(s)	DN 61	10 m		Plastic, EVA	□
Suction hose complete, ID 61, 4 m, oil-resistant	21	4.440-613.0	1 piece(s)	DN 61	4 m		Oil-resistant.	□
Suction hose complete, ID 61, 4 m, el.	22	4.440-616.0	1 piece(s)	DN 61	4 m		Electrically conductive.	□
Suction hose, complete	23	4.440-263.0	1 piece(s)	DN 40	4 m		Standard, plastic.	□
Suction hose complete, ID 40, 4 m, oil-resistant,	24	4.440-303.0	1 piece(s)	DN 40	4 m		Oil-resistant.	□
Suction hose, complete	25	4.440-463.0	1 piece(s)	DN 40	10 m		Standard, plastic.	□
Suction hose complete	26	4.440-466.0	1 piece(s)	DN 40	10 m		Electrically conductive, plastic.	□
Suction hose complete, ID 40, 10 m, oil-resistant	27	4.440-612.0	1 piece(s)	DN 40	10 m		Oil-resistant.	□
Hose connection								
Adapter, DN 32/35, with internal thread	28	6.902-077.0	1 piece(s)	DN 32			For connecting 2 suction hoses (not ESB 28 and 34).	□
Adapter, DN 40 with internal thread	29	6.900-286.0	1 piece(s)	DN 40			For connecting 2 suction hoses, threaded at both ends.	□
Extension hoses (Clip-system)								
Extension hose, C 40	30	6.906-344.0	1 piece(s)	DN 40	2,5 m		For all C-40 hoses.	□

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² 1.667-286.0



		Order no.	Quantity	ID	Length		Price	Description
Extension hose packaged NW40 2.5m	31	2.889-146.0	1 piece(s)	DN 40	2,5 m			

Included in delivery.
 Available accessories.

NT 65/2 TACT²

1.667-286.0



		Order no.	Flow Rate	Water feed temperature	Length	Length	Price	Description	
Telescopic									
Telescopic lance TL 10 H	1	4.762-611.0		max. 60 °C				Up to 10 m reach: hybrid telescopic lance TL 10 H. Comprising carbon-glass fibre mix and suitable for multifunctional use. Simple retraction and extension thanks to quick-release fasteners.	<input type="checkbox"/>
Telescopic lance TL 10 C	2	4.762-612.0		max. 60 °C				Carbon fibre telescopic lance TL 10 C. With up to 10 m reach and practical quick-release fasteners. Multifunctional use for cleaning facades, windows or solar panels.	<input type="checkbox"/>
TL vacuum cleaner adapter	3	9.751-306.0						TL suction cup for 10 and 14 m long telescopic lances comprising suction bend connection (DN 35, DN 40) and connection for the suction nozzles.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² 1.667-286.0

KÄRCHER



		Order no.	ID				Price	Description	
Target group specific vacuum cleaner accessory sets									
Car cleaning kit	1	2.862-166.0	DN 35					Contains: - Car cleaning nozzle ID 35 - Upholstery/crevice tool ID 35 - Suction brush ID 35 - Connecting sleeve C 35/ID 35	<input type="checkbox"/>
NT vacuum cleaner kit, DN 40, el.	2	2.638-147.0	DN 40					Wet and dry vacuum cleaner kit, electrically conductive, DN 40.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT²

1.667-286.0



1



2

		Order no.	Quantity	Width			Price	Description	
Other									
CS 40 Me	1	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>
Adapter connection old elektr. leitend	2	5.031-436.0							<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT²

1.667-286.0



		Order no.	Quantity	ID	Length	Width	Price	Description	
UBS non-conductive media									
Add-on kit nonconducting media NT Tact ²	1	2.642-602.0	1 piece(s)					For switching off when vacuuming non-conductive fluids such as oils and greases	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² 1.667-286.0



		Order no.	Quantity	ID	Length / width	Price	Description	
Shaving baskets								
Chip sieve	1	5.731-645.0					Plastic, perforates with internal thread. Protection of the drain hose from rough splinters, chips etc.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.