




KM 130/300 R LPG

LPG-powered fully hydraulic industrial sweeper with three-wheel rear steering. For heavy-duty applications in building material plants, metal works, foundries and other dirt-intensive industries.



1 Robust construction

- Solid steel frame.
- Hard-wearing industrial motors with water cooling.



2 Effective filter for a long service life

- Flat pleated filter with 5.5 m² filter area.
- Effective filter cleaning with dual scraper.



3 Outstanding user-friendliness

- EASY Operation operating concept.
- Easy cab access.



4 Classic version with diesel drive

- Simple operation via lever.
- Large pocket filter with 7.8 m² filter area.



KM 130/300 R LPG

- High working and transport speed
- Simple brush roller replacement without tools
- Traction drive and sweeping system fully hydraulic

Technical data

Order no.		1.186-121.0
EAN code		4039784521148
Drive type		LPG
Traction drive		Four-stroke engine
Motor manufacturer		Kubota
Drive- performance	kW	17.5
Max. area performance	m²/h	13000
Working width	mm	1000
Working width with 1 side brush	mm	1300
Working width with two side brushes	mm	1550
Waste container	l	300
Climbing ability	%	18
Working speed	km/h	10
Filter areas	m²	5.5
Weight	kg	900
Dimensions (L × W × H)	mm	2150 × 1330 × 1430

Equipment

Filter cleaning manual	■	Elapsed time counter	■
Main sweeper roller adjustable	■	Sweeping function, can be switched off	■
Power steering	■	Wheels, pneumatic	■
Dustpan principle	■	Side brush, automatically swings out	■
Forwards traction drive	■	Sturdy bumper	■
Backwards traction drive	■		
Suction	■		
Hydr. high dump	■		
Outdoor use	■		
Indoor use	■		
Battery indicator	■		

■ Included in the scope of supply.

KM 130/300 R LPG

1.186-121.0

KÄRCHER



		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description	
Flat pleated filter								
Flat pleated filter, green	1	6.988-158.0					Provides high separation degree, saves on maintenance costs, ensures optimum waste air cleaning.	■
Flat pleated filter, white	2	6.987-519.0					Plastic filter for standard applications.	□
Standard roller brush								
Standard roller brush	3	6.987-438.0		1000 mm	300 mm		Tough standard roller brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	■
Main sweeper roller, soft								
Main sweeper roller, soft	4	6.987-460.0		1000 mm	300 mm		Specially designed with polypropylene bristles for fine dust sweeping on smooth floors in both inside and outside areas.	□
Main sweeper roller, soft/natural	5	6.987-440.0		1000 mm	300 mm		Specially designed with natural bristles for sweeping fine dust on smooth floors indoors.	□
Main sweeper roller, hard								
Main sweeper roller, hard	6	6.987-439.0		1000 mm	300 mm		For removing stubborn dirt outdoors.	□

■ Included in the scope of supply. □ Available accessories.

KM 130/300 R LPG

1.186-121.0



		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description	
Standard side brushes								
Side brush, standard	1	6.987-083.0			550 mm		Water-resistant universal bristles, durable, suitable for all surfaces.	■
Side brush, hard								
Side brush, hard	2	6.905-773.0			550 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	□
Side brush, hard								
Side brush, steel bristles	3	6.905-619.0			550 mm		For stripping, removing moss, abrasive, for outdoor use only	□
Side brush, soft								
Side brush, soft	4	6.905-620.0			550 mm		Sweeps fine dust on all surfaces, moisture-proof, for indoors and outdoors	□

■ Included in the scope of supply. □ Available accessories.

KM 130/300 R LPG

1.186-121.0


KÄRCHER


		Order no.	Installation ex works				Price	Description	
Lighting									
Working lights	1	2.851-279.0	2.851-279.7					Working lights for additional illumination of large areas such as underground car parks or warehouses.	<input type="checkbox"/>
Sweeping/Vacuuming									
Holder for NT 22/1 Ap Bp vacuum cleaner	2	2.852-814.0	2.852-814.7					Holder for industrial sweepers for carrying the NT 22/1 wet and dry vacuum cleaner from Kärcher. Makes it easier to clean corners and gaps in one work step.	<input type="checkbox"/>
Side brush cover	3	2.851-286.0						Side brush cover reduces dust dispersion.	<input type="checkbox"/>
Side brushes, left									
ABS 2. Side brush, left	4	2.851-272.0	2.851-272.7					Complete, including standard side brushes for excellent cleaning results.	<input type="checkbox"/>
Other mounting kits									
Comfort seat	5	6.373-014.0						For increased driving comfort.	<input type="checkbox"/>
Add-on kit ram protection KM 130/300 R	6	2.852-620.0							<input type="checkbox"/>
Stainless steel waste container	7	6.961-926.7	6.961-926.7					Stainless steel waste container for waste and areas of application with increased risk of corrosion.	<input type="checkbox"/>
Protective roof									
Add-on kit protection shield sweeper 130	8	2.852-595.0							<input type="checkbox"/>
Driver's protective cabin									
Weather protection cabin	9	2.851-271.7	2.851-271.7					Robust tubular steel frame, windscreen with windscreen wiper and plastic cover on the side and at the rear - for protection against wind and weather.	<input type="checkbox"/>
Protective cabin with windscreen and windscreen wiper	10	2.851-269.7	2.851-269.7					The roof with windscreen and windscreen wiper protects the driver from falling objects.	<input type="checkbox"/>
Protective cabin	11	2.851-267.7	2.851-267.7					The protective roof complies with VDE standard IEC 60335-2-72.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

KM 130/300 R LPG

1.186-121.0



		Order no.	Installation ex works				Price	Description	
Tyres									
Pneumatic tyre wheel set	1	4.515-332.0	4.515-332.7					Pneumatic tyres for standard applications.	<input type="checkbox"/>
Tyres, puncture-proof									
Puncture-proof tyres (set), full rubber, non-marking	2	4.515-328.0	4.515-328.7					Recommended for sweeping metal shavings, glass shards, etc. Avoids tyre marks on light surfaces.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

KM 130/300 R LPG 1.186-121.0



		Order no.	Installation ex works				Price	Description	
Water spraying system									
Water spraying system for side brushes	1	2.851-492.0	2.851-492.7					For binding dust. Consisting of stainless steel water tank (50 l) and spray nozzles on the side brushes.	<input type="checkbox"/>

■ Included in the scope of supply.
 ☐ Available accessories.