



## **B 250 R**

Compact, battery-powered B 250 R ride-on scrubber dryer, available in both roller and disc brush heads at various working widths. For maintenance cleaning & polishing areas up to 12,000 m<sup>2</sup>.



## B 250 R

### Technical data

Order Number		1.480-231.2
Working width, brush	mm	1000
Working width, vacuum	mm	1060
Fresh / waste water tank	l	250 / 250
Theoretical area performance	m <sup>2</sup> /h	8000
Brush rotation speed	rpm	600-1200
Brush contact pressure	g/cm <sup>2</sup>	~260 /
Battery voltage	V	36
Battery capacity	Ah	630
Motor rating	W	bis zu 5200
Waste container	l	20
Weight (with accessories)	kg	500
Dimensions (L x W x H)	mm	1900 x 1060 x 1550
Sound level	dB(A)	67

### Equipment

Roller brush	■
Traction drive	■
Battery type	low maintenance
DOSE	-
2-tank system	■

■ Included in delivery.

# B 250 R

## 1.480-231.2




		Order Number					Price	Description
<b>Brush heads</b>								
Brush head R 120 S	1	2.763-033.0						Brush head with 2 roller brushes and 120 cm working width. Brush replacement without tools. The side skirts are height adjustable and keep the water under the brush head. This ensures the cleaning fleet has optimal control of the squeegees, even when turning a corner. Brush head packed separately. ■

■ Included in delivery. □ Available accessories.

# B 250 R

## 1.480-231.2

**KÄRCHER**




		Order Number	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	<input checked="" type="checkbox"/>
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	<input checked="" type="checkbox"/>
KAERCHER reversion kit Fleet Services EU	3	2.644-100.0			1 piece(s)			<input type="checkbox"/>
Add-on kit ecolzero	4	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	<input type="checkbox"/>
Filling hose	5	6.680-124.0	1,5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	<input type="checkbox"/>
KIK key, white	6	4.035-076.0		white	1 piece(s)		User key for using the appliance programmable	<input type="checkbox"/>
KIK key set, yellow	7	4.035-408.0		yellow	5 piece(s)		Key for operators. Cannot be adjusted.	<input type="checkbox"/>
	8	4.035-064.0		white	5 piece(s)			<input type="checkbox"/>
<b>Wheels/tyres</b>								
Supergrip, rear wheel	9	6.435-092.0		grey	1 piece(s)		For improving adhesion and increasing safety even when negotiating curves, this oil-resistant rear wheel is suitable for our B 250 R ride-on scrubber drier. (2 pieces required).	<input type="checkbox"/>
Supergrip front wheels	10	6.435-855.0			1 piece(s)		For high traction on gradients of up to 18% on adherent surfaces. Particularly suitable for use in underground car parks.	<input type="checkbox"/>
<b>RM Dosierstation</b>								
Cleaning agent dosage kit, wall mounted DS 3	11	2.641-811.0			1 piece(s)		Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 250 R

## 1.480-231.2




		Order Number	Length	Diameter	Quantity	Price	Description	
<b>Other attachment kits</b>								
Auto-Fill	1	4.035-345.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	<input checked="" type="checkbox"/>
Side brush attachment kit R100	2	2.643-846.0			1 piece(s)		Side brush, right and left. Includes lifting motor and deflector. Removes loose dirt around edges. Fits machines with brush head R 100.	<input type="checkbox"/>
Dose attachment kit for cleaning agent dosing unit	3	2.643-851.0			1 piece(s)		For easy dosing directly from the can.	<input type="checkbox"/>
Protective roof	4	2.643-849.0			1 piece(s)		This high-quality protective roof for the B 250 R scrubber drier (height 2,170 mm including protective roof) protects the operator from falling objects - tested in accordance with EN IEC 60335-2-72.	<input type="checkbox"/>
Working light	5	2.643-848.0			1 piece(s)		For operation in poorly lit areas.	<input type="checkbox"/>
Flashing beacon	6	2.643-850.0			1 piece(s)		This revolving light significantly increases safety during operation with dark objects. The attachment kit does not change the dimensions of the B 250.	<input type="checkbox"/>
Suction hose accessories	7	4.444-015.0	3,25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
<b>Spray extraction mounting kit</b>								
Spray suction kit	8	2.640-938.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>
<b>Mounting kit recycling plant</b>								
Recycling mode kit	9	2.640-884.0			1 piece(s)		Not together with detergent metering 2.641-011.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 250 R

## 1.480-231.2



		Order Number	Hardness/ Brush type	Length	Colour	Quantity	Price	Description	
<b>Roller brushes for BR</b>									
Roller brush	1	6.906-993.0	soft	914 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing, with star nosing.	<input type="checkbox"/>
	2	6.906-994.0	high / low	914 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints, with star nosing.	<input type="checkbox"/>
	3	6.906-995.0	hard	914 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensitive floors only.	<input type="checkbox"/>
	4	6.906-996.0	very hard	914 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only, with star nosing.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 250 R

## 1.480-231.2



		Order Number	Hardness/ Brush type	Length	Diame- ter	Colour	Price	Description	
<b>Roller pad shaft</b>									
Pad roller shaft	1	4.762-436.0		900 mm				For roller pads. Fits BR 100/250 R and brush head R 100.	<input type="checkbox"/>
<b>Roller pads</b>									
Roller pad on sleeve	2	6.371-004.0	medium	862 mm	130 mm	red		Medium-hard, red roller pads designed for pad roller shaft 4.762-436.0. Pre-assembled on the sleeve and suitable for deep cleaning and maintenance cleaning of non-textured floors.	<input type="checkbox"/>
	3	6.371-003.0	hard	862 mm	130 mm	green		Heavy duty green roller pads, pre-assembled on the sleeve for deep cleaning and removal of heavy dirt on non-textured, non-sensitive floors. For pad roller shaft 4.762-436.0.	<input type="checkbox"/>
Roller pad	4	6.371-077.0	medium		130 mm	red		Hard, for removing the stubborn soiling and for deep cleaning of non-structured surfaces. Combined with the corresponding roller pad shaft.	<input type="checkbox"/>
	5	6.371-076.0	hard		130 mm	green		Medium, for cleaning non-structured surfaces. Combined with the corresponding roller pad shaft.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 250 R

## 1.480-231.2




		Order Number	Length	Colour	Quantity	Price	Description	
<b>Suction bar, complete</b>								
Squeegee	1	4.777-085.0	1200 mm	transparent	1 piece(s)			<input type="checkbox"/>
	2	4.777-404.0	1180 mm	transparent	1 piece(s)		Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
	3	4.777-414.0	1160 mm	transparent	1 piece(s)		Curved, with support rollers. Squeegee, blades of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
<b>Squeegees for suction bars</b>								
Rubber lip set corrugated oil resistant	4	6.273-016.0	1334 mm	transparent	2 parts			<input type="checkbox"/>
Suction lips	5	6.273-252.0	1210 mm	transparent	2 parts		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	6	6.273-340.0	1210 mm	transparent	2 parts			<input type="checkbox"/>
	7	6.273-296.0	1210 mm	transparent	2 parts		Closed, oil-resistant, for structured floors.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.



# B 250 R

## 1.480-231.2



		Order Number	Quantity	Battery voltage	Battery capacity	Battery type	Price	Description	
<b>Battery Chargers</b>									
Battery charger	1	4.654-001.0	1 piece(s)	36 V		separate		For charging 24V/240Ah maintenance-free batteries (6.654-119.0).	<input type="checkbox"/>
<b>Batteries</b>									
Battery	2	4.654-000.0	1 piece(s)	36 V	630 Ah	low maintenance		in tray with central filling system	<input type="checkbox"/>
<b>Battery and charger sets</b>									
Add-on kit quick-charge set	3	2.642-237.0	1 piece(s)	36 V		low maintenance		Original equipment from Bp model. Includes battery 6.654-269.0 and charger 6.654-268.0.	<input type="checkbox"/>
Conversion kit quick-charge set	4	2.882-687.0	1 piece(s)	36 V		low maintenance		Retrofitting of Bp Pack variants with Kärcher original battery. Includes battery ventilation and charger 6.654-268.0.	<input type="checkbox"/>
<b>Accessories for batteries</b>									
Box with wall holder	5	2.641-243.0	1 piece(s)			low maintenance		Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	<input type="checkbox"/>
Box	6	2.641-244.0	1 piece(s)			low maintenance			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# B 250 R

## 1.480-231.2



		Order Number	Installation ex works	Length / width	Diame- ter	Price	Description	
<b>Standard side brushes</b>								
Standard side brush	1	6.905-986.0			450 mm		Standard side brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	<input type="checkbox"/>

■ Included in delivery.    □ Available accessories.