

## Performance, life-time and ergonomics




The MH 4M series takes mid-range hot water high pressure washers to a new level, meeting the latest productivity demands in the market. The MH 4M is equipped with our industrial NA5 pump with 3 ceramic pistons and a high efficiency 4 pole motor. And the flow activated control system improves user comfort and handling as well as overall machine reliability. The MH 4M is suited for all hot water slightly heavier cleaning applications up to 4-6 hours use per day and due to the improved fuel saving EcoPower boiler system it offers very high efficiency and quick cleaning. Service and maintenance can be carried out quickly, as all vital parts are easy to inspect and reach. Also, the diagnostics function of the 4M will give maintenance warnings to minimise any downtime. The MH 4M concept ensures the most optimal transport concept across a wide variety of surface types with the 4 large wheels and great balance. Optimal accessory storage facilities with double lance holders, turnable hook for easy removal or winding of electrical cable, innovative spray gun holder and easy storage of detergent tanks. Together with the quick service access to all vital parts, this series will provide remarkable cleaning results, saved time and reduced costs.



Picture shown may not represent model quoted










- High efficiency 4 pole motors
- EcoPower boiler with EcoMode function
- Brass pump head 3 ceramic pistons
- Pressure activated unloader system
- Innovative design with 4 big wheels
- Easy to transport, can even be pushed/pulled across uneven surfaces
- Flow activated unloader system
- Oil tank and oil sight
- Low pump oil warning system
- Low fuel warning system
- Onboard diagnostics function

• Standard equipment

| Included accessories   | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|--|-----------|---------------|---------------------|----------------------|-----------------------|
| <b>Ergo System Coupling and Adapter</b>  |           |               |                     |                      |                       |
|  ERGO COUPLING KIT              | 101119496 | 0             | •                   | •                    | •                     |
| <b>High Pressure Male Coupling</b>   |           |               |                     |                      |                       |
|  LP NIPPLE F. Q.-COUPLING 3/4IN | 1600659   | 0             |                     |                      |                       |
| <b>High Pressure Female Coupling</b>   |           |               |                     |                      |                       |
|  HOSE NOZZLE 20R3/4             | 61369     | 0             | •                   | •                    | •                     |




Performance, life-time and ergonomics








|   | Included accessories                     | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|--|-----------|---------------|---------------------|----------------------|-----------------------|
|    | QUICK COUPLING 3/4 W/GASKET              | 1602945   | 0             |                     |                      |                       |
| <b>Hose and Connection</b>  |  |           |               |                     |                      |                       |
|    | NILFISK BA VALVE COMP. GARDENA           | 106411177 | 0             |                     |                      |                       |
| <b>High Pressure Hose, DN8</b>  |  |           |               |                     |                      |                       |
|     | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0             | •                   |                      |                       |
|    | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0             |                     |                      | •                     |
|   | HP-HOSE DN8X15M QC 3/8 NILFISK HW        | 101406102 | 0             |                     | •                    | •                     |
| <b>Hose Reel</b>  |  |           |               |                     |                      |                       |
|   | HOSE REEL NILFISK ACCESSORY              | 106403184 | 0             |                     | •                    | •                     |
| <b>Spray Gun</b>  |  |           |               |                     |                      |                       |
|  | ERGO 2000 STANDARD W. HOSE SWIVEL        | 106403122 | 0             | •                   | •                    | •                     |
| <b>Tornado Lance</b>  |  |           |               |                     |                      |                       |
|   | TORNADO PLUS 1000 BEND W/O NOZZLE        | 106403011 | 0             |                     |                      | •                     |
| <b>Universal Lance</b>  |  |           |               |                     |                      |                       |
|  | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ   | 106403036 | 0             | •                   | •                    |                       |
| <b>Tornado Nozzle with Indication Ring</b>  |  |           |               |                     |                      |                       |
|  | NOZZLE 0435 INDICATION RING BLUE         | 101119739 | 0             |                     |                      |                       |



Performance, life-time and ergonomics







| Included accessories   | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|--|-----------|---------------|---------------------|----------------------|-----------------------|
|  TORNADO NOZZLE 0475 | 301150005 | 0             | •                   | •                    | •                     |
| <b>Filter Pressure Washer</b>  |           |               |                     |                      |                       |
| FILTER CPL. MH 5000MM2 50µ ACCESSORY   | 107144272 | 0             | •                   | •                    | •                     |

• Standard equipment

| Included accessories   | Ref. no.  | Min. required | MH 4M-130/720 FA EU 230/1/50 |
|--|-----------|---------------|------------------------------|
| <b>Ergo System Coupling and Adapter</b>  |           |               |                              |
|  ERGO COUPLING KIT                          | 101119496 | 0             | •                            |
| <b>High Pressure Male Coupling</b>   |           |               |                              |
|  LP NIPPLE F. Q.-COUPLING 3/4IN            | 1600659   | 0             |                              |
| <b>High Pressure Female Coupling</b>   |           |               |                              |
|  HOSE NOZZLE 20R3/4                       | 61369     | 0             | •                            |
|  QUICK COUPLING 3/4 W/GASKET              | 1602945   | 0             |                              |
| <b>Hose and Connection</b>   |           |               |                              |
|  NILFISK BA VALVE COMP. GARDENA            | 106411177 | 0             | •                            |
| <b>High Pressure Hose, DN8</b>   |           |               |                              |
|  HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL.  | 101405770 | 0             | •                            |
|  HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0             |                              |
| HP-HOSE DN8X15M QC 3/8 NILFISK HW  | 101406102 | 0             |                              |
| <b>Hose Reel</b>   |           |               |                              |



Performance, life-time and ergonomics

| Included accessories   |  | Ref. no.  | Min. required | MH 4M-130/720 FA EU 230/1/50 |
|--|--|-----------|---------------|------------------------------|
|    | HOSE REEL NILFISK ACCESSORY            | 106403184 | 0             |                              |
| <b>Spray Gun</b>   |  |           |               |                              |
|    | ERGO 2000 STANDARD W. HOSE SWIVEL      | 106403122 | 0             | •                            |
| <b>Tornado Lance</b>   |  |           |               |                              |
|    | TORNADO PLUS 1000 BEND W/O NOZZLE      | 106403011 | 0             |                              |
| <b>Universal Lance</b>   |  |           |               |                              |
|    | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ | 106403036 | 0             | •                            |
| <b>Tornado Nozzle with Indication Ring</b>   |  |           |               |                              |
|  | NOZZLE 0435 INDICATION RING BLUE       | 101119739 | 0             | •                            |
|  | TORNADO NOZZLE 0475                    | 301150005 | 0             |                              |
| <b>Filter Pressure Washer</b>  |  |           |               |                              |
|  | FILTER CPL. MH 5000MM2 50µ ACCESSORY   | 107144272 | 0             | •                            |

| Model    | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|----------|---------------------|----------------------|-----------------------|
| Ref. no. | 107146910           | 107146911            | 107146912             |

PRODUCT FEATURES

|                                   |   |   |   |
|-----------------------------------|---|---|---|
| Detergent tank                    | • | • | • |
| Full ceramic pistons              | • | • | • |
| Single-phase                      | • | • |   |
| Three phase                       |   |   | • |
| SilentPower - 1450 rpm motor      | • | • | • |
| QuickService - innovative concept | • | • | • |
| Ergo accessory system             | • | • | • |



Performance, life-time and ergonomics

| Model    | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|----------|---------------------|----------------------|-----------------------|
| Ref. no. | 107146910           | 107146911            | 107146912             |

PRODUCT FEATURES

|                                 |   |   |   |
|---------------------------------|---|---|---|
| Hose reel                       |   | • | • |
| Wdk dual detergent injector     | • | • | • |
| Pump oil warning system         | • | • | • |
| Service indicator               | • | • | • |
| Parking brake                   | • | • | • |
| Brass cylinder head             | • | • | • |
| Fuel tank                       | • | • | • |
| Delayed automatic start stop    | • | • | • |
| 2 x detergent injector          | • | • | • |
| High pressure detergent system  | • | • | • |
| Water flow regulation           | • | • | • |
| Water break tank                | • | • | • |
| Flame sensor                    | • | • | • |
| Spray Gun Holder                | • | • | • |
| Cable Hook, turnable            | • | • | • |
| Motor on-off lamp               | • | • | • |
| Transportable by forklift truck | • | • | • |
| Detergent tank 10 ltr.          | • | • | • |
| Fuel tank 15 ltr.               | • | • | • |
| Fuel sight from outside         | • | • | • |
| ECO mode feature                | • | • | • |
| 2 lance holder                  | • | • | • |
| Large wheel - 4 pcs.            | • | • | • |
| Anti Stone                      | • | • | • |
| Storage box                     | • | • | • |
| Water inlet filter 50µ          | • | • | • |

|          |                              |
|----------|------------------------------|
| Model    | MH 4M-130/720 FA EU 230/1/50 |
| Ref. no. | 107146915                    |

PRODUCT FEATURES

|                      |   |
|----------------------|---|
| Detergent tank       | • |
| Full ceramic pistons | • |
| Single-phase         | • |
| Three phase          |   |



Performance, life-time and ergonomics

|          |                                 |
|----------|---------------------------------|
| Model    | MH 4M-130/720 FA<br>EU 230/1/50 |
| Ref. no. | 107146915                       |

PRODUCT FEATURES

|                                   |   |
|-----------------------------------|---|
| SilentPower - 1450 rpm motor      | • |
| QuickService - innovative concept | • |
| Ergo accessory system             | • |
| Hose reel                         |   |
| Wdk dual detergent injector       | • |
| Pump oil warning system           | • |
| Service indicator                 | • |
| Parking brake                     | • |
| Brass cylinder head               | • |
| Fuel tank                         | • |
| Delayed automatic start stop      | • |
| 2 x detergent injector            | • |
| High pressure detergent system    | • |
| Water flow regulation             | • |
| Water break tank                  | • |
| Flame sensor                      | • |
| Spray Gun Holder                  | • |
| Cable Hook, turnable              | • |
| Motor on-off lamp                 | • |
| Transportable by forklift truck   | • |
| Detergent tank 10 ltr.            | • |
| Fuel tank 15 ltr.                 | • |
| Fuel sight from outside           | • |
| ECO mode feature                  | • |
| 2 lance holder                    | • |
| Large wheel - 4 pcs.              | • |
| Anti Stone                        | • |
| Storage box                       | • |
| Water inlet filter 50µ            | • |



## Performance, life-time and ergonomics











| Technical specifications                                 | MH 4M-100/680 PA<br>UK | MH 4M-100/680<br>PAX UK | MH 4M-210/1000<br>PAX EU |
|--|------------------------|-------------------------|--------------------------|
| Pump pressure (bar/MPa)                                  | 100/10                 | 100/10                  | 210/21                   |
| Cleaning impact (kg/force)                               | 2.5                    | 2.5                     | 5.5                      |
| Pump (RPM)   | 1450                   | 1450                    | 1450                     |
| Power consumption (kW)                                   | 2.9                    | 2.9                     | 8.0                      |
| Voltage/phase/frequency/current (V/~/Hz/A)               | 230/1/50/13            | 230/1/50/13             | 400/3/50/13,5            |
| Water flow Qmax/Qiec (l/h)                               | 680/630                | 680/630                 | 1000/940                 |
| Water temperature (water/steam) (°C)                     | 90/150                 | 90/150                  | 90/150                   |
| El cable (m)   | 5                      | 5                       | 5                        |
| Fuel consumption at $\Delta T=45^{\circ}\text{C}$ (kg/h) | 2.8                    | 2.8                     | 4.1                      |
| Fuel tank (l)  | 15                     | 15                      | 15                       |
| Detergent tank (l)                                       | A: 10 + B:             | A: 10 + B:              | A: 10 + B:               |
| Nozzle size  | .0475                  | .0475                   | .0475                    |
| Max. inlet temperature (°C)                              | 40                     | 40                      | 40                       |
| Ceramic pistons  | 3                      | 3                       | 3                        |
| Length x width x height (mm)                             | 1010x700x1016          | 1010x700x1016           | 1010x700x1016            |
| Weight (kg)  | 138                    | 141                     | 149                      |
| Recommended avg. hours of use per day                    | 5                      | 5                       | 5                        |

| Technical specifications                                 | MH 4M-130/720 FA<br>EU 230/1/50 |
|--|---------------------------------|
| Pump pressure (bar/MPa)                                  | 130/13                          |
| Cleaning impact (kg/force)                               | 3                               |
| Pump (RPM)   | 1450                            |
| Power consumption (kW)                                   | 3.6                             |
| Voltage/phase/frequency/current (V/~/Hz/A)               | 230/1/50/16                     |
| Water flow Qmax/Qiec (l/h)                               | 720/660                         |
| Water temperature (water/steam) (°C)                     | 90/150                          |
| El cable (m)   | 5                               |
| Fuel consumption at $\Delta T=45^{\circ}\text{C}$ (kg/h) | 2.9                             |
| Fuel tank (l)  | 15                              |
| Detergent tank (l)                                       | A: 10 + B:                      |
| Nozzle size  | .0435                           |
| Max. inlet temperature (°C)                              | 40                              |
| Ceramic pistons  | 3                               |
| Length x width x height (mm)                             | 1010x700x1016                   |
| Weight (kg)  | 141                             |
| Recommended avg. hours of use per day                    | 5                               |



Performance, life-time and ergonomics












● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories   | Ref. no.                                 | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|--|---------------|---------------------|----------------------|-----------------------|
| <b>Ergo System Coupling and Adapter</b>   |  |               |                     |                      |                       |
|    | COUPLING - FEMALE/Q-COUPPL 3/8 INCH      | 106402075     | 0                   | ○                    | ○                     |
|    | ERGO COUPLING KIT                        | 101119496     | 0                   | ●                    | ●                     |
|    | HIGH PRESSURE COUPLINGS KIT              | 101119499     | 0                   | ○                    | ○                     |
|    | NIPPEL F. Q-COUPPL. 3/8 INCH             | 1600493       | 0                   | ○                    | ○                     |
|   | NIPPLE F/QUICK COUPLING 3/8 SS           | 1603101       | 0                   | ○                    | ○                     |
|   | NIPPLE FOR SPRAY LANCE STAN.L            | 1609325       | 0                   | ○                    | ○                     |
|   | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075       | 0                   | ○                    | ○                     |
| <b>High Pressure Female Coupling</b>  |  |               |                     |                      |                       |
|  | ADAPTER KEW QUICK COUPLING FEMALE 3/8    | 66160         | 0                   | ○                    | ○                     |
|  | ADAPTER WAP GUN COUPLING FEMALE M21X1.5  | 66162         | 0                   | ○                    | ○                     |
|  | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718          | 0                   | ○                    | ○                     |
|  | HOSE NOZZLE 20R3/4                       | 61369         | 0                   | ●                    | ●                     |
















## Performance, life-time and ergonomics












| Accessories   |  | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|--|-----------|---------------|---------------------|----------------------|-----------------------|
|    | QUICK COUPLING 3/4 W/GASKET              | 1602945   | 0             | ○                   | ○                    | ○                     |
| <b>High Pressure Hose, DN6</b>  |  |           |               |                     |                      |                       |
|    | 10 M WIRE HOSE DN6                       | 301002275 | 0             | ○                   | ○                    | ○                     |
| <b>Spray Gun</b>  |  |           |               |                     |                      |                       |
|     | ERGO 2000 STANDARD W. HOSE SWIVEL        | 106403122 | 0             | ●                   | ●                    | ●                     |
|    | REP. KIT SWIVEL JOINT                    | 101119484 | 0             | ○                   | ○                    | ○                     |
| <b>Universal Lance</b>  |  |           |               |                     |                      |                       |
|  | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT   | 106403032 | 0             | ○                   | ○                    | ○                     |
|  | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT    | 106403033 | 0             | ○                   | ○                    | ○                     |
|   | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT  | 106403031 | 0             | ○                   | ○                    | ○                     |
|   | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT  | 106403030 | 0             | ○                   | ○                    | ○                     |
|  | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ   | 106403036 | 0             | ●                   | ●                    | ○                     |
|  | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ  | 106403035 | 0             | ○                   | ○                    | ○                     |
|  | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 0             | ○                   | ○                    | ○                     |

Performance, life-time and ergonomics

| Accessories   |                                     | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|-------------------------------------|-----------|---------------|---------------------|----------------------|-----------------------|
| <b>Hose and Connection</b>  |                                     |           |               |                     |                      |                       |
|    | NILFISK BA VALVE COMP. GARDENA      | 106411177 | 0             | ○                   | ○                    | ○                     |
|    | NILFISK BA VALVE COMP. GEKA         | 106411179 | 0             | ○                   | ○                    | ○                     |
|    | NILFISK BA VALVE COMP. NITO         | 106411178 | 0             | ○                   | ○                    | ○                     |
|    | NILFISK BA VALVE WO COUPLER         | 106411184 | 0             | ○                   | ○                    | ○                     |
|   | WATER INLET HOSE 3/4 P/             | 6465      | 0             | ○                   | ○                    | ○                     |
| <b>High Pressure Male Coupling</b>  |                                     |           |               |                     |                      |                       |
|   | ADAPTER KEW QUICK COUPLING MALE 3/8 | 66159     | 0             | ○                   | ○                    | ○                     |
|   | ADAPTOR 3/8 INCH MALE FOR HOSE      | 6401067   | 0             | ○                   | ○                    | ○                     |
|  | ADAPTOR KEW GUN TO WAP ACCESS.      | 66161     | 0             | ○                   | ○                    | ○                     |
|  | GARDENA COUPLING HOSE END 1/2 BULK  | 1608629   | 0             | ○                   | ○                    | ○                     |
|  | GEKA COUPLING HOSE END 3/4          | 1311      | 0             | ○                   | ○                    | ○                     |
|  | LP NIPPLE F. Q.-COUPLING 3/4IN      | 1600659   | 0             | ○                   | ○                    | ○                     |
|  | NITO COUPLING HOSE END 1            | 1604669   | 0             | ○                   | ○                    | ○                     |




Performance, life-time and ergonomics











| Accessories   |                                     | Ref. no. | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|-------------------------------------|----------|---------------|---------------------|----------------------|-----------------------|
| <b>Detergent</b>  |                                     |          |               |                     |                      |                       |
|    | ALTO ACTIVE WAX 10 L                | 81177    | 0             | ○                   | ○                    | ○                     |
|    | ALTO ACTIVE WAX 25 L                | 81222    | 0             | ○                   | ○                    | ○                     |
|    | ALTO RIMTOP 10 L                    | 80935    | 0             | ○                   | ○                    | ○                     |
| <b>Brush Washing</b>  |                                     |          |               |                     |                      |                       |
|     | BRUSH INSERT                        | 10356    | 0             | ○                   | ○                    | ○                     |
|   | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202    | 0             | ○                   | ○                    | ○                     |
|   | WASH BRUSH L1550 MM                 | 6400088  | 0             | ○                   | ○                    | ○                     |
|  | WASH BRUSH L2350 MM                 | 6400087  | 0             | ○                   | ○                    | ○                     |
| <b>Liquid Sprayer</b>   |                                     |          |               |                     |                      |                       |
|  | 8P PRESpray UNIT                    | 25598    | 0             | ○                   | ○                    | ○                     |
|  | LIQUID SPRAYER 5S                   | 7110005  | 0             | ○                   | ○                    | ○                     |
|  | LIQUID SPRAYER 10SP                 | 7110010  | 0             | ○                   | ○                    | ○                     |
|  | LIQUID SPRAYER 20S                  | 7110020  | 0             | ○                   | ○                    | ○                     |



## Performance, life-time and ergonomics












| Accessories   |  | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|--|-----------|---------------|---------------------|----------------------|-----------------------|
| <b>Drain and Pipe Cleaning</b>  |  |           |               |                     |                      |                       |
|     | PIPE CLEANING HOSE 4X10M                 | 301002490 | 0             | ○                   | ○                    | ○                     |
|     | PIPE CLEANING HOSE 4X20M                 | 301002491 | 0             | ○                   | ○                    | ○                     |
|     | PIPE CLEANING HOSE 4X30M                 | 301002492 | 0             | ○                   | ○                    | ○                     |
|    | PIPE CLEANING NOZZLE 1/8INC IG DN4       | 46921     | 0             | ○                   | ○                    | ○                     |
|    | PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN | 46918     | 0             | ○                   | ○                    | ○                     |
|   | TUBE AND DRAIN CLEANER 05 20M            | 6401266   | 0             | ○                   | ○                    | ○                     |
| <b>Filter Pressure Washer</b>   |  |           |               |                     |                      |                       |
|   | CARTRIDGE FILTER REPLACEM. 50 UM         | 1104041   | 0             | ○                   | ○                    | ○                     |
|   | FILTER CPL. MH 5000MM2 50μ ACCESSORY     | 107144272 | 0             | ●                   | ●                    | ●                     |
|   | FILTER FOR WATER BREAK TANK ACCESSORY    | 106403194 | 0             | ○                   | ○                    | ○                     |
| <b>High Pressure Hose, DN10</b>   |  |           |               |                     |                      |                       |
|  | HP HOSE DN10 1000 AGR-AGR                | 1402916   | 0             | ○                   | ○                    | ○                     |
|   | HP HOSE DN10 2052 AGR-AGR                | 1402924   | 0             | ○                   | ○                    | ○                     |
|  | HP HOSE DN10 3000 AGR-AGR                | 1402932   | 0             | ○                   | ○                    | ○                     |
|   | HP HOSE DN10 5000 AGR-AGR                | 1402940   | 0             | ○                   | ○                    | ○                     |

## Performance, life-time and ergonomics

| Accessories   |  | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|--|-----------|---------------|---------------------|----------------------|-----------------------|
|    | HP HOSE DN10 15000 AGR-AGR               | 1402064   | 0             | ○                   | ○                    | ○                     |
|    | HP HOSE DN10 20000 AGR-AGR               | 1402072   | 0             | ○                   | ○                    | ○                     |
|    | HP HOSE DN10 25000 AGR-AGR               | 1402080   | 0             | ○                   | ○                    | ○                     |
| <b>High Pressure Hose, DN8</b>  |  |           |               |                     |                      |                       |
|    | 10 M 1 WIRE HOSE 5/16 DN8                | 1405569   | 0             | ○                   | ○                    | ○                     |
|    | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0             | ●                   | ○                    | ○                     |
|  | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0             | ○                   | ○                    | ●                     |
|   | HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL. | 301001101 | 0             | ○                   | ○                    | ○                     |
|  | HOSE DN8 20 M 1W - 3/8X3/8               | 1405666   | 0             | ○                   | ○                    | ○                     |
|   | HP-HOSE DN8X15M QC 3/8 NILFISK HW        | 101406102 | 0             | ○                   | ●                    | ●                     |
| <b>Special Lance</b>  |  |           |               |                     |                      |                       |
|   | CURVED LANCE L1090 MM                    | 6402016   | 0             | ○                   | ○                    | ○                     |
|   | LANCE SINGLE 1500MM W/O NOZZLE           | 6401193   | 0             | ○                   | ○                    | ○                     |
|   | UNDER CARRIAGE WASHER 40065              | 6400036   | 0             | ○                   | ○                    | ○                     |













## Performance, life-time and ergonomics

| Accessories   | Ref. no.                                 | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|--|---------------|---------------------|----------------------|-----------------------|
| <b>Hose Reel</b>  |  |               |                     |                      |                       |
|    | CLEANING TROLLEY SS W/HOSE REEL FOAM IN  | 6401094       | 0                   | ○                    | ○                     |
|     | HOSE REEL NILFISK ACCESSORY              | 106403184     | 0                   | ○                    | ●                     |
|    | HOSE REEL RETRACTABLE SS W/O HOSE        | 106403168     | 0                   | ○                    | ○                     |
|    | HOSE TROLLEY UP TO 50 M 3/8              | 6400170       | 0                   | ○                    | ○                     |
|    | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131     | 0                   | ○                    | ○                     |
| <b>Injector and Foam Sprayer</b>  |  |               |                     |                      |                       |
|   | 02 INJECTOR COMPLETE                     | 6401246       | 0                   | ○                    | ○                     |
|   | 03 INJECTOR COMPLETE                     | 6401247       | 0                   | ○                    | ○                     |
|  | BOTTLE FOR FOAM SPRAYER 2 L              | 106408164     | 0                   | ○                    | ○                     |
|  | DETERGENT BOTTLE 2.5 L                   | 107141635     | 0                   | ○                    | ○                     |
|   | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162     | 0                   | ○                    | ○                     |
|   | EXTENSION HOSE 30 CM WITH ERGO COUPLINGS | 301001311     | 0                   | ○                    | ○                     |
|   | FOAM INJECTOR AGRESSIVE LQDS             | 6401245       | 0                   | ○                    | ○                     |



## Performance, life-time and ergonomics

|  | Accessories                              | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|--|--|-----------|---------------|---------------------|----------------------|-----------------------|
|    | FOAM INJECTOR W BYPASS                   | 6401242   | 0             |                     |                      | ○                     |
|    | FOAM INJECTOR W BYPASS S. S              | 6401243   | 0             |                     |                      | ○                     |
|    | FOAM INJECTOR STANDARD                   | 6401244   | 0             |                     |                      | ○                     |
|    | FOAM LANCE COMPLETE L600 MM              | 6404368   | 0             | ○                   | ○                    | ○                     |
|    | FOAM LANCE COMPLETE L1200 MM             | 6404369   | 0             | ○                   | ○                    | ○                     |
|   | FOAMSPRAYER VARIO 1 LTR 055              | 106408235 | 0             | ○                   | ○                    | ○                     |
|  | NILFISK FOAMSPRAYER VARIO HF 0950        | 106408236 | 0             |                     |                      | ○                     |
| <b>Other</b>   |  |           |               |                     |                      |                       |
|  | CHIMNEY ADAPTOR B2/B2.5 ACCESSORY        | 106403197 | 0             | ○                   | ○                    | ○                     |
|  | LIFTING DEVICE FOR MH 3/4 ACCESSORY      | 106403199 | 0             | ○                   | ○                    | ○                     |
|  | SIDE BAR COMPL.                          | 106402110 | 0             | ○                   | ○                    | ○                     |
|  | WATER SUCTION KIT 300 L/MIN 06           | 6402018   | 0             |                     |                      | ○                     |
| <b>Tornado Nozzle with Indication Ring</b>   |  |           |               |                     |                      |                       |
|  | NOZZLE 0275 W. INDICATION RING DARK BROW | 101117692 | 0             | ○                   | ○                    | ○                     |











Performance, life-time and ergonomics

| Accessories   | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|-----------|---------------|---------------------|----------------------|-----------------------|
|  NOZZLE 0300 W. INDICATION RING WARM ORAN | 101117695 | 0             | ○                   | ○                    | ○                     |
|  NOZZLE 0435 INDICATION RING BLUE         | 101119739 | 0             |                     |                      |                       |
|  NOZZLE PROTECTION F. TORNADOL.           | 106402425 | 0             | ○                   | ○                    | ○                     |
|  TORNADO NOZZLE 0475                      | 301150005 | 0             | ●                   | ●                    | ●                     |
| <b>Short Lance</b>  |           |               |                     |                      |                       |
|  DOUBLE LANCE W/O NOZZLE 90MM            | 106402150 | 0             | ○                   | ○                    | ○                     |
|  SINGLE LANCE W/O NOZZLE 90MM          | 106402151 | 0             | ○                   | ○                    | ○                     |
| <b>FlexoPower Lance</b>   |           |               |                     |                      |                       |
|  FLEXOPOWER PLUS 960 BEND W/O NOZZLE   | 106402282 | 0             | ○                   | ○                    | ○                     |
|  FLEXOPOWER PLUS 960 W/O NOZZLE BLUE   | 106408229 | 0             | ○                   | ○                    | ○                     |
|  FLEXOPOWER PLUS 990 BEND W/O NOZ.     | 106402281 | 0             | ○                   | ○                    | ○                     |
|  FLEXOPOWER PLUS 990 W/O NOZZLE BLUE   | 106408228 | 0             | ○                   | ○                    | ○                     |
|  FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE  | 106408227 | 0             | ○                   | ○                    | ○                     |
| <b>Tornado Lance</b>  |           |               |                     |                      |                       |








Performance, life-time and ergonomics






| Accessories   |  | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|--|-----------|---------------|---------------------|----------------------|-----------------------|
|     | TORNADO PLUS 630 STRAIGHT W/O NOZZLE     | 106403013 | 0             | ○                   | ○                    | ○                     |
|     | TORNADO PLUS 1000 BEND W/O NOZZLE        | 106403011 | 0             | ○                   | ○                    | ●                     |
|     | TORNADO PLUS 1120 BEND W/O NOZZLE        | 106403010 | 0             | ○                   | ○                    | ○                     |
|     | TORNADO PLUS 2080 BEND W/O NOZZLE        | 106403012 | 0             | ○                   | ○                    | ○                     |
| <b>Surface Cleaning Rotary</b>  |  |           |               |                     |                      |                       |
|   | HYDROSCRUB P300 P+H                      | 106403187 | 0             | ○                   | ○                    |                       |
|  | HYDROSCRUB P400 W/O NOZZLES              | 106403157 | 0             | ○                   | ○                    | ○                     |
|  | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0             | ○                   | ○                    | ○                     |
| <b>Abrasive Blasting</b>  |  |           |               |                     |                      |                       |
|  | SIMPLE SAND BLASTING UNIT COMPLETE VSB   | 301112493 | 0             | ○                   | ○                    | ○                     |
| <b>4-in-1 Lance</b>   |  |           |               |                     |                      |                       |
|  | 4-IN-1 LANCE INCL 0435 ALUMINUM HEAD     | 106408254 | 0             |                     |                      |                       |
|  | LANCE FOR 4-IN-1 880 BEND                | 106408240 | 0             | ○                   | ○                    | ○                     |
| <b>PowerSpeed Vario Lance</b>   |  |           |               |                     |                      |                       |



Performance, life-time and ergonomics











| Accessories   |  | Ref. no.  | Min. required | MH 4M-100/680 PA UK | MH 4M-100/680 PAX UK | MH 4M-210/1000 PAX EU |
|---|--|-----------|---------------|---------------------|----------------------|-----------------------|
|   | POWERSPEED VARIO PLUS 1090 BEND 0450     | 106403092 | 0             |                     |                      |                       |
| <b>TurboHammer Lance</b>  |  |           |               |                     |                      |                       |
|   | TURBOHAMMER PLUS 1125 STRAIGHT W11 0450  | 106402290 | 0             |                     |                      |                       |
|   | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500  | 106402291 | 0             | ○                   | ○                    | ○                     |
| <b>4-in-1 Nozzle</b>  |  |           |               |                     |                      |                       |
|  | NOZZLE 4-IN-1 ALU + INDICATION RING 0435 | 101118132 | 0             |                     |                      |                       |
| <b>Special Nozzle</b>   |  |           |               |                     |                      |                       |
|  | NOZZLE PROTECTION CAP PA                 | 18430     | 0             | ○                   | ○                    | ○                     |
| <b>External Control Unit</b>  |  |           |               |                     |                      |                       |
|   | REMOTE CONTROL 2X DETERGENT ACCESSORY    | 106403196 | 0             | ○                   | ○                    | ○                     |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| Accessories   |                                     | Ref. no.  | Min. required | MH 4M-130/720 FA EU 230/1/50 |
|---|-------------------------------------|-----------|---------------|------------------------------|
| <b>Ergo System Coupling and Adapter</b>   |                                     |           |               |                              |
|  | COUPLING - FEMALE/Q-COUPPL 3/8 INCH | 106402075 | 0             | ○                            |
|  | ERGO COUPLING KIT                   | 101119496 | 0             | ●                            |
|  | HIGH PRESSURE COUPLINGS KIT         | 101119499 | 0             | ○                            |
|  | NIPPEL F. Q-COUPPL. 3/8 INCH        | 1600493   | 0             | ○                            |
|  | NIPPEL F/QUICK COUPLING 3/8 SS      | 1603101   | 0             | ○                            |













Performance, life-time and ergonomics

| Accessories   |  | Ref. no.  | Min. required | MH<br>4M-130/720<br>FA EU<br>230/1/50 |
|---|--|-----------|---------------|---------------------------------------|
|     | NIPPLE FOR SPRAY LANCE STAN.L            | 1609325   | 0             | ○                                     |
|   | PACK.RING D23.8XD14.96 3/8NBR SELF-CENT. | 1801075   | 0             | ○                                     |
| <b>High Pressure Female Coupling</b>  |  |           |               |                                       |
|    | ADAPTER KEW QUICK COUPLING FEMALE 3/8    | 66160     | 0             | ○                                     |
|    | ADAPTER WAP GUN COUPLING FEMALE M21X1.5  | 66162     | 0             | ○                                     |
|    | COUPLING GEKA FEMALE - INT THREAD 3/4 IN | 1718      | 0             | ○                                     |
|   | HOSE NOZZLE 20R3/4                       | 61369     | 0             | ●                                     |
|  | QUICK COUPLING 3/4 W/GASKET              | 1602945   | 0             | ○                                     |
| <b>High Pressure Hose, DN6</b>  |  |           |               |                                       |
|  | 10 M WIRE HOSE DN6                       | 301002275 | 0             | ○                                     |
| <b>Spray Gun</b>  |  |           |               |                                       |
|   | ERGO 2000 STANDARD W. HOSE SWIVEL        | 106403122 | 0             | ●                                     |
|  | REP. KIT SWIVEL JOINT                    | 101119484 | 0             | ○                                     |
| <b>Universal Lance</b>  |  |           |               |                                       |
|  | UNIVERSAL PLUS 650 W/O NOZZLE STRAIGHT   | 106403032 | 0             | ○                                     |














## Performance, life-time and ergonomics

| Accessories   |  | Ref. no.  | Min. required | MH<br>4M-130/720<br>FA EU<br>230/1/50 |
|---|--|-----------|---------------|---------------------------------------|
|    | UNIVERSAL PLUS 1080 W/O NOZZ STRAIGHT    | 106403033 | 0             | ○                                     |
|     | UNIVERSAL PLUS 1560 W/O NOZZLE STRAIGHT  | 106403031 | 0             | ○                                     |
|     | UNIVERSAL PLUS 2060 W/O NOZZLE STRAIGHT  | 106403030 | 0             | ○                                     |
|    | UNIVERSAL PLUS LANCE 940 BEND W/O NOZZ   | 106403036 | 0             | ●                                     |
|    | UNIVERSAL PLUS LANCE 1080 BEND W/O NOZZ  | 106403035 | 0             | ○                                     |
|  | UNIVERSAL PLUS LANCE 1230 BEND W/O NOZZL | 106403034 | 0             | ○                                     |
| <b>Hose and Connection</b>  |  |           |               |                                       |
|   | NILFISK BA VALVE COMP. GARDENA           | 106411177 | 0             | ●                                     |
|   | NILFISK BA VALVE COMP. GEKA              | 106411179 | 0             | ○                                     |
|  | NILFISK BA VALVE COMP. NITO              | 106411178 | 0             | ○                                     |
|   | NILFISK BA VALVE WO COUPLER              | 106411184 | 0             | ○                                     |
|   | WATER INLET HOSE 3/4 P/                  | 6465      | 0             | ○                                     |
| <b>High Pressure Male Coupling</b>  |  |           |               |                                       |
|  | ADAPTER KEW QUICK COUPLING MALE 3/8      | 66159     | 0             | ○                                     |














Performance, life-time and ergonomics

| Accessories   |                                     | Ref. no. | Min. required | MH<br>4M-130/720<br>FA EU<br>230/1/50 |
|---|-------------------------------------|----------|---------------|---------------------------------------|
|     | ADAPTOR 3/8 INCH MALE FOR HOSE      | 6401067  | 0             | ○                                     |
|    | ADAPTOR KEW GUN TO WAP ACCESS.      | 66161    | 0             | ○                                     |
|    | GARDENA COUPLING HOSE END 1/2 BULK  | 1608629  | 0             | ○                                     |
|    | GEKA COUPLING HOSE END 3/4          | 1311     | 0             | ○                                     |
|    | LP NIPPLE F. Q.-COUPLING 3/4IN      | 1600659  | 0             | ○                                     |
|  | NITO COUPLING HOSE END 1            | 1604669  | 0             | ○                                     |
| <b>Detergent</b>  |                                     |          |               |                                       |
|  | ALTO ACTIVE WAX 10 L                | 81177    | 0             | ○                                     |
|  | ALTO ACTIVE WAX 25 L                | 81222    | 0             | ○                                     |
|  | ALTO RIMTOP 10 L                    | 80935    | 0             | ○                                     |
| <b>Brush Washing</b>  |                                     |          |               |                                       |
|   | BRUSH INSERT                        | 10356    | 0             | ○                                     |
|  | WASH BRUSH - ERGO - UNIVERSAL LANCE | 14202    | 0             | ○                                     |













Performance, life-time and ergonomics

| Accessories   |  | Ref. no.  | Min. required | MH 4M-130/720<br>FA EU 230/1/50 |
|---|--|-----------|---------------|---------------------------------|
|     | WASH BRUSH L1550 MM                      | 6400088   | 0             | ○                               |
|     | WASH BRUSH L2350 MM                      | 6400087   | 0             | ○                               |
| <b>Liquid Sprayer</b>   |  |           |               |                                 |
|    | 8P PRESPRAY UNIT                         | 25598     | 0             | ○                               |
|    | LIQUID SPRAYER 5S                        | 7110005   | 0             | ○                               |
|   | LIQUID SPRAYER 10SP                      | 7110010   | 0             | ○                               |
|  | LIQUID SPRAYER 20S                       | 7110020   | 0             | ○                               |
| <b>Drain and Pipe Cleaning</b>  |  |           |               |                                 |
|   | PIPE CLEANING HOSE 4X10M                 | 301002490 | 0             | ○                               |
|   | PIPE CLEANING HOSE 4X20M                 | 301002491 | 0             | ○                               |
|   | PIPE CLEANING HOSE 4X30M                 | 301002492 | 0             | ○                               |
|  | PIPE CLEANING NOZZLE 1/8INC IG DN4       | 46921     | 0             | ○                               |
|  | PIPE CLEANING ROTATY NOZZLE 1/8INC IG DN | 46918     | 0             | ○                               |














Performance, life-time and ergonomics

| Accessories   |  | Ref. no.  | Min. required | MH<br>4M-130/720<br>FA EU<br>230/1/50 |
|---|--|-----------|---------------|---------------------------------------|
|     | TUBE AND DRAIN CLEANER 05 20M            | 6401266   | 0             | ○                                     |
| <b>Filter Pressure Washer</b>   |  |           |               |                                       |
|   | CARTRIDGE FILTER REPLACEM. 50 UM         | 1104041   | 0             | ○                                     |
|   | FILTER CPL. MH 5000MM2 50µ ACCESSORY     | 107144272 | 0             | ●                                     |
|   | FILTER FOR WATER BREAK TANK ACCESSORY    | 106403194 | 0             | ○                                     |
| <b>High Pressure Hose, DN10</b>   |  |           |               |                                       |
|    | HP HOSE DN10 1000 AGR-AGR                | 1402916   | 0             | ○                                     |
|     | HP HOSE DN10 2052 AGR-AGR                | 1402924   | 0             | ○                                     |
|   | HP HOSE DN10 3000 AGR-AGR                | 1402932   | 0             | ○                                     |
|   | HP HOSE DN10 5000 AGR-AGR                | 1402940   | 0             | ○                                     |
|  | HP HOSE DN10 15000 AGR-AGR               | 1402064   | 0             | ○                                     |
|  | HP HOSE DN10 20000 AGR-AGR               | 1402072   | 0             | ○                                     |
|  | HP HOSE DN10 25000 AGR-AGR               | 1402080   | 0             | ○                                     |
| <b>High Pressure Hose, DN8</b>  |  |           |               |                                       |
|  | 10 M 1 WIRE HOSE 5/16 DN8                | 1405569   | 0             | ○                                     |
|   | HOSE DN8 1 WIRE 10M W.ERGO FEMALE COUPL. | 101405770 | 0             | ●                                     |














## Performance, life-time and ergonomics

| Accessories   |  | Ref. no.  | Min. required | MH<br>4M-130/720<br>FA EU<br>230/1/50 |
|---|--|-----------|---------------|---------------------------------------|
|    | HOSE DN8 1 WIRE 15M W.ERGO FEMALE COUPL. | 301001100 | 0             | ○                                     |
|     | HOSE DN8 1 WIRE 20M W.ERGO FEMALE COUPL. | 301001101 | 0             | ○                                     |
|    | HOSE DN8 20 M 1W - 3/8X3/8               | 1405666   | 0             | ○                                     |
|   | HP-HOSE DN8X15M QC 3/8 NILFISK HW        | 101406102 | 0             | ○                                     |
| <b>Special Lance</b>  |  |           |               |                                       |
|     | CURVED LANCE L1090 MM                    | 6402016   | 0             | ○                                     |
|    | LANCE SINGLE 1500MM W/O NOZZLE           | 6401193   | 0             | ○                                     |
|   | UNDER CARRIAGE WASHER 40065              | 6400036   | 0             | ○                                     |
| <b>Hose Reel</b>  |  |           |               |                                       |
|  | CLEANING TROLLEY SS W/HOSE REEL FOAM IN  | 6401094   | 0             | ○                                     |
|   | HOSE REEL NILFISK ACCESSORY              | 106403184 | 0             | ○                                     |
|  | HOSE REEL RETRACTABLE SS W/O HOSE        | 106403168 | 0             | ○                                     |
|  | HOSE TROLLEY UP TO 50 M 3/8              | 6400170   | 0             | ○                                     |
|  | HOSEREEL BLUE.PAINT RETRACTAB.W/20M HOSE | 106403131 | 0             | ○                                     |


























## Performance, life-time and ergonomics

| Accessories   |  | Ref. no.  | Min. required | MH<br>4M-130/720<br>FA EU<br>230/1/50 |
|---|--|-----------|---------------|---------------------------------------|
| <b>Injector and Foam Sprayer</b>  |  |           |               |                                       |
|     | 02 INJECTOR COMPLETE                     | 6401246   | 0             | ○                                     |
|     | 03 INJECTOR COMPLETE                     | 6401247   | 0             | ○                                     |
|    | BOTTLE FOR FOAM SPRAYER 2 L              | 106408164 | 0             | ○                                     |
|    | DETERGENT BOTTLE 2.5 L                   | 107141635 | 0             | ○                                     |
|   | DETERGENT TANK W. SEALING CAP - 2.5 LTR. | 106403162 | 0             | ○                                     |
|    | EXTENSION HOSE 30 CM WITH ERGO COUPLINGS | 301001311 | 0             | ○                                     |
|   | FOAM INJECTOR AGRESSIVE LQDS             | 6401245   | 0             | ○                                     |
|   | FOAM INJECTOR W BYPASS                   | 6401242   | 0             | ○                                     |
|   | FOAM INJECTOR W BYPASS S. S              | 6401243   | 0             | ○                                     |
|   | FOAM INJECTOR STANDARD                   | 6401244   | 0             | ○                                     |
|  | FOAM LANCE COMPLETE L600 MM              | 6404368   | 0             | ○                                     |
|   | FOAM LANCE COMPLETE L1200 MM             | 6404369   | 0             | ○                                     |

## Performance, life-time and ergonomics









| Accessories   |  | Ref. no.  | Min. required | MH<br>4M-130/720<br>FA EU<br>230/1/50 |
|---|--|-----------|---------------|---------------------------------------|
|    | FOAMSPRAYER VARIO 1 LTR 055              | 106408235 | 0             | ○                                     |
|     | NILFISK FOAMSPRAYER VARIO HF 0950        | 106408236 | 0             |                                       |
| <b>Other</b>  |  |           |               |                                       |
|   | CHIMNEY ADAPTOR B2/B2.5 ACCESSORY        | 106403197 | 0             | ○                                     |
|   | LIFTING DEVICE FOR MH 3/4 ACCESSORY      | 106403199 | 0             | ○                                     |
|     | SIDE BAR COMPL.                          | 106402110 | 0             | ○                                     |
|     | WATER SUCTION KIT 300 L/MIN 06           | 6402018   | 0             |                                       |
| <b>Tornado Nozzle with Indication Ring</b>  |  |           |               |                                       |
|   | NOZZLE 0275 W. INDICATION RING DARK BROW | 101117692 | 0             | ○                                     |
|   | NOZZLE 0300 W. INDICATION RING WARM ORAN | 101117695 | 0             | ○                                     |
|   | NOZZLE 0435 INDICATION RING BLUE         | 101119739 | 0             | ●                                     |
|   | NOZZLE PROTECTION F. TORNADOL.           | 106402425 | 0             | ○                                     |
|   | TORNADO NOZZLE 0475                      | 301150005 | 0             |                                       |
| <b>Short Lance</b>  |  |           |               |                                       |
|  | DOUBLE LANCE W/O NOZZLE 90MM             | 106402150 | 0             | ○                                     |

Performance, life-time and ergonomics

| Accessories   |                                      | Ref. no.  | Min. required | MH<br>4M-130/720<br>FA EU<br>230/1/50 |
|---|--------------------------------------|-----------|---------------|---------------------------------------|
|    | SINGLE LANCE W/O NOZZLE 90MM         | 106402151 | 0             | ○                                     |
| <b>FlexoPower Lance</b>   |                                      |           |               |                                       |
|    | FLEXOPOWER PLUS 960 BEND W/O NOZZLE  | 106402282 | 0             | ○                                     |
|    | FLEXOPOWER PLUS 960 W/O NOZZLE BLUE  | 106408229 | 0             | ○                                     |
|    | FLEXOPOWER PLUS 990 BEND W/O NOZ.    | 106402281 | 0             | ○                                     |
|   | FLEXOPOWER PLUS 990 W/O NOZZLE BLUE  | 106408228 | 0             | ○                                     |
|  | FLEXOPOWER PLUS 1120 W/O NOZZLE BLUE | 106408227 | 0             | ○                                     |
| <b>Tornado Lance</b>  |                                      |           |               |                                       |
|   | TORNADO PLUS 630 STRAIGHT W/O NOZZLE | 106403013 | 0             | ○                                     |
|   | TORNADO PLUS 1000 BEND W/O NOZZLE    | 106403011 | 0             | ○                                     |
|   | TORNADO PLUS 1120 BEND W/O NOZZLE    | 106403010 | 0             | ○                                     |
|   | TORNADO PLUS 2080 BEND W/O NOZZLE    | 106403012 | 0             | ○                                     |
| <b>Surface Cleaning Rotary</b>  |                                      |           |               |                                       |
|  | HYDROSCRUB P300 P+H                  | 106403187 | 0             | ○                                     |



## Performance, life-time and ergonomics

| Accessories   |  | Ref. no.  | Min. required | MH<br>4M-130/720<br>FA EU<br>230/1/50 |
|---|--|-----------|---------------|---------------------------------------|
|    | HYDROSCRUB P400 W/O NOZZLES              | 106403157 | 0             | ○                                     |
|    | HYDROSCRUB P500M Ø500 W/WHEELS W/O NOZZL | 106403159 | 0             | ○                                     |
| <b>Abrasive Blasting</b>  |  |           |               |                                       |
|     | SIMPLE SAND BLASTING UNIT COMPLETE VSB   | 301112493 | 0             | ○                                     |
| <b>4-in-1 Lance</b>   |  |           |               |                                       |
|     | 4-IN-1 LANCE INCL 0435 ALUMINUM HEAD     | 106408254 | 0             | ○                                     |
|   | LANCE FOR 4-IN-1 880 BEND                | 106408240 | 0             | ○                                     |
| <b>PowerSpeed Vario Lance</b>   |  |           |               |                                       |
|   | POWERSPEED VARIO PLUS 1090 BEND 0450     | 106403092 | 0             | ○                                     |
| <b>TurboHammer Lance</b>  |  |           |               |                                       |
|   | TURBOHAMMER PLUS 1125 STRAIGHT W11 0450  | 106402290 | 0             | ○                                     |
|   | TURBOHAMMER PLUS 1125 STRAIGHT W11 0500  | 106402291 | 0             | ○                                     |
| <b>4-in-1 Nozzle</b>  |  |           |               |                                       |
|  | NOZZLE 4-IN-1 ALU + INDICATION RING 0435 | 101118132 | 0             | ○                                     |
| <b>Special Nozzle</b>   |  |           |               |                                       |
|  | NOZZLE PROTECTION CAP PA                 | 18430     | 0             | ○                                     |
| <b>External Control Unit</b>  |  |           |               |                                       |
|   | REMOTE CONTROL 2X DETERGENT ACCESSORY    | 106403196 | 0             | ○                                     |