



BR 47/35 Esc

Fast and thorough cleaning of escalators and travellators.

1 Excellent suction power

- The applied water is reliably sucked back into the machine by the two powerful suction turbines together with four straight suction hoses and matching combs.
- Prevents water from dripping into the escalator shaft.

2 Suitable for escalators.

- Combs which enter the grooves in the escalator provide the necessary vacuum.
- Different combs are available to suit different types of escalators. This ensures that the water is effectively vacuumed from the escalator.

3 Excellent suction power

- The applied water is reliably sucked back into the machine by the two powerful suction turbines together with four straight suction hoses and matching combs.
- Prevents water from dripping into the escalator shaft.

4 Easy to stand up at the rear of the machine during operation

- Easy to use



Page 2
 5.Object
 page6152276369509_std_1_272x272px.jpg wurde anstatt PAGE6152276369509_std_1_272x272px.JPG platziert.
 6.Object
 page6152276369519_std_1_272x272px.jpg wurde anstatt PAGE6152276369519_std_1_272x272px.JPG platziert.
 12.Object
 page6152276369915_std_1_272x272px.jpg wurde anstatt

BR 47/35 Esc

- Cleans escalators and travelators while they are running
- Standard washing brush and pickup brush

Technical data

Order no.	1.310-109.0	
EAN code	4039784470019	
Working width	mm	470
Working width of brushes	mm	470
Working width, vacuuming	mm	470
Fresh/dirty water tank	l	35 / 35
Brush speed	rpm	870 - 1090
Power rating brush	W	1100
Suction motor	W	800
Sound pressure level	dB(A)	75
Current type	V / Hz	220 - 240 / 50 - 60
Weight (with accessories)	kg	90
Dimensions (L x W x H)	mm	1129 x 480 x 1031


Equipment

Cleaning brushes	■	
Pick-up brushes	■	
Mains operationMains operationMains operationMains operation	■	
Suction motor	W	800

■ Included in delivery.

BR 47/35 ESC 1.310-109.0

KÄRCHER



	Order no.	Hardness/ Brush type	Colour	Quantity	Price	Description	
Brushes							
Brushes standard	1	5.762-266.0	soft	white	1 piece(s)	Machine requires 2. For moderate to heavy soiling.	<input checked="" type="checkbox"/>
Brushes, intake brushes	2	5.762-268.0		black	1 piece(s)		<input checked="" type="checkbox"/>
Brushes, hard	3	5.762-267.0	hard	black	1 piece(s)	Machine requires 2. For removing stubborn dirt on hard-wearing surfaces.	<input type="checkbox"/>
Other							
Guid rail, standard	4	5.032-932.0			1 piece(s)		<input checked="" type="checkbox"/>
Groove rake	5	6.369-507.0			1 piece(s)		<input type="checkbox"/>
	6	6.369-508.0			1 piece(s)		<input type="checkbox"/>
Inlet/outlet combs							
Guide comb grey	7	6.369-509.0		grey	2 piece(s)		<input type="checkbox"/>
	8	6.369-519.0		grey	2 piece(s)		<input type="checkbox"/>
Guide comb black	9	6.369-510.0		black	2 piece(s)		<input type="checkbox"/>
	10	6.369-520.0		black	2 piece(s)		<input type="checkbox"/>
Guide comb green	11	6.369-511.0		green	2 piece(s)		<input type="checkbox"/>
	12	6.369-521.0		green	2 piece(s)		<input type="checkbox"/>
Guide comb white	13	6.369-512.0		white	2 piece(s)		<input type="checkbox"/>
	14	6.369-522.0		white	2 piece(s)		<input type="checkbox"/>
Inlet combs, blue	15	6.369-914.0		blue	2 piece(s)		<input type="checkbox"/>
Outlet combs, blue	16	6.369-915.0		blue	2 piece(s)		<input type="checkbox"/>
Guide comb yellow	17	6.371-272.0		yellow	2 piece(s)		<input type="checkbox"/>
	18	6.371-273.0		yellow	2 piece(s)		<input type="checkbox"/>
Inlet combs, orange	19	6.371-321.0		orange	2 piece(s)	Fa. Thyssen-Krupp, model FT 983.	<input type="checkbox"/>
Outlet combs, orange	20	6.371-322.0		orange	2 piece(s)		<input type="checkbox"/>
Hand pads							
Handpads	21	6.369-513.0	medium	green	5 piece(s)		<input type="checkbox"/>
	22	6.369-514.0	medium	green	5 piece(s)		<input type="checkbox"/>
	23	6.369-515.0	medium	green	5 piece(s)		<input type="checkbox"/>
	24	6.369-516.0	medium	green	5 piece(s)		<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

BR 47/35 ESC 1.310-109.0



		Order no.	Length	Colour	Quantity	Price	Description	
RM Dosierstation								
Cleaning agent dosage kit, wall mounted DS 3	1	2.641-811.0			1 piece(s)		Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	<input type="checkbox"/>

Included in delivery.
 Available accessories.