

HD 4/10 X CLASSIC *KAP

Compact HD 4/10 X Classic high-pressure cleaner with automatic pressure relief and integrated hose reel. Very ergonomic and mobile thanks to retractable pull handle and robust wheels.



Order no.

1.520-976.0


Technical data

| | | |
|---------------------------|-------------|-----------------|
| EAN code | | 4054278722979 |
| Supply voltage | Ph / V / Hz | 1 / 220 / 50 |
| Flow rate | l/h | 400 |
| Working pressure | bar | 100 - max. 145 |
| Max. pressure | bar | 145 |
| Connection load | kW | 1.8 |
| Connection cable | m | 5 |
| Nozzle size | mm | 28 |
| Weight (with accessories) | kg | 17.5 |
| Weight incl. packaging | kg | 20 |
| Dimensions (L x W x H) | mm | 335 x 320 x 845 |

Equipment

| | | |
|---------------------|----|-------------------|
| Spray gun | | Standard |
| High-pressure hose | m | 8 / DN 6, 200 bar |
| Spray lance | mm | 600 |
| Pressure switch-off | | ■ |

■ Included in the scope of supply.



Outstanding mobility

- The robust D180 wheels are ideal for tough applications.
- Extendible handle for convenient transport over short distances.
- Additional handle makes it easier to carry the machine, e.g. up steps.



Perfect ergonomics


- Just one on/off switch for foolproof operation.
- The hose reel offers high comfort and reduced set-up time.
- Ergonomic and effortless trigger gun that is convenient to use.



Compact design

- Very easy to transport thanks to its low weight.
- Space saving and easy to store.

ACCESSORIES FOR HD 4/10 X CLASSIC *KAP 1.520-976.0



| | | Order no. | Description | |
|--|---|-------------|--|---|
| SPRAY LANCES | | | | |
| Spray lance | | | | |
| 600 mm spray lance | 1 | 9.751-140.0 | 600 mm long, zinc coated spray lance with hand screw connection. Not rotatable. | ■ |
| Spray lance 850 mm | 2 | 9.751-146.0 | Galvanised spray lance with manual screw fitting for high-pressure cleaners in the Classic range from Kärcher. Not rotatable. Length: 850 mm. | □ |
| NOZZLE UNION / SPACER | | | | |
| Nozzle union | | | | |
| Nozzle connector | 3 | 5.401-210.0 | For protecting and connecting Kärcher power nozzles to spray lances (M 18 × 1.5 IG). | ■ |
| MULTIPLE-JET NOZZLES | | | | |
| Triple nozzles | | | | |
| Triple nozzle, 028 | 4 | 4.767-144.0 | Triple nozzle with manual nozzle changeover. Convenient spray adjustment. For machines with an injector, the low-pressure flat stream is useful for cleaning agent suction and application. Connection M 18 × 1.5. | □ |
| FLOOR AND HARD SURFACE CLEANER | | | | |
| FR Classic surface cleaner | | | | |
| FR Classic surface cleaner | 5 | 2.643-476.0 | The ideal entry-level model in the Kärcher surface cleaner range for cleaning surfaces indoors and outdoors. With splash guard and up to 150 bar working pressure. | □ |
| Machine-specific nozzle kits for FR Classic | | | | |
| Nozzle kit for FR Classic, 034 | 6 | 2.885-313.0 | Nozzle kit specifically for FR Classic surface cleaner. | □ |
| FOAM SYSTEMS | | | | |
| Cup foam lance | | | | |
| Cup foam lance, 1200 l/h - | 7 | 6.394-668.0 | Short, handy foam lance with adjustable spray angle with 1 litre detergent tank. Ideal for cleaning cars due to its compact design. | □ |

■ Included in the scope of supply. □ Available accessories.